



- | CBR Values | Minimum thickness (mm) of sub-base
(Consolidated in accordance with MCHW
Volume 1 clause 801, table 8 / 1) | |
|--------------|--|----------------------------|
| | Without geotextile | With geotextile underneath |
| Less than 2% | N/A | 300 |
| 2-3% | 325 | 225 |
| 3-5% | 250 | 150 |
| 5-7% | 150 | N/A |
| 7-20% | 100 | N/A |

▼ Approx. existing ground level

PRELIMINARY