

Mr Olaf Olafsson
Lundi Architects
12A Five Heads Road
Horndean
PO8 9NW

For: Mr Paul Harvey
Peter Ernest Homes Ltd

**The Town and Country Planning (Development Management Procedure) (England)
Order 2015
Grant of Planning Permission**

Application Number: APP/23/00681

Site Address: 31 Forest End, Waterloooville, PO7 7AD

Proposal: Removal of single storey shed and construction of two, semi-detached 3 bedroom homes with associated parking and private gardens.

Further to your application received on 09 August 2023, which was valid from 11 September 2023 Havant Borough Council, as Local Planning Authority **Grants Planning Permission** for the above proposal in accordance with the submitted plans and particulars as detailed below.

This permission is subject to compliance with:

- (i) The plans and other documents submitted with regard to your application; and
- (ii) The following conditions:

Conditions:

- 1 The development must be begun not later than three years beginning with the date of this permission.

Reason: To comply with the requirements of Section 91 of the Town and Country Planning Act 1990 as amended by Section 51 of the Planning and Compulsory Purchase Act 2004.

- 2 The development hereby permitted shall be carried out in accordance with the following approved plans:

LA2268 05 F Proposed Site Plan
LA2268 08 B Proposed Ground Floor Plan
LA2268 09 B Proposed First Floor Plan
LA2268 010 Proposed Roof Plan
LA2268 012 B Proposed Street Elevation
LA2268 013 B Proposed Street Elevation
LA2268 015 B Proposed Elevations

Our Ref: APP/23/00681

Reason: To ensure provision of a satisfactory development.

- 3 Prior to the commencement of the development, details of the measures to be undertaken to protect/divert the public sewer during construction works shall be submitted to and approved in writing by the Local Planning Authority. The approved measures shall be implemented in full accordance with the approved measures unless otherwise agreed in writing by the Local Planning Authority.

Reason: To safeguard the public sewer having due regard to policies and proposals CS16 and DM10 of the Havant Borough Local Plan (Core Strategy) 2011 and the National Planning Policy Framework

- 4 No part of the development shall commence until the access, including the footway and/or verge crossing has been constructed and lines of sight of splays have been constructed in accordance with the approved plans. The lines of sight splays and boundary features shown on the approved plans shall be kept free of any obstruction exceeding 0.6m in height above the adjacent carriageway and shall be subsequently maintained as such thereafter.

Reason: To provide a satisfactory standard of development, in the interests of highway amenity and having due regard to the Havant Borough Council Parking SPD 2016, and policy DM13 of the Havant Borough Local Plan (Core Strategy) 2011 and the National Planning Policy Framework.

- 5 The external materials used shall be as indicated on the submitted forms and hereby approved plans, or shall match, in type, colour and texture, those of the existing building so far as practicable.

Reason: In the interests of the amenities of the area and having due regard to policy CS16 of the Havant Borough Local Plan (Core Strategy) 2011 and the National Planning Policy Framework.

- 6 The car parking, servicing and other vehicular access arrangements shown on the approved plans to serve the development hereby permitted shall be made fully available for use prior to the development being first brought into use and shall be retained thereafter for their intended purpose.

Reason: To provide a satisfactory standard of development, in the interests of highway amenity and having due regard to the Havant Borough Council Parking SPD 2016, and policy DM13 of the Havant Borough Local Plan (Core Strategy) 2011 and the National Planning Policy Framework.

- 7 Prior to occupation of the development hereby approved, details of the soft boundary treatments along the side boundary of Plot 1 shall be submitted to and approved in writing by the Local Planning Authority. The approved scheme shall be implemented in full in the first planting season following the occupation of the development. Any trees or shrubs to be planted as part of the approved landscaping scheme which are removed, die, become severely damaged or diseased within five years of the completion of development shall be replaced with trees or shrubs of appropriate size and species in the next planting season.

Reason: To ensure a satisfactory appearance and having due regard to policy CS16 of the Havant Borough Local Plan (Core Strategy) 2011 and the National Planning Policy Framework.

- 8 Notwithstanding the provisions of any Town and Country Planning (General Permitted Development) Order 2015, prior to first occupation of the dwelling annotated as Unit 2 hereby permitted, the first floor window in the east side elevation shall be fitted with, to a height of no less than 1.7m above finished floor level, non-opening lights and textured glass which obscuration level is no less than Level 4 of the Pilkington Texture Glass scale (or equivalent) and retained as such thereafter.

Reason: In the interests of the amenities of the occupiers of the adjacent dwelling and having due regard to policy CS16 of the Havant Borough Local Plan (Core Strategy) 2011 and the National Planning Policy Framework.

9

The development hereby permitted shall not be occupied until:

- (a) A water efficiency calculation in accordance with the Government's National Calculation Methodology for assessing water efficiency in new dwellings has been undertaken which demonstrates that no more than 110 litres of water per person per day shall be consumed within the development, and this calculation has been submitted to, and approved in writing by, the Local Planning Authority; and
- (b) All measures necessary to meet the approved water efficiency calculation have been installed.

Reason: There is existing evidence of high levels of nitrogen and phosphorus in the water environment with evidence of eutrophication at some European designated nature conservation sites in the Solent catchment. The PUSH Integrated Water Management Strategy has identified that there is uncertainty as to whether new housing development can be accommodated without having a detrimental impact on the designated sites within the Solent. Further detail regarding this can be found in the appropriate assessment that was carried out regarding this planning application. In compliance with Regulation 63 of the Conservation of Habitats and Species Regulations 2017, the local planning authority has a duty to ensure that sufficient mitigation is provided against any impacts which might arise upon the designated sites. In coming to this decision, the Council has also had regard to Policy CS11 of the Havant Borough Local Plan (Core Strategy) 2011.

- 10 At all times following occupation of the development hereby approved, all measures for water usage within the submitted nutrient budget shall be maintained in the development in perpetuity.

Reason: There is existing evidence of high levels of nitrogen and phosphorus in the water environment with evidence of eutrophication at some European designated nature conservation sites in the Solent catchment. The PUSH Integrated Water Management Strategy has identified that there is uncertainty as to whether new housing development can be accommodated without having a detrimental impact on the designated sites within the Solent. Further detail regarding this can be found in the appropriate assessment that was carried out regarding this planning application. In compliance with Regulation 63 of the Conservation of Habitats and Species Regulations 2017, the local planning authority has a duty to ensure that sufficient mitigation is provided against any impacts which might arise upon the designated sites. In coming to this decision, the Council has also had regard to Policy CS11 of the Havant Borough Local Plan (Core Strategy) 2011.

- 11 Notwithstanding the provisions of the Town and Country Planning (General Permitted Development) (England) Order 2015 (as amended), or any other enactment modifying or revoking that Order, no enlargement, improvement, extension, addition or alteration permitted by Classes A, B, C or E of the Order shall take place to any of the dwellings hereby permitted without the prior approval of the Local Planning Authority.

Reason: In the interests of the amenities of the neighbouring properties and to prevent overdevelopment in accordance with policy CS16 of the Havant Borough Local Plan (Core Strategy) 2011 and the National Planning Policy Framework.

Other Important Information:

- (1) This notice only relates to the decision of Havant Borough Council as Local Planning Authority under the Town and Country Planning Acts. It does not relate to any other application that may be required under the Building Regulations or under any other Act, Regulation, Byelaw or Order where the Council's approval may be needed. For further guidance as to the need for consent under the Building Regulations please phone 023 9244 6571.
- (2) Your attention is drawn to the attached information regarding firstly your right to appeal to the Planning Inspectorate, if you are aggrieved by the Council's decision, and secondly the rights of an owner to, in certain circumstances serve a purchase notice on the Council. See www.planningportal.co.uk
- (3) Any failure to adhere to the details of the approved plans, and other documents or to comply with any conditions listed above may lead to enforcement action being taken by the Council. If you wish to depart from the approved details or conditions in any way you should contact the Planning and Development service at the Plaza or by telephoning 023 9244 6015.
- (4) In accordance with paragraphs 38-50 of the NPPF Havant Borough Council (HBC) takes a positive and proactive approach and works with applicants/agents on development proposals in a manner focused on solutions by:
 - Offering a pre-application advice service, and
 - Updating you of any issues that may arise in the processing of your application and where possible suggesting solutions, and,

In this instance:

- You were updated about issues after the initial site visit

- (5) **Important: Please note and action the following consultation advice from Southern Water before proceeding with any development pursuant to this**

permission

(a) The proposed development will lie over an existing public foul sewer, which will not be acceptable to Southern Water. The exact position of the public apparatus must be determined on site by the applicant before the layout of the proposed development is finalised.

It might be possible to divert the public foul sewer, so long as this would result in no unacceptable loss of hydraulic capacity, and the work was carried out at the developer's expense to the satisfaction of Southern Water under the relevant statutory provisions.

- The 150 mm diameter public foul sewer requires a clearance of 3 metres on either side of the gravity sewer to protect it from construction works and to allow for future maintenance access.*
- No development or tree planting should be carried out within 3 metres of the external edge of the public gravity sewer without consent from Southern Water.*
- No soakaways, swales, ponds, watercourses or any other surface water retaining or conveying features should be located within 5 metres of public or adoptable gravity sewers.*

All existing infrastructure should be protected during the course of construction works. Alternatively, the applicant may wish to amend the site layout, or combine a diversion with amendment of the site layout.

(b) It is possible that a sewer now deemed to be public could be crossing the development site. Therefore, should any sewer be found during construction works, an investigation of the sewer will be required to ascertain its ownership before any further works commence on site.

(c) Southern Water requires a formal application for a connection to the public foul sewer to be made by the applicant or developer.

To make an application visit Southern Water's Get Connected service: developerservices.southernwater.co.uk and please read our New Connections Charging Arrangements documents which are available on our website via the following link: southernwater.co.uk/developing-building/connection-charging-arrangements.

In situations where surface water is being considered for discharge to our network, we require the below hierarchy for surface water to be followed which is reflected in part H3 of the Building Regulations. Whilst reuse does not strictly form part of this hierarchy, Southern Water would encourage the consideration of reuse for new developments.

- Reuse*
- Infiltration*
- Watercourse*
- Storm sewer*
- Combined Sewer*
-

Guidance on Building Regulations is here: gov.uk/government/publications/drainage-and-waste-disposal-approved-document-h

For further advice, please contact Southern Water, Southern House, Yeoman Road, Worthing, West Sussex, BN13 3NX (Tel: 0330 303 0119).

Alex Robinson

Alex Robinson
Executive Head of Place

22 December 2023

TOWN AND COUNTRY PLANNING ACT 1990

NOTIFICATION TO BE SENT TO AN APPLICANT WHEN A LOCAL PLANNING AUTHORITY REFUSE PLANNING PERMISSION OR GRANT IT SUBJECT TO CONDITIONS

- These notes are for information only and do not purport to set out the law on the subject.
- Only the applicant possesses the right of appeal.

Appeals to the Secretary of State

- If you are aggrieved by the decision of your local planning authority to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Secretary of State under section 78 of the Town and Country Planning Act 1990.
- If this is a decision on a planning application relating to the same or substantially the same land and development as is already the subject of an enforcement notice and you want to appeal against your local planning authority's decision on your application, then you must do so within 28 days of the date of this notice.
- If an enforcement notice is served relating to the same or substantially the same land and development as in your application and if you want to appeal against your local planning authority's decision on your application, then you must do so within 28 days of the date of service of the enforcement notice, or within 6 months [12 weeks in the case of a householder appeal] of the date of this notice, whichever period expires earlier.
- If this is a decision to refuse planning permission for a householder application and you want to appeal against your local planning authority's decision then you must do so within 12 weeks of the date of this notice.
- If this is a decision to refuse planning permission for a minor commercial application and you want to appeal against your local planning authority's decision then you must do so within 12 weeks of the date of this notice.
- If this is a decision to refuse express consent for the display of an advertisement and you want to appeal against your local planning authority's decision then you must do so within 8 weeks of the date of receipt of this notice.
- If this is a decision to refuse consent to work on a tree which is subject to a Tree Preservation Order and you want to appeal against your local planning authority's decision then you must do so within 28 days of the date of this notice.
- If this is a decision to refuse any other type of application and you want to appeal against your local planning authority's decision then you must do so within 6 months of the date of this notice.
- **Appeals can be made online at:** <https://www.gov.uk/appeal-householder-planning-decision> for householder applications; <https://www.gov.uk/appeal-planning-decision> for full applications; <https://www.gov.uk/planning-inspectorate> for anything else.
- The Secretary of State can allow a longer period for giving notice of an appeal but will not normally be prepared to use this power unless there are special circumstances which excuse the delay in giving notice of appeal.
- The Secretary of State need not consider an appeal if it seems to the Secretary of State that the local planning authority could not have granted planning permission for the proposed development or could not have granted it without the conditions they imposed, having regard to the statutory requirements, to the provisions of any development order and to any directions given under a development order.

If you intend to submit an appeal that you would like examined by inquiry, then you must notify the Local Planning Authority and Planning Inspectorate (inquiryappeals@planninginspectorate.gov.uk) at least 10 days before submitting the appeal. [Further details are on GOV.UK.](#)

Our Ref: APP/23/00681

IMPORTANT NOTICE FOR APPLICANTS WITH REGARD TO BUILDING REGULATIONS

This notice only relates to the decision of Havant Borough Council under the Town and Country Planning Acts. It does not relate to any other application that may be required any other Act, Regulation, Byelaw or Order where the Council's approval may be needed.

For further guidance as the need for consent under the Building Regulations, please telephone Havant Borough Council's Building Control team on:

023 9244 6571

Southern Gas advisory note

In June 2021 SGN issued a comprehensive advisory note

There are a number of risks created by built over gas mains and services; these are:

- Pipework loading - pipes are at risk from loads applied by the new structure and are more susceptible to interference damage.
- Gas entry into buildings - pipework proximity increases risk of gas entry in buildings. Leaks arising from previous external pipework able to track directly into main building from unsealed entry.
- Occupier safety - lack or no fire resistance of pipework, fittings, or meter installation. Means of escape could be impeded by an enclosed meter.

Please note therefore, if you plan to dig, or carry out building work to a property, site, or public highway within our gas network, you must:

1. Check your proposals against the information held at <https://www.linerearchbeforeudig.co.uk/> to assess any risk associated with your development and
2. Contact our Plant Protection team to let them know. Plant location enquiries must be made via email, but you can phone us with general plant protection queries. See our contact details below:

Phone: 0800 912 1722 / Email: plantlocation@sgn.co.uk

In the event of an overbuild on our gas network, the pipework must be altered, you may be temporarily disconnected, and your insurance may be invalidated.

Further information on safe digging practices can be found here:

- Our free Damage Prevention e-Learning only takes 10-15 minutes to complete and highlights the importance of working safely near gas pipelines, giving clear guidance on what to do and who to contact before starting any work
<https://www.sgn.co.uk/damage-prevention>
- Further information can also be found here
<https://www.sgn.co.uk/help-and-advice/digging-safely>

SGN personnel will contact you accordingly.