


Customer:
Urban Specialists

Order No:

Customer Ref:
Barton

Frame No:1 Qty: 1

Location: Front Top Right



Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:
1520 x 925 ☐

Actual Frame Size:
1520 x 860 ☐


Frame Specification		Tick OK	Revised if not OK
System:	ALUK	☐	
Group:	58BW TBT Window	☐	
Outer:	A W 605 (58) Contemporary Outer	☐	
Sash:	A W 621 TBT Com m Vent	☐	
Trans/Mull:	Flat Mull/Tran	☐	
Cill:	150 m m Drop Nose Cill	☐	
Reinforcement:	None	☐	
Tilt/Turn Handles:	TBT Handle White	☐	
Tilt/Turn Locks:	T&T Lock Deduction	☐	
Drainage:	Concealed	☐	
Bead:	28 m m Square Bead 9910HG Hipca	☐	
Gasket:	5 m m Glazing Wedge	☐	

Glazing			
Pane: A1	699 x 780	4/20/4 TGH Low E - Black Edgetech	☐
		Spacer - Argon Gas (90%)	
Pane: A2	612 x 691	4/20/4 TGH Low E - Black Edgetech	☐
		Spacer - Argon Gas (90%)	

Additional Frame Details		
Extender:	40 m m (58) Add-On9910HG Hipca 1520 m m - Top	☐
	White - Gloss	
Night Vent:	1 x White 4000EA Trickle Vent	☐

Frame No:2 Qty: 1

Location: Front Top Left



Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:
2025 x 940 ☐

Actual Frame Size:
2025 x 875 ☐

Frame Specification

Tick OK Revised if not OK

System: ALUK
Group: 58BW TBT Window
Outer: A W 605 (58) Contemporary Outer
Sash: A W 621 TBT Com m Vent
Trans/Mull: Flat Mull/Tran
Cill: 150 m m Drop Nose Cill
Reinforcement: None
Tilt/Turn Handles: TBT Handle White
Tilt/Turn Locks: T&T Lock Deduction
Drainage: Concealed
Bead: 28 m m Square Bead 9910HG Hipca
Gasket: 5 m m Glazing Wedge

☐
☐
☐
☐
☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 527 x 706 4/20/4 TGH Low E - Black Edgetech
Spacer - Argon Gas (90%)
Pane: A2 633 x 795 4/20/4 TGH Low E - Black Edgetech
Spacer - Argon Gas (90%)
Pane: A3 527 x 706 4/20/4 TGH Low E - Black Edgetech
Spacer - Argon Gas (90%)

☐
☐
☐


Additional Frame Details

Extender: 40 m m (58) Add-On9910HG Hipca2025 m m - Top
White - Gloss
Night Vent: 2 x White 4000EA Trickle Vent

☐
☐

Frame No:3 Qty: 1

Location: Back Top Right



Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:
1535 x 955 ☐

Actual Frame Size:
1535 x 890 ☐

Frame Specification

Tick OK Revised if not OK

System: ALUK
Group: 58BW TBT Window
Outer: A W 605 (58) Contemporary Outer
Sash: A W 621 TBT Com m Vent
Trans/Mull: Flat Mull/Tran
Cill: 150 m m Drop Nose Cill
Reinforcement: None
Tilt/Turn Handles: TBT Handle White
Tilt/Turn Locks: T&T Lock Deduction
Drainage: Concealed
Bead: 28 m m Square Bead 9910HG Hipca
Gasket: 5 m m Glazing Wedge

☐
☐
☐
☐
☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 706 x 810 4/20/4 TGH Low E - Flat Astragal
Bar - Black Edgetech Spacer - Argon
Gas (90%)
Pane: A2 620 x 721 4/20/4 TGH Low E - Flat Astragal
Bar - Black Edgetech Spacer - Argon
Gas (90%)

☐
☐


Additional Frame Details

Extender: 40 m m (58) Add-On9910HG Hipca1535 m m - Top
White - Gloss
Night Vent: 1 x White 4000EA Trickle Vent

☐
☐

Frame No:4 Qty: 1

Location: Next To Front Door



Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

630 x 1190 ☐

Actual Frame Size:

630 x 1125 ☐

Frame Specification

Tick OK Revised if not OK

System: ALUK
Group: 58B W TBT Window
Outer: A W 605 (58) Contemporary Outer
Sash: A W 621 TBT Com m Vent
Trans/Mull: Flat Mull/Tran
Cill: 150 m m Drop Nose Cill
Reinforcement: None
Tilt/Turn Handles: TBT Handle White
Tilt/Turn Locks: T&T Lock Deduction
Drainage: Concealed
Bead: 28 m m Square Bead 9910HG Hipca
Gasket: 5 m m Glazing Wedge

☐
☐
☐
☐
☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 463 x 956 4/20/4 Obs TGH/ Low E Chantilly -
Black Edgetech Spacer - Argon Gas
(90%)

☐


Additional Frame Details

Extender: 40 m m (58) Add-On9910HG Hipca30 m m - Top
White - Gloss
Night Vent: 1 x White 4000EA Trickle Vent

☐☐

Frame No:5 Qty: 1

Location: Lounge @ Front



Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

2005 x 1255 ☐

Actual Frame Size:

2005 x 1190 ☐

Frame Specification

Tick OK Revised if not OK

System: ALUK
Group: 58B W TBT Window
Outer: A W 605 (58) Contemporary Outer
Sash: A W 621 TBT Com m Vent
Trans/Mull: Flat Mull/Tran
Cill: 150 m m Drop Nose Cill
Reinforcement: None
Tilt/Turn Handles: TBT Handle White
Tilt/Turn Locks: T&T Lock Deduction
Drainage: Concealed
Bead: 28 m m Square Bead 9910HG Hipca
Gasket: 5 m m Glazing Wedge

☐
☐
☐
☐
☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 520 x 1021 4/20/4 TGH Low E - Black Edgetech
Spacer - Argon Gas (90%)
Pane: A2 627 x 1110 4/20/4 TGH Low E - Black Edgetech
Spacer - Argon Gas (90%)
Pane: A3 520 x 1021 4/20/4 TGH Low E - Black Edgetech
Spacer - Argon Gas (90%)

☐☐☐


Additional Frame Details

Extender: 40 m m (58) Add-On9910HG Hipca2005 m m - Top
White - Gloss
Night Vent: 2 x White 4000EA Trickle Vent

☐☐

Frame No:6 Qty: 1

Location: Kitchen Window



Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

440 x 900 ☐

Actual Frame Size:

440 x 835 ☐

Frame Specification

Tick OK Revised if not OK

System: ALUK
Group: 58B W ST Slimline Window
Outer: A W 605 (58) Contemporary Outer
Sash: A W 685 IG Slim Flat Vent
Trans/Mull: Flat Mull/Tran
Cill: 150 m m Drop Nose Cill
Reinforcement: None
Casement Handles: White Espag Handle
Casement Hinges: Std/Egress Stay (13 m m)
Casement Locks: ST Slim line Espag (5 m m)
Drainage: Concealed
Bead: 28 m m 683 Flat Bead 9910HG Hipc
Gasket: 5 m m Glazing Wedge

☐
☐
☐
☐
☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 312 x 707 4/20/4 Obs TGH/ Low E Chantilly -
Black Edgetech Spacer - Argon Gas
(90%)

☐


Additional Frame Details

Extender: 40 m m (58) Add-On 9910HG Hipc
White - Gloss
Night Vent: 1 x White 4000EA Trickle Vent

☐☐

Frame No:7 Qty: 1

Location: Next to Bifolds



Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

850 x 2080 ☐

Actual Frame Size:

835 x 2015 ☐

Frame Specification

Tick OK Revised if not OK

System: ALUK
Group: 58B W TBT Window
Outer: A W 622 (70) Sq Contemporary Out
Sash: A W 621 TBT Com m Vent
Trans/Mull: Flat Mull/Tran
Cill: 150 m m Drop Nose Cill
Reinforcement: None
Tilt/Turn Handles: TBT Handle White
Tilt/Turn Locks: T&T Lock Deduction
Drainage: Concealed
Bead: 28 m m Square Bead 9910HG Hipca
Gasket: 5 m m Glazing Wedge

☐
☐
☐
☐
☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 667 x 1845 4/20/4 TGH Low E - Flat Astragal
Bar - Black Edgetech Spacer - Argon
Gas (90%)

☐


Additional Frame Details

Extender: 40 m m (70) Add-On 9910HG Hipc
White - Gloss
Extender: 15 m m (70) Coupling Bar 9910HG
Hipca White - Gloss
Night Vent: 1 x White 4000EA Trickle Vent

☐☐☐

Frame No:8 Qty: 1

Location: Annexe Bedroom



Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1940 x 975 ☐

Actual Frame Size:

1940 x 910 ☐

Frame Specification

Tick OK Revised if not OK

System: ALUK
Group: 58B W TBT Window
Outer: A W 605 (58) Contemporary Outer
Sash: A W 621 TBT Com m Vent
Trans/Mull: Flat Mull/Tran
Cill: 150 m m Drop Nose Cill
Reinforcement: None
Tilt/Turn Handles: TBT Handle White
Tilt/Turn Locks: T&T Lock Deduction
Drainage: Concealed
Bead: 28 m m Square Bead 9910HG Hipca
Gasket: 5 m m Glazing Wedge

☐
☐
☐
☐
☐
☐
☐
☐
☐
☐
☐
☐

Glazing


Pane: A1 499 x 741 4/20/4 TGH Low E - Flat Astragal Bar - Black Edgetech Spacer - Argon Gas (90%) ☐
Pane: A2 604 x 830 4/20/4 TGH Low E - Flat Astragal Bar - Black Edgetech Spacer - Argon Gas (90%) ☐
Pane: A3 499 x 741 4/20/4 TGH Low E - Flat Astragal Bar - Black Edgetech Spacer - Argon Gas (90%) ☐

Additional Frame Details

Extender: 40 m m (58) Add-On9910HG Hipca 40 m m - Top ☐
White - Gloss
Night Vent: 2 x White 4000EA Trickle Vent ☐

Frame No:9 Qty: 1

Location: Annexe Bathroom



Viewed Outside

Frame Style ☐ Mark Revisions
Tran/Mull Splits ☐ on Drawing

Dimensions

Overall Size:

1175 x 1030 ☐

Actual Frame Size:

1175 x 965 ☐

Frame Specification

Tick OK Revised if not OK

System: ALUK
Group: 58B W TBT Window
Outer: A W 605 (58) Contemporary Outer
Sash: A W 621 TBT Com m Vent
Trans/Mull: Flat Mull/Tran
Cill: 150 m m Drop Nose Cill
Reinforcement: None
Tilt/Turn Handles: TBT Handle White
Tilt/Turn Locks: T&T Lock Deduction
Drainage: Concealed
Bead: 28 m m Square Bead 9910HG Hipca
Gasket: 5 m m Glazing Wedge

☐
☐
☐
☐
☐
☐
☐
☐
☐
☐
☐
☐

Glazing

Pane: A1 526 x 885 4/20/4 Obs TGH/ Low E Chantilly - Flat Astragal Bar - Black Edgetech Spacer - Argon Gas (90%) ☐
Pane: A2 440 x 796 4/20/4 Obs TGH/ Low E Chantilly - Flat Astragal Bar - Black Edgetech Spacer - Argon Gas (90%) ☐

Additional Frame Details

Extender: 40 m m (58) Add-On9910HG Hipca 40 m m - Top ☐
White - Gloss
Night Vent: 1 x White 4000EA Trickle Vent ☐

Actual Frame Size:
1175 x 965 ☐

Extender:	40 m m (58) Add-On 9910 HG Hip Chair	175 m m - Top	☐
	White - Gloss		
Night Vent:	1 x White 4000EA Trickle Vent		☐

Actual Frame Size:
2610 x 2015 ☐

Extender: 40 mm (70) Add-On - 9910HG Hips 10 mm - Top	☐
White - Gloss	
Night Vent: 2 x White 4000EA Trickle Vent	☐

Extender: 40 m m (58) Add-On9910HG Hipcæ15m m - Top White - Gloss	☐
Night Vent: 1 x White 4000EA Trickle Vent	☐

