

Langstone Technology Park Area 1 - Surface Water							
MH Ref	MH Type	MH Internal Diameter (mm)	Cover Type	Cover Level (m)	Invert Level (m)	Outgoing Pipe Size (mm)	Comments
SW 1.0	PPIC	600	D400	4.790	4.090	225	
SW 1.1	PPIC	600	D400	4.490	3.767	225	
SW 1.2	PPIC	600	D400	4.450	3.474	300	
SW 1.3	PPIC	600	D400	4.930	3.403	300	
SW 1.4	PPIC	600	D400	5.050	3.357	300	
SW 1.5	PPIC	450	D400	5.070	4.000	100	
SW 1.6	CONC	1200	D400	5.070	3.234	300	Hydrobrake flow restriction to 7.5l/s
SW 2.0	PPIC	600	D400	5.170	4.470	225	
SW 3.0	PPIC	450	D400	4.960	4.250	100	

P1	18/10/19	PRELIMINARY	CN	CH	GS
Rev	Date	Description	By	Check	App.

COPYRIGHT: THE COPYRIGHT OF THIS DRAWING IS VESTED IN CLANCY CONSULTING.
IT SHALL NOT BE USED WITHOUT PERMISSION BY ANYONE FOR ANY PURPOSE.
DO NOT SCALE THIS DRAWING ELECTRONICALLY OR MANUALLY.
WORK TO FIGURED DIMENSIONS ONLY.
ALL DIMENSIONS ARE IN MILLIMETRES UNLESS STATED OTHERWISE.
DO NOT TURN ON LAYERS THAT HAVE BEEN TURNED OFF.
DO NOT THAW LAYERS THAT HAVE BEEN FROZEN.

Client	TRINITY INVESTMENT MANAGEMENT
Project	LANGSTONE TECHNOLOGY PARK LANGSTONE ROAD HAVANT, PO9 1SA
Office	NORWICH - 01603 305190
Discipline	CIVIL ENGINEERING
Title	MANHOLE SCHEDULE AREA 1
Scale @ A1	1:20
Status	PRELIMINARY



www.clancy.co.uk

PRELIMINARY DRAWING
THIS DRAWING IS FOR PRELIMINARY INFORMATION
PURPOSES ONLY AND MUST NOT BE READ AS A
CONSTRUCTION ISSUE. IT INDICATES DESIGN INTENT
ONLY AND IS SUBJECT TO AMENDMENT DURING FINAL
DESIGN DEVELOPMENT.

Originator	Job Number	Discipline	Building/Zone
CCL	8/1982	C	LAN
Type	Level	Drawing No.	Revision
DET	DRN	4415	P1