

ABMH		Page 1
1 The Grove Felpham West Sussex PO22 7EY	Woodcroft SW Design	
Date 07/08/2019 12:49 File FC2789 Woodcroft- sw de...	Designed by mh Checked by	
Micro Drainage	Network 2017.1.2	

Summary of Results for 30 minute 1 year Summer (Storm)

Margin for Flood Risk Warning (mm) 300.0 DVD Status OFF
 Analysis Timestep Fine Inertia Status OFF
 DTS Status ON

PN	US/MH Name	Water		Surcharged		Flooded		Pipe		Status
		Level (m)	Depth (m)	Volume (m³)	Flow / Cap.	Overflow (l/s)	Flow (l/s)			
1.000	SWS13	67.168	-0.082	0.000	0.42		7.0		OK	
1.001	SWS12	66.971	-0.103	0.000	0.22		8.6		OK	
1.002	SWS11	65.693	-0.182	0.000	0.08		8.5		OK	
2.000	SWS10.1	65.364	-0.161	0.000	0.18		12.5		OK	
1.003	SWS10	64.741	-0.200	0.000	0.23		23.6		OK	
1.004	SWS9	64.470	-0.184	0.000	0.32		24.2		OK	
1.005	SWS8	63.122	-0.988	0.000	0.04		36.3		OK	
3.000	Dummy	62.933	-0.225	0.000	0.00		0.0		OK	
3.001	SW7.3	62.929	-0.225	0.000	0.00		0.0		OK	
3.002	SW7.1	63.099	-0.776	0.000	0.00	0.0	1.7		OK	
1.006	SWS7	63.099	-0.971	0.000	0.04		27.7		OK	
1.007	SWS6	63.094	-0.966	0.000	0.05		26.8		OK	
4.000	SWS5.1	65.288	-0.187	0.000	0.07		7.6		OK	
1.008	SWS5	63.087	-0.959	0.000	0.04		34.7		OK	
1.009	SWS4	63.077	-0.731	0.000	0.06		40.0		OK	
1.010	SWS3	63.069	0.017	0.000	0.44		27.7		SURCHARGED	
1.011	SWS2	62.797	-0.191	0.000	0.29		27.7		OK	