

ELEVATION ON NEW OPENING TO GALLEY AREA



DETAIL 1

New studwork partion wall between galley and WC. The timber beam shall be protected by 2 layers of fireboard to provide fire resistance

Location of new opening between galley and WC. The existing opening is to be widened and the lintel removed and replaced by the beams as shown



PLAN ON NEW OPENING LOCATION

NOTES

1 All dimensions in millimetres unless stated otherwise
2 The works will be subject to listed building consent
3 The concrete to the beam should be cast from 30N/mm2 concrete with a minimum cover of 40mm to the reinforcement. Reinforcement to be 500N/mm2
4 Structural steel to be grade S275 and bolts to be grade 8.8
5 All steelwork shal be cleaned and coated with a zinc enriched primer

REVISION	DESCRIPTION	DATE	DRAWN	REVIEWED
00	[Description]	MM/YY	[BY]	-

CONSTRUCTEX
Address: 4 Meteor Way, Lee-on-Solent, Hampshire PO13 9FU
Tel: 0333 355 1892
Fax: 0333 355 1893
Website: www.constructex.co.uk
Email: enquiries@constructex.co.uk

Project
Emsworth Slipper Sailing Club

Drawing Title
New support arrangement for proposed opening in galley wall

Scale
1:20

Drawing No.
P2321 - DR - 105

Date
04/03/2019

Drawn
GJE