

Arboricultural Officer comments are as follows:-

I have assessed the trees and the work proposed. The trees shown to be removed on the Tree Protection Plan (G7, T40, T41, G42, G43) are 'C' or 'U' class trees with the exception of G43 which is 'B' grade, and I am in agreement with the Consultant's classification. They are of lower value and poorer quality specimens than other trees on the site, and there are a number of dead trees within the group. The Arboricultural Officer raised no objection to their removal when commenting on APP/18/00450 and the position remains the same for this application.

A condition should be applied if permission is granted that the work be carried out in accordance with the Arboricultural Method Statement and Tree Protection Plan, with particular reference made to Table 1 of Paragraph 1.4 of the AMS. (requirement for a pre commencement meeting).

Kind regards,

Maria

Maria Stewart - Arboricultural Officer
Neighbourhood Support

East Hampshire District Council, Penns Place, Petersfield, GU31 4EX
Havant Borough Council, Public Service Plaza, Civic Centre Road, Havant, PO9 2AX

Tel: 01730 234214

Email: maria.stewart@easthants.gov.uk

www.easthants.gov.uk

www.facebook.com/easthampshiredistrictcouncil

www.twitter.com/easthantsdc

www.havant.gov.uk

www.facebook.com/havantboroughcouncil

www.twitter.com/havantborough