



THORPE

Engineering & Construction Consultancy
tecconsult@outlook.com
07766733312

CLIENT: WESTVALE PROPERTY DEVELOPMENT LTD

PROJECT No.	DRG No.	REV.
121-17	003	C1

PROJECT
LAND ADJACENT,
50 SOUTHFIELD WALK, PO9 4HY

TITLE
NEW 3-BED HOUSE
PROPOSED DRAINAGE AMENDMENT

SCALE	DATE	DRAWN	CHECKED
see drg	SEP 2017	RMT	

GENERAL NOTES

1. DO NOT SCALE FROM THIS DRAWING. WORK FROM FREEDOM DIMENSIONS ONLY. ALL DIMENSIONS ARE IN MILLIMETERS (J.M.O.)
 2. NO DEVIATION FROM THE DETAILS SHOWN ON THIS DRAWING WILL BE ALLOWED WITHOUT PRIOR PERMISSION IN WRITING.
 3. ALL DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ALL ARCHITECTS, ENGINEERS AND SPECIALIST DRAWINGS AND DETAILS.
 4. THE MAIN CONTRACTOR IS RESPONSIBLE FOR ALL LEVELS AND SETTING OUT ON SITE. ANY DISCREPANCIES BETWEEN DRAWINGS MUST BE BROUGHT TO THE ATTENTION OF W/C.A. AND THE ARCHITECT.
- ## DRAINAGE NOTES
1. ALL PIPEWORK TO BE VITRIFIED CLAY SUPERSTREECE (EXTRA STRENGTH) SYSTEM USING FLEXIBLE JOINTS UP TO 150 DIA. CONCRETE ABOVE CLASS M.
 2. JOINTS IN CONCRETE WHERE PIPE SURROUNDED IN CONCRETE TO BE FORMED USING FIBRE BOARD OR SIMILAR APPROVED.
 3. ALL DRAINAGE TO BE SUPPLIED AND CONSTRUCTED IN ACCORDANCE WITH BS8301
 4. THE DRAINAGE SPECIFICATION FOR THE WORKS SHALL BE IN ACCORDANCE WITH PART E OF "SPEIERS FOR ADOPTION" 7TH EDITION

DRAINAGE NOTES

1. ALL PIPEWORK TO BE VITRIFIED CLAY SPIRULINE® EXTRA STRENGTH SYSTEM USING FLEXIBLE JOINTS UP TO 150 DIA. CONCRETE ABOVE CLASS M.
2. JOINTS IN CONCRETE WHERE PIPE SURROUNDED IN CONCRETE TO BE FORMED USING FIBRE BOARD OR SIMILAR APPROVED.
3. ALL DRAINAGE TO BE SUPPLIED AND CONSTRUCTED IN ACCORDANCE WITH BS8301
4. THE DRAINAGE SPECIFICATION FOR THE WORKS SHALL BE IN ACCORDANCE WITH PART E OF "SEWERS FOR ADOPTION" 7TH EDITION