

URL

<http://www.vaillant.co.uk/homeowners/products/ecofit-pure-combination-boiler-26176.html>

Path

► Homeowners ► Products



ecoFIT pure combination boiler

825, 830 and 835 outputs

- Compact, cupboard fit solution
- Top and rear flue options
- Automotive grade aluminium heat exchanger
- Easy installation and maintenance
- 7 year warranty available with options up to 10 years when registered by an Advance installer

Introducing the boiler that opens more doors: The new ecoFIT pure

As one of Europe's leading heating technology manufacturers, 'thinking ahead' is a culture which is embraced throughout our business. Our products feature high energy efficiency ratings and low emissions, and come with an enviable reputation for performance, quality and reliability. This comes from proven German engineering combined with award winning UK manufacturing.

Ultra-quiet operation (Quiet Mark-approved), small footprint and total flexibility of siting (with top and rear flue options) mean that the ecoFIT pure range fits in with your customers' needs. The automatic purging assistance and high spec, aluminium heat exchanger makes for a lightweight installation. High quality and high efficiency, together with the complete availability of spare parts and the easy accessibility of the unit layout mean the ecoFIT pure is easy to maintain too.

Features & benefits:

- Available combination outputs: 25kW, 30kW and 35kW
- Top and rear flue options on all boiler models - Allows flexible siting options and installs in various property types
- Compact, cupboard fit solution - small boiler footprint, offering flexibility of siting, including a cupboard-fit
- Clear LED display - offers visibility in dimly lit areas for easier installation and use
- Easy installation and maintenance - accessible layout that allows all components to be replaced from the boiler front
- Recognisable Vaillant fault codes - making it easy to diagnose faults
- High-specification aluminium heat exchanger- designed to last longer, maintain easily, and reduce energy bills
- High-quality components - offering peace of mind for the lifetime of the product
- Industry-leading flue lengths - 10m flue length across all ecoFIT pure boiler outputs
- 4-sided cooling and water agitation of the heat exchanger - reducing stress on the heat exchanger for longer life reliability and reduced maintenance costs
- Compatible with Vaillant's intelligent range of controls - for the most convenient and energy efficient system, saving on energy bills
- Standard 2 year warranty, can be upgraded to a 7 year warranty when registered by a ► Vaillant Advance installer
- Options to purchase extended warranty up to 10 years when registered by an Advance installer

*When registered by a Vaillant Advance installer

Interested in Vaillant training?

Book now ►



Vaillant Advance

Look forward to a better way of working with Vaillant Advance.


The Advance scheme rewards and supports installers by helping them to advance their business, their earnings and their knowledge.

Start benefiting from member features today. ►

Specifications

ecoFIT pure combination boilers			
Technical data	25kW combi	30kW combi	35kW combi
Article Number	0010020389	0010020390	0010020391
Boiler dimensions (HxWxD) (mm)	700 x 390 x 295	700 x 390 x 295	700 x 390 x 295
Rear flue option	Yes	Yes	Yes
Boiler lift weight (kg)	32	33	33
Nominal heat output range at 50/30°C (kW)	5.3 - 19.1	6.3 - 26.5	7.5 - 26.7
Nominal heat output range at 80/60°C (kW)	5.0 - 18.2	6.0 - 25.2	7.1 - 25.5
Maximum flow temperature (°C)	80	80	80
Flow temperature range (°C)	10-80	10-80	10-80
Domestic hot water flow rate l/hr (at DT = 35K)	10.4	12.4	14.4
Flow temperature factory setting (°C)	75	75	75
Approximate condensate volume at 50/30°C (l/hr)	1.84	2.55	2.57
Maximum horizontal flue length 60/100 (m)	10	10	10
PCDB seasonal efficiency (%)	89	89	89.4
ErP rating (heating/hot water)	A/A	A/A	A/A

Related Products



vSMART™ intelligent room control with app

Heating and hot water control at your fingertips

- Smart phone app for both Android and Apple iOS application
- Self learning
- Weather compensation
- Connect multiple vSMART controllers to one app
- Wireless connection