

DO NOT SCALE FROM THIS DRAWING.
ALL DIMENSIONS TO BE CHECKED ON SITE.
FOR REFERENCED VIEWS REFER TO REFERENCE_VIEW_A0 SERIES OF DRAWINGS

Suitability Code (as defined in BS1192)

Work In Progress (WIP)
S0 - Work In Progress

Shared (Non-Contractual)

S1 - Suitable for Co-ordination
S3 - Suitable for Review & comment
S5 - Not Used
S7 - Suitable for AIM Authorisation

S2 - Suitable for Information
S4 - Suitable for Stage Approval
S6 - Suitable for PIM Authorisation

WIP to Published (Non-Contractual)
D1 - Suitable for Costing
D3 - Suitable for Contractor Design

D2 - Suitable for Tender
D4 - Suitable for manufacture/ procurement

Published Documentation (Contractual)
A1, A2, A3, Etc - Approved and accepted as stage complete
B1, B2, B3, Etc, - Partially signed off with minor comments from the Client

Published for AIM Acceptance
CR - As Construction Record Documentation

2

6000 HP GAS MAIN
- CONSULT WITH SGN
- CROSSINGS MIN 600MM CLEARANCE
- HAND DIG ONLY WITHIN EASEMENT

3

33KV OVERHEAD LINES (Existing prior to diversion)
- CONSULT WITH SSE
- PHYSICAL BARRIERS/BUNTING ETC
- ALONG EDGE OF SAFETY ZONES
- MINIMISE CROSSING POINTS & PROVIDE GOAL POSTS ETC

4

132KV OVERHEAD LINES
- CONSULT WITH SSE
- PHYSICAL BARRIERS/BUNTING ETC
- ALONG EDGE OF SAFETY ZONES
- MINIMISE CROSSING POINTS & PROVIDE GOAL POSTS ETC

5

PUBLIC FOOTPATHS
- CONSULT WITH LOCAL AUTHORITY
- PLAN CLOSURES/DIVERSIONS ETC

P03	NDS		20.03.18	YELLOW LINES AND CROSSING MARKINGS REMOVED LAYOUT
P02	NDS		13.03.18	UPDATED THESE CLOSURES
rev	by	chkd	date	description



BAM Design
An operating company of
BAM Construct UK Ltd

Architecture
Interior Design
3D Visualisation
Feasibility Studies
Structural Engineering
Environmental Services
Building Information Modelling

Centrum Business Park
Griffiths Way, St Albans
Hertfordshire, AL1 2PD
01727 894200
design@bam.co.uk
www.bam.co.uk

project

Dunsbury Park - Plot 3

title

External Works Plot 3 Access Road
Signage Details

purpose of issue

For Information

scale

1:250 @ A1

drawn

NDS

BAM job no.

4330 ZZ

dtg. status

S2

date

09.03.18

checked

rev

dtg / doc ref.

DHF-BMD- ZZ -XX-DR-S-20547 P03

