Aluminium Quotation

IF YOU MAKE ANY CHANGES TO THIS QUOTE IT WILL BE RE-QUOTED, IT WILL NOT BE ACCEPTED AS AN ORDER

Quote No: **Q222727**

Cab Screens Ltd t/a Leydene Glass &

Ref : Bates 2

Required Date

Window No : 1
Material List : Smarts Aluminium System
Style No : 2
Quantity : 1
Group : 600 Ext Glazed KL
Cill : 150mm Ali Cill - KL
Drainage : Secret
Bead : 28mm Chamf Bead 600
Gasket : Weatherseal Gasket
Handles : Sparta 8mm Handle Satin Chrome
Weld Type :
Special Instr :
Glass/Extras : 1 x Vent Controllable HF 5000 Ant Grey
1 x 42 Head Vent 61mm KL [Top]
1 x 1063 x 536 - Planitherm/4mm Float + Argon 20mm Super Spacer

Main Hinge : Standard Hinges
Main Lock : 600 Series Lock
Reinforcement :
Outer : H:52.5 L:52.5 R:52.5 C:52.5

Sash : 625 Chamf Vent KL
Location A : Window 1
Location B : TOP
Finish : KL005: Anthracite Grey Matt



Window No : 2
Material List : Smarts Aluminium System
Style No : 70
Quantity : 1
Group : 600 Ext Glazed KL
Cill : 150mm Ali Cill - KL
Drainage : Secret
Bead : 28mm Chamf Bead 600
Gasket : Weatherseal Gasket
Handles : Sparta 8mm Handle Satin Chrome
Weld Type :
Special Instr :
Glass/Extras : 1 x Vent Controllable HF 5000 Ant Grey
1 x 42 Head Vent 61mm KL [Top]
1 x 636 x 686 - Planitherm/4mm Float + Argon 20mm Super Spacer
1 x 636 x 686 - Planitherm/4mm Float + Argon 20mm Super Spacer

Main Hinge : Standard Hinges
Main Lock : 600 Series Lock
Reinforcement :
Outer : H:52.5 L:52.5 R:52.5 C:52.5

Sash : 625 Chamf Vent KL
Location A : Window 2
Location B : TOP
Finish : KL005: Anthracite Grey Matt



Window No : 3
Material List : Smarts Aluminium System
Style No : 2
Quantity : 1
Group : 600 Ext Glazed KL
Cill : 150mm Ali Cill - KL
Drainage : Secret
Bead : 28mm Chamf Bead 600
Gasket : Weatherseal Gasket
Handles : Sparta 8mm Handle Satin Chrome
Weld Type :
Special Instr :
Glass/Extras : 1 x Vent Controllable HF 5000 Ant Grey
1 x 42 Head Vent 61mm KL [Top]
1 x 453 x 536 - Planitherm/4mm Float + Argon 20mm Super Spacer

Main Hinge : Standard Hinges
Main Lock : 600 Series Lock
Reinforcement :
Outer : H:52.5 L:52.5 R:52.5 C:52.5

Sash : 625 Chamf Vent KL
Location A : Window 3
Location B : TOP
Finish : KL005: Anthracite Grey Matt



Aluminium Quotation

IF YOU MAKE ANY CHANGES TO THIS QUOTE IT WILL BE RE-QUOTED, IT WILL NOT BE ACCEPTED AS AN ORDER

Window No : 4
Material List : Smarts Aluminium System
Style No : 271
Quantity : 1
Group : 600 Ext Glazed KL
Cill : 150mm Ali Cill - KL
Drainage : Secret
Bead : 28mm Chamf Bead 600
Gasket : Weatherseal Gasket
Handles : None
Weld Type :
Special Instr :
Glass/Extras : 1 x Vent Controllable HF 5000 Ant Grey
1 x 42 Head Vent 61mm KL [Top]
1 x 644 x 1116 - Planitherm/4mm Float + Argon 20mm Super Spacer
1 x 669 x 1116 - Planitherm/4mm Float + Argon 20mm Super Spacer
1 x 644 x 1116 - Planitherm/4mm Float + Argon 20mm Super Spacer

Main Hinge : Standard Hinges
Main Lock : 600 Series Lock
Reinforcement :
Outer : H:52.5 L:52.5 R:52.5 C:52.5

Sash : 625 Chamf Vent KL
Location A : Window 4
Location B : GF ROAD
Finish : KL005: Anthracite Grey Matt



Window No : 5
Material List : Smarts Aluminium System
Style No : 207
Quantity : 1
Group : 600 Ext Glazed KL
Cill : 150mm Ali Cill - KL
Drainage : Secret
Bead : 28mm Chamf Bead 600
Gasket : Weatherseal Gasket
Handles : Sparta 8mm Handle Satin Chrome
Weld Type :
Special Instr :
Glass/Extras : 1 x Vent Controllable HF 5000 Ant Grey
1 x 42 Head Vent 61mm KL [Top]
1 x 793 x 249 - Planitherm/4mm Float + Argon 20mm Super Spacer
1 x 793 x 1034 - Planitherm/4mm Float + Argon 20mm Super Spacer

Main Hinge : Standard Hinges
Main Lock : 600 Series Lock
Reinforcement :
Outer : H:52.5 L:52.5 R:52.5 C:52.5

Sash : 625 Chamf Vent KL
Location A : Window 5
Location B : GF BD
Finish : KL005: Anthracite Grey Matt



Window No : 6
Material List : Smarts Aluminium System
Style No : 207
Quantity : 1
Group : 600 Ext Glazed KL
Cill : 150mm Ali Cill - KL
Drainage : Secret
Bead : 28mm Chamf Bead 600
Gasket : Weatherseal Gasket
Handles : Sparta 8mm Handle Satin Chrome
Weld Type :
Special Instr :
Glass/Extras : 1 x Vent Controllable HF 5000 Ant Grey
1 x 42 Head Vent 61mm KL [Top]
1 x 848 x 249 - Planitherm/4mm Float + Argon 20mm Super Spacer
1 x 848 x 534 - Planitherm/4mm Float + Argon 20mm Super Spacer

Main Hinge : Standard Hinges
Main Lock : 600 Series Lock
Reinforcement :
Outer : H:52.5 L:52.5 R:52.5 C:52.5

Sash : 625 Chamf Vent KL
Location A : Window 6
Location B : GF ROAD
Finish : KL005: Anthracite Grey Matt



Window No : 7
Material List : Smarts Aluminium System
Style No : 237
Quantity : 1
Group : 600 Ext Glazed KL
Cill : 150mm Ali Cill - KL
Drainage : Secret
Bead : 28mm Chamf Bead 600
Gasket : Weatherseal Gasket
Handles : Sparta 8mm Handle Satin Chrome
Weld Type :
Special Instr :
Glass/Extras : 1 x Vent Controllable HF 5000 Ant Grey
1 x 42 Head Vent 61mm KL [Top]
1 x 756 x 1386 - Planitherm/4mm Float + Argon 20mm Super Spacer
1 x 780 x 1386 - Planitherm/4mm Float + Argon 20mm Super Spacer
1 x 756 x 1386 - Planitherm/4mm Float + Argon 20mm Super Spacer

Main Hinge : Standard Hinges
Main Lock : 600 Series Lock
Reinforcement :
Outer : H:52.5 L:52.5 R:52.5 C:52.5

Sash : 625 Chamf Vent KL
Location A : Window 7
Location B : GARAGE
Finish : KL005: Anthracite Grey Matt



IF YOU MAKE ANY CHANGES TO THIS QUOTE IT WILL BE RE-QUOTED, IT WILL NOT BE ACCEPTED AS AN ORDER

Window No : 8
Material List : Smarts Aluminium System
Style No : 2
Quantity : 1
Group : 600 Ext Glazed KL
Cill : 150mm Ali Cill - KL
Drainage : Secret
Bead : 28mm Chamf Bead 600
Gasket : Weatherseal Gasket
Handles : Sparta 8mm Handle Satin Chrome
Weld Type :
Special Instr :
Glass/Extras : 1 x 42 Head Vent 61mm KL [Left]
1 x Vent Controllable HF 5000 Ant Grey
1 x 42 Head Vent 61mm KL [Right]
1 x 42 Head Vent 61mm KL [Top]
1 x 469 x 1061 - 6x4 White Lami / Plani Tgh 18mm Super Spacer

Main Hinge : Standard Hinges
Main Lock : 600 Series Lock
Reinforcement :
Outer : H:52.5 L:52.5 R:52.5 C:52.5

Sash : 625 Chamf Vent KL
Location A : Window 8
Location B : TOILET
Finish : KL005: Anthracite Grey Matt



Window No : 9
Material List : Smarts Aluminium System
Style No : 208
Quantity : 1
Group : 600 Ext Glazed KL
Cill : 150mm Ali Cill - KL
Drainage : Secret
Bead : 28mm Chamf Bead 600
Gasket : Weatherseal Gasket
Handles : Sparta 8mm Handle Satin Chrome
Weld Type :
Special Instr :
Glass/Extras : 1 x 42 Head Vent 61mm KL [Left]
1 x Vent Controllable HF 5000 Ant Grey
1 x 42 Head Vent 61mm KL [Right]
1 x 42 Head Vent 61mm KL [Top]
1 x 984 x 1061 - Planitherm/4mm Float + Argon 20mm Super Spacer
1 x 984 x 1061 - Planitherm/4mm Float + Argon 20mm Super Spacer

Main Hinge : Standard Hinges
Main Lock : 600 Series Lock
Reinforcement :
Outer : H:52.5 L:52.5 R:52.5 C:52.5

Sash : 625 Chamf Vent KL
Location A : Window 9
Location B : LOUNGE
Finish : KL005: Anthracite Grey Matt



Window No : 10
Material List : Smarts Aluminium System
Style No : 217
Quantity : 1
Group : 600 Ext Glazed KL
Cill : 150mm Ali Cill - KL
Drainage : Secret
Bead : 28mm Chamf Bead 600
Gasket : Weatherseal Gasket
Handles : Sparta 8mm Handle Satin Chrome
Weld Type :
Special Instr :
Glass/Extras : 1 x Vent Controllable HF 5000 Ant Grey
1 x 42 Head Vent 61mm KL [Top]
1 x 890 x 1056 - 28mm Unglazed
2 x 866 x 1056 - 28mm Unglazed
NOTE: One or more panes are Unglazed which means we will not be providing the glass.

Main Hinge : Standard Hinges
Main Lock : 600 Series Lock
Reinforcement :
Outer : H:52.5 L:52.5 R:52.5 C:52.5

Sash : 625 Chamf Vent KL
Location A : Window 10
Location B : KITCHEN
Finish : KL005: Anthracite Grey Matt



Window No : 11
Material List : Smarts Aluminium System
Style No : 295
Quantity : 1
Group : 600 Ext Glazed KL
Cill : 150mm Ali Cill - KL
Drainage : Secret
Bead : 28mm Chamf Bead 600
Gasket : Weatherseal Gasket
Handles : Sparta 8mm Handle Satin Chrome
Weld Type :
Special Instr :
Glass/Extras : 1 x 42 Head Vent 61mm KL [Left]
1 x Vent Controllable HF 5000 Ant Grey
1 x 42 Head Vent 61mm KL [Right]
1 x 42 Head Vent 61mm KL [Top]
1 x 946 x 1206 - Planitherm+/4mm Tgh + Arg 20mm Super Spacer
1 x 969 x 1206 - Planitherm+/4mm Tgh + Arg 20mm Super Spacer
1 x 970 x 1206 - Planitherm+/4mm Tgh + Arg 20mm Super Spacer
1 x 946 x 1206 - Planitherm+/4mm Tgh + Arg 20mm Super Spacer

Main Hinge : Standard Hinges
Main Lock : 600 Series Lock
Reinforcement :
Outer : H:52.5 L:52.5 R:52.5 C:52.5

Sash : 625 Chamf Vent KL
Location A : Window 11
Location B : TOP FLOOR
Finish : KL005: Anthracite Grey Matt



Quote Extras

THE ESTIMATED LEAD TIME FOR THIS QUOTATION WILL BE 40 DAYS FROM ACCEPTANCE OF ORDER.

All frames are viewed from the outside & only items on the quotation are included in the total price. Quotes are only valid for 8 weeks E&OE. Unless detailed in the quotation, Georgian Bar will be supplied in 18mm, Square/Diamond Lead in 9mm and we will use standard grid sizes for all elements of the Georgian Bar and Lead work unless otherwise specified. It is your responsibility to check that the frames you are ordering do not exceed the recommended sizes, oversized frames/sashes will not be covered under our warranty.

Please note if you are ordering a combination of White Shopline and Alitherm frames glazed in, that there is a slight colour match discrepancy.