

Key:



= Trees which will be retained and fully protected.

= Trees and hedges which cannot be retained with this layout.



= The setting out positions for the Protective Fencing in accordance with BS5837:2012 recommendations – Section 6.2



= The Stage 2 position for the entrenched Protective Fencing once the main dwelling has been completed.




= This area is to be a 'No Dig' zone formed using porous load bearing materials.



= Ground protection measures in accordance with BS5837:2012 recommendations – Section 6.2.3.3a)

Figure 2 Default specification for protective barrier



- Key
- 1 Standard scaffold poles
 - 2 Heavy gauge 2 m tall galvanized tube and welded mesh infill panels
 - 3 Panels secured to uprights and cross-members with wire ties
 - 4 Ground level
 - 5 Uprights driven into the ground until secure (minimum depth 0.6 m)
 - 6 Standard scaffold clamps



6.2.3.3 New temporary ground protection should be capable of supporting any traffic entering or using the site without being distorted or causing compaction of underlying soil.

NOTE The ground protection might comprise one of the following:

a) for pedestrian movements only, a single thickness of scaffold boards placed either on top of a driven scaffold frame, so as to form a suspended walkway, or on top of a compression-resistant layer (e.g. 100 mm depth of woodchip), laid onto a geotextile membrane;

NOTES:

Dimensions to be checked on site before commencing work. Any discrepancies shall be reported to the architect immediately.

Do not scale from these drawings except for planning purposes.

Use figured dimensions only.

Where applicable this drawing is to be read in conjunction with other consultants' drawings.

All drawings to be read in conjunction with specification and all other drawings including structural engineer and mechanical and electrical drawings / specification

project	26 Bound Lane Hayling Island Hampshire
client	Mr & Mrs A Johns
title	Tree Protection Plan
dwg	BJH 03/04 (revised 09/02/18)
scale	1:250 @ A3
date	December 2017
job	0918
drawn by	bjh
3 Foxcombe Cottages - South Harting - West Sussex - GU31 5PL 01730 825297 07875 520881 bernieharverson@gmail.com	

REV	DATE	AMENDMENT	DRAWN

hd
architects

Helyer Davies Architects Ltd
1 The Old Flour Mill,
Emsworth, PO10 7BT
01243 370 715

www.hdarchitects.co.uk mail@hdarchitects.co.uk

CLIENT
Mr Tony Johns

PROJECT
26 Bound Lane
Hayling Island
Hampshire
PO11 9HU

DRAWING
Site Plan

SCALE
1:250 at A3

DATE December 2017

DRAWN JF

DRAWING NUMBER

17001-156

REVISION

C

Block Plan 1:250