

Manhole Number	Cover Level	Connections	Pipe			Manhole Size	Types	
Coordinates	Depth To Soffit		Code	Inverts	Diams Inv-soff		Manhole	Cover
S1	69.503							
E. 468549.929	1.200					1200	2	D400
N. 112194.951			0	1.000	68.153	150		
S2	69.640		1	1.000	68.043	150		
E. 468553.215	1.447					1200	2	D400
N. 112184.421			0	1.001	68.043	150		
S3	69.531		1	1.001	67.931	150		
E. 468548.331	1.450					1200	2	D400
N. 112174.341			0	1.002	67.931	150		
S4	70.390		1	1.002	67.728	150		
E. 468528.851	2.513					1200	2	D400
N. 112168.483			0	1.003	67.728	150		
S5	70.994		1	1.003	67.527	150		
E. 468514.062	3.317					1200	1B	D400
N. 112182.027			0	1.004	67.527	150		
S6	71.070		1	1.004	67.418	150		
E. 468513.060	3.503					1200	1B	D400
N. 112192.898			0	1.005	67.418	150		

Manhole Number	Cover Level	Connections	Pipe			Manhole Size	Types	
Coordinates	Depth To Soffit		Code	Inverts	Diams Inv-soff		Manhole	Cover
S13	72.363		1	3.000	71.013	150		
E. 468419.896	1.200					1200	2	D400
N. 112211.565			0	3.001	71.013	150		
S14	72.255		1	3.001	70.851	150		
E. 468405.401	1.254		2	2.000	70.851	150		
N. 112205.335			0	2.001	70.851	150		
S15	72.165		1	2.001	70.770	150		
E. 468408.614	1.246					1200	2	D400
N. 112197.856			0	2.002	70.695	225		
S16	71.981		1	2.002	70.556	225		
E. 468416.316	1.201					1200	2	D400
N. 112185.738			0	2.003	70.556	225		
S17	71.773		1	1.009	66.703	225		
E. 468426.983	4.846		2	2.003	66.703	225		
N. 112167.978			0	1.010	66.628	300		
S18	71.111		1	1.010	66.507	300		
E. 468405.851	4.303					1350	1B	D400
N. 112148.641			0	1.011	66.432	375		

Manhole Number	Cover Level	Connections	Pipe			Manhole Size	Types	
Coordinates	Depth To Soffit		Code	Inverts	Diams Inv-soff		Manhole	Cover
S7	71.449		1	1.005	67.306	150		
E. 468503.402	3.993					1200	1B	D400
N. 112198.530			0	1.006	67.231	225		
S8	72.041		1	1.006	67.100	225		
E. 468482.215	4.716					1200	1B	D400
N. 112203.827			0	1.007	67.100	225		
S9	72.249		1	1.007	67.021	225		
E. 468472.244	5.002					1200	1B	D400
N. 112195.193			0	1.008	67.021	225		
S10	71.881		1	1.008	66.750	225		
E. 468434.605	4.906					1200	1B	D400
N. 112170.029			0	1.009	66.750	225		
S11	72.341							
E. 468403.948	1.200					1200	2	D400
N. 112214.263			0	2.000	70.991	150		
S12	72.486							
E. 468429.176	1.200					1200	2	D400
N. 112217.274			0	3.000	71.136	150		

Manhole Number	Cover Level	Connections	Pipe			Manhole Size	Types	
Coordinates	Depth To Soffit		Code	Inverts	Diams Inv-soff		Manhole	Cover
S19	70.088		1	1.011	66.268	375		
E. 468434.917	3.444					1350	1B	D400
N. 112106.416			0	1.012	66.268	375		
S20	69.719		1	1.012	66.220	375		
E. 468422.643	3.124					1350	1B	D400
N. 112097.346			0	1.013	66.220	375		
Stub	TBC		1	1.013	66.181	375		
E. 468413.431	TBC							
N. 112089.679			0	1.014	66.181	375		
S26	70.541							
E. 468385.681	4.020					1350	1B	D400
N. 112137.632			0	4.000	66.146	375		
S27	70.274		1	4.000	66.113	375		
E. 468376.211	3.786					1350	1B	D400
N. 112133.132			0	4.001	66.113	375		
Stub	TBC		1	4.001	66.065	375		
E. 468361.556	TBC							
N. 112130.425								

NOTES

1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH "SEWERS FOR ADOPTION 6th/7th EDITION - A DESIGN AND CONSTRUCTION GUIDE FOR DEVELOPERS" AND ALL OTHER RELATED DOCUMENTS ISSUED BY THE ENGINEER.
2. FOR DRAINAGE CONSTRUCTION DETAILS REFER TO DRAWING NUMBER 17-110/2012.
3. LATERALS TO PRIVATE AREAS NOT SHOWN ON THIS DRAWING. REFER TO ENGINEERING LAYOUTS FOR LOCATIONS AND DETAILS.

CAUTION TO BE TAKEN WHEN WORKING WITHIN CONFINED SPACES. REFER TO ODYSSEY'S DESIGNERS HEALTH AND SAFETY REPORT. CONTRACTOR TO UNDERTAKE RISK ASSESSMENT

CAUTION WHEN MANEUVERING DUE TO WEIGHT AND SIZE

TENDER
ISSUE

Rev

Amendments

Dm

Chk

App

Date

Tuscany House
White Hart Lane
Basingstoke
Hampshire RG21 4AF

Telephone: 01256 331144
Fax: 01256 331134
E: info@odysseyconsult.co.uk
W: www.odysseyconsult.co.uk

Job Title

WOODCROFT FARM, HAVANT
PHASE 1A

Drawing Title

SURFACE WATER
MANHOLE SCHEDULES

Client

Scale
N.T.S

Date
MARCH 18

Designed
ND

Drawn
MA

Checked
ND

Approved
LH

Job No
17-110

Drawing No
17-110/2009

Rev