



1. Where this drawing has been issued in electronic .dwg format it has been done so in good faith. jngroup do not take any responsibility for any inaccuracies in the electronic data, which should be checked against the paper (or .pdf) drawing issue. Any apparent discrepancies should be immediately reported to jngroup. The electronic .dwg file should not be assumed to be to scale and should not be used for 'overlying', setting out or checking of any third party information. All dimensions should be taken from the paper (or .pdf) version of the drawing. Electronic drawings may contain third party information, jngroup take no responsibility for this information, which should be checked against the originators paper drawing(s).
2. All working dimensions to be checked on site.
3. Do not scale.
4. Any discrepancies between drawings of different scales, and between drawings and specification where appropriate to be notified to The Engineer for decision.
5. Copyright reserved. This drawing may only be used by The Client and location specified in the title block. It may not be copied or disclosed to any third party without the prior written consent of jngroup.
6. This drawing should only be used for construction if the drawing status is "Construction". jngroup take no responsibility for construction works undertaken to drawings which are not marked with this status.

Health and Safety Note:
The details on this drawing have been prepared on the assumption that a competent contractor will be carrying out the works. If the contractor(s) considers that there is insufficient Health and Safety information on this drawing, this should immediately be brought to the attention of the designer.

The information contained on this drawing is indicative only and provided in good faith based on information provided by other. This information does not infer or constitute a detailed design.

Legend:

- Indicative Site Boundary
- Proposed Private Surface Water Sewer
- Proposed Private Attenuation Tank
- Proposed Private Tanked Permeable Paving
- Existing Public Surface Water Sewer
- Indicative Road Contours

Rev.	Date	Amendment	By	CHK.	
Status	Preliminary				



 ■ john newton & partners

jnpgroup

Consulting Engineers

www.jnpgroup.co.uk

Chesham • Brighouse • Hartlepool • **Leamington Spa** • Sheffield

Tel: 01926 889955 E-mail: leamingtonspa@jnpgroup.co.uk

Client	Bellway Homes		
Job	Bartons Road Havant, Hampshire		
Title	Phase 2 Surface Water Drainage Strategy		
Scale 1:500 @ A1 Date July 2018			
Drawn by KM		Checked by	Approved by
  6112	 Accredited Contractor		 Supplier No. 000026
Drawing No.			Rev.
C85850-SK112			-

This drawing is based on the following information provided by others:

- Planning Site Layout by OSP Architecture, drawing ref. 17300 - P101 Rev -, dated January 2018.
- Topographical Survey undertaken by Siteline Geomatic Surveyors, ref. 05HA01, dated January 2018.

Surface water to discharge from Phase 2 to the existing public surface water sewer south east of the site. Flows are to be limited to 19.4 l/s for all return periods, up to and including the 1:100 year storm event plus 30% allowance for climate change.

Surface water attenuation to be provided in the form of box culverts, large diameter pipes and cellular tanks for storm periods up to and including the 1:100 year plus 30% climate change.

This drawing is to be read in conjunction with the Drainage Technical Note by JNP Group ref. C85850 - TN01, dated June 2018, JNP Group drawing no. SK113 Phase 2 Surface Water Drainage Area Plan and C85850 - C101 Phase 2 Surface Water Calculations.






012 Accredited Contractor Part of Capita plc Supplier No. 000026

QA Ref: QD019 Rev D