

From: Bethany Fairley [<mailto:B.Fairley@portsmouthwater.co.uk>]
Sent: 10 May 2017 12:25
To: Daphney Haywood
Subject: RE: APP/17/00337- Request to detract consultee- Comment on planning portal

Dear Daphney,

Yes, this is correct- we have no objections and require no further information regarding this application.

Many thanks

Kind regards

Beth Fairley

From: Daphney Haywood [<mailto:Daphney.Haywood@havant.gov.uk>]
Sent: 10 May 2017 11:30
To: Bethany Fairley <B.Fairley@portsmouthwater.co.uk>
Subject: FW: APP/17/00337- Request to detract consultee- Comment on planning portal

Beth

Does this mean that you have **no objection** and no longer require planning conditions in respect to drainage, piling and pollution prevention

Best Regards

Daphney Haywood

Principal Planner

Planning Services

Havant Borough Council, Public Service Plaza, Civic Centre Road, Havant PO9 2AX

Direct Phone: 023 9244 6513

Please note my usual work days are Monday, Wednesday and Thursday

www.havant.gov.uk

www.facebook.com/havantboroughcouncil

www.twitter.com/havantborough

If you are requesting information under the Freedom of Information Act, Environmental Information Regulations or Data Protection Act then please redirect your email to customer.services@havant.gov.uk. Any statutory timeframe for a response for requests will not commence until the request is received by the Customer Services Team.

Information in this message is confidential and may be privileged. It is intended solely for the person to whom it is addressed. If you are not the intended recipient, please notify the sender and delete the message from your system immediately.

From: Bethany Fairley [<mailto:B.Fairley@portsmouthwater.co.uk>]

Sent: 09 May 2017 14:41

To: Planning and Development Shared Mailbox

Cc: Havant Auto-Reply

Subject: RE: APP/17/00337- Request to detract consultee- Comment on planning portal

Dear Sir/Madam,

Portsmouth Water would like to detract the consultee comment made on Havant Borough Planning Portal on the 09/05/2017 - due to further investigations to the risks to groundwater we have no further comments in regards to the above application ref: **APP/17/00337**.

Thank you for consulting us.

Kind regards

Beth Fairley