



WANT BORN
COUNCIL

17
RECEIVED
garage

NOTE CHECK ALL MEASUREMENTS ON SITE PRIOR TO THE COMMENCEMENT OF WORK.

WALLS TO BE FULLY BONDED TO THE EXISTING CAVITIES AND DAMP-PROOF COURSES TO BE MAINTAINED CONTINUOUS CLOSE ALL REVEALS WITH INSULATED CAVITY CLOSERS.

PROPOSED TWO STOREY SIDE ADDITION
170, WAKEFORDS WAY, WEST LEIGH, HANTS
FOR MR & MRS C. PAGE

RESITE EXISTING BOILER EXACT NEW LOCATION TO BE AGREED WITH LA BUILDING CONTROL ON-SITE PRIOR TO THE COMMENCEMENT OF ANY WORK

PROVIDE MECHANICAL VENTILATION TO NEW ENSUITE
UTILITY AND KITCHEN DUCTED TO THE EXTERNAL AIR.
MINIMUM CAPACITY 60 LITRES/SEC

NEW DRAINS TO BE 100MM DIAMETER APPROVED PLASTIC LAID 1:40 BEDDED AND SURROUNDED IN 150MM PEASINGLE HAUNCH IN 150MM CONCRETE WHERE SHALLOW

PETER J WALKER
ISLAND DESIGN
182 SEAFRONT, HAYLING ISLAND, HANTS
PO11 9AN
TEL 02392467571