

Recommendation: <AnISCommDcnTyp>

Number of neighbour notification letters sent: 3

Number of site notices: 1

Statutory advertisement: Not applicable.

Number of representations received: 0

Comment	Officer Comment

7 Planning Considerations

7.1 Having regard to the relevant policies of the development plan it is considered that the main issues arising from this application are:

- Whether the degree of pruning works requested would undermine the amenity value of these trees and whether this could also be harmful to their ongoing health and vitality.

7.2 My inspection related specifically to assessing the proposed works rather than generally inspecting the tree's health and condition in any great detail. I visually inspected the tree from ground level and the following report deals with the relevant issues that have been raised on site, in the application form and from my site observations.

7.3 This application relates to the proposed pruning of a medium sized, mature Liquidamber. The tree offers good public amenity and is displaying normal vigour and vitality. It has been previously pruned to manage its size in relation to its location and the crown reduction is considered to be reasonable cyclical management practice.

No objections to the application have been received.

8 Conclusion

Permit

9 RECOMMENDATION:

That the Head of Neighbourhood Support be authorised to <AnISCommDcnTyp> for application APP/18/00115

(A)

(B) for the following reasons/subject to the following conditions

- 1 The tree works for which consent is hereby granted shall not be carried out otherwise than in full accordance with all relevant content of BS 3998 (2010).
Reason: In the interests of tree health and safety.
- 2 The tree works for which consent is hereby granted shall be carried out and completed no later than 23/03/19.
Reason: To control the timing of the works