

NEW SVP TAKEN THROUGH
EAVES & RUN UP FACE
OF PITCHED ROOF TO
NEW DORMER

EXISTING RETR
SKILLING CEILING.


30 MINUTES FIRE
RESISTANCE TO SIDE
DORMER CHECKS
(SEE NOTES)

EXISTING CHIMNEY IN
ROOF TO BE REMOVED TO
CEILING LEVEL AND
USED TO SUPPORT NEW
BEAMS

BEAM B5 FROM PIW
TO CHIMNEY TO SUPPORT
NEW FLOOR JOISTS
(EXISTING CEILING TO
BE CUT & REFINED TO
B5)

BEAM B1 OVER EX
CEILING JOISTS

EXISTING SKILLING
CEILING





EX RWDP.

PROVIDE 3X50X150C24
TRIMMER UNDER
SIDE CHECK WALL.

30 MINUTES FIRE
RESISTANCE TO SIDE
DORMER CHECK.

BEAM B2 (RIDGE)
SPANNING PARTY
WALL TO PARTY
WALL.



location plan 1:1250

proposed second floor

proposed rear extension and
loft conversion at
3 jessie road bedhampton

for mr mrs reynolds

scale 1:50
1:100
1:1250 date JAN 18 dwg AC01