

Appendix 3



Requested By:

Appendix 4

 **Surface Geology**

 **3D Models**

 **Borehole Scans**

 **Earthquake Timeline**

Surface Geology

- ☒ Superficial only
- ☐ Bedrock only
- ☐ Bedrock and Superficial

Visible geology:
1:50 000 scale

[Geology Key](#)

[More on digital geology](#)



[Go to Location](#)

[Switch Basemap](#)

100% 0%
Geology Transparency

Grid Ref: 465737, 101430

Superficial geology

1:50 000 scale superficial deposits description:
Storm Beach Deposits - Gravel. Superficial Deposits formed up to 3 million years ago in the Quaternary Period. Local environment previously dominated by shorelines.

Setting: shorelines. These rocks were formed in shoreline environments with sediments deposited in beaches and barrier islands.

[Further details](#) [What are Superficial Deposits?](#)

[To purchase detailed geological reports for this area, try our GeoReports service](#)

Surface Geology

☒ Superficial only
☐ Bedrock only
☐ Bedrock and Superficial

Visible geology:
1:50 000 scale

[Geology Key](#)


[More on digital geology](#)

 [Go to Location](#)

[Switch Basemap](#)

100% 0%
Geology Transparency

Grid Ref: 465322, 101590



Superficial geology ✕

1:50 000 scale superficial deposits description:
River Terrace Deposits (undifferentiated) - Sand, Silt And Clay. Superficial Deposits formed up to 3 million years ago in the Quaternary Period. Local environment previously dominated by rivers.

Setting: rivers. These rocks were formed from rivers depositing mainly sand and gravel detrital material in channels to form river terrace deposits, with fine silt and clay from overbank floods forming floodplain alluvium, and some bogs depositing peat; includes estuarine and coastal plain deposits mapped as alluvium.

[Further details](#) [What are Superficial Deposits?](#)

[To purchase detailed geological reports for this area, try our GeoReports service](#)




Surface Geology

- ☐ Superficial only
- ☒ Bedrock only
- ☐ Bedrock and Superficial

Visible geology:
1:50 000 scale

[Geology Key](#)

[More on digital geology](#)



100% 0%
Geology Transparency

Grid Ref: 465625, 101107

Bedrock geology


1:50 000 scale bedrock geology description:
Portsmouth Sand Member And Whitecliff Sand Member (undifferentiated) - Sand. Sedimentary Bedrock formed approximately 23 to 66 million years ago in the Palaeogene Period. Local environment previously dominated by shallow seas.

Setting: shallow seas. These rocks were formed in shallow seas with mainly siliciclastic sediments (comprising of fragments or clasts of silicate minerals) deposited as mud, silt, sand and gravel.

[Further details](#)

[What is Bedrock Geology?](#)

[To purchase detailed geological reports for this area, try our GeoReports service](#)



Surface
Geology



3D
Models



Borehole
Scans



Earthquake
Timeline

Borehole Scans

Click on a borehole to view scan.

Borehole depth

-  0 - 10m
-  10 - 30m
-  30m+
-  Unknown
-  Confidential or Restricted

[More on boreholes](#)



Go to
Location

Switch
Basemap

100% 0%
Geology Transparency

Grid Ref: 470207, 99335

LOCATION : Hayling Island
BOREHOLE DIA. : 6"
DATE (Start) : 5.6.62.

BOREHOLE No. : 109.
GROUND LEVEL :
WATER LEVEL : 5'-0".

7060 9912

331

Dates	Description	Thickness	Depth		Sample	Remarks
			0'-0"			
Beach Gravel	Medium dense gravel & sand.	16'-0"			+ 1	15 blows/ft.
					+ 2	50 blows/ft.
					4 bulk	
			16'-0"		+ 3	30 blows/ft.
	Firm grey silty sandy clay	2'-0"	18'-0"		5	
					6	
					+ 7	50+ blows/ft.
	Very compact grey silty sand	7'-0"				
S(LC) B.B. Whitcliffe Member			25'-0"		+ 8	50+ blows/ft.
					9	
	Very compact brown sand	5'-0"			11	
			30'-0"		+ 12	50+ blows/ft.
						End of borehole.

52 79 NW/36

FIG. 1h

7053 9914

British Geological Survey

SITE SOUTH HAYLING SURFACE WATER DRAINAGE SCHEME

British Geological Survey

BOREHOLE 8

DIAMETER 200 mm

DEPTH 5.20 m

DATE 5.4.72

British Geological Survey

British Geological Survey

British Geological Survey

Sandy FMC rounded flint GRAVEL with some organic inclusions.

0.00 (+3.77 m)

Water encounter at 1.40 m

0.30

0.1

0.2

1.00 m

N=10

0.3

0.4

0.5

0.6

0.7

0.8

0.9

1.0

1.1

1.2

1.3

1.4

1.5

1.6

1.7

1.8

1.9

2.0

2.1

2.2

2.3

2.4

2.5

2.6

2.7

2.8

2.9

3.0

3.1

3.2

3.3

3.4

3.5

3.6

3.7

3.8

3.9

2.00 m

N=15

3.00 m

N=38

4.00 m

5.00 m

N=26

5.20

6.00 m

7.00 m

Beach

Gravel

probably near
base of Beach GravelR.T.W.
24.2.84

British Geological Survey

British Geological Survey

British Geological Survey

British Geological Survey

British Geological Survey

British Geological Survey

S2 79 NW / 35

FIG. 1g

7-39 9919

SITE SOUTH HAYLING SURFACE WATER DRAINAGE SCHEME

BOREHOLE 7

DIAMETER 200 mm


DEPTH 5.10 m

DATE 4-5.4.72

British Geological Survey

British Geological Survey


British Geological Survey




British Geological Survey

British Geological Survey

British Geological Survey



Project Name: Godbey House, Hayling Island	Project No. 5630	Co-ords: - Level:	Date 03/11/2015
Location: 380 Seafront, Hayling Island, PO11 0BD		Dimensions: 1.80 0.50	Scale 1:25
Client: Hampshire County Council		Depth 0.40	Logged JL

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	0.35	ES		0.40 0.45		 Grass on MADE GROUND Soft dark brown-grey slightly gravelly sandy CLAY. Gravels are fine to coarse subangular to subrounded of orange-grey flint, glass, clinker and pottery.		
						CONCRETE ----- End of Pit at 0.40m		
								1
								2
								3
								4
								5

Remarks: Shallow concrete encountered below surface. Pit terminated at top of concrete layer.

Stability: Good



Project Name: Godbey House, Hayling Island

Project No.
5630

Co-ords: -
Level:

Date
03/11/2015

Location: 380 Seafront, Hayling Island, PO11 0BD

Dimensions: 1.80





Depth
2.50

0.50

Scale
1:25

Logged
JL

Client: Hampshire County Council

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	0.35 0.35	ES ES		0.30			Grass on MADE GROUND Soft dark brown-grey slightly gravelly sandy CLAY. Gravels are fine to coarse subangular to subrounded of orange-grey flint, glass, clinker, plastics and wire. Thick roots are seen occasionally and fine roots are common. Firm orange very sandy CLAY.	
	0.70	B		0.65			Dense to very dense orange-brown slightly clayey sandy GRAVELS with rare cobbles. Gravels are orange-grey fine to coarse subangular to subrounded flint.	1
	1.10	B		1.05			Dense to very dense light orange coarse gravelly SAND. Gravels of fine to coarse subrounded to rounded orange-grey flint. Occasional zones of high clay content are seen.	
							<i>The ground becomes very difficult to excavate due to density.</i>	
	1.90	B		1.80			Medium dense grey-beige clayey SAND. Sand is fine to coarse and subrounded.	2
				2.50			End of Pit at 2.50m	3
								4
								5

Remarks:

Stability: Good

Project Name: Godbey House, Hayling Island

Project No.
5630

Co-ords: -
Level:

Date
03/11/2015

Location: 380 Seafront, Hayling Island, PO11 0BD

Dimensions: 1.90


Depth
2.20

0.50

Scale
1:25

Logged
JL

Client: Hampshire County Council

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
▼	0.25	ES		0.20			Grass on MADE GROUND Soft dark brown-grey slightly gravelly sandy CLAY. Gravels are fine to coarse subangular to subrounded of orange-grey flint, glass, clinker and plastic. Soft light brown slightly gravelly slightly sandy CLAY. Gravels are fine to coarse subangular to rounded orange-grey flint.	
	0.95	B		0.90			Dense to very dense orange-brown slightly clayey sandy GRAVELS with rare cobbles, grading towards a very gravelly SAND. Gravels and cobbles are fine to coarse subangular to rounded orange-grey flint.	1
	1.81	B		1.65			Medium dense grey-beige clayey SAND/sandy CLAY. Occasional patches of clean sand are seen.	2
				2.20			End of Pit at 2.20m	3
								4
								5

Remarks:

Stability: Good

Project Name: Godbey House, Hayling Island

Project No.
5630

Co-ords: -
Level:

Date
03/11/2015

Location: 380 Seafront, Hayling Island, PO11 0BD

Dimensions: 1.80


Depth
1.70

0.50

Scale
1:25

Logged
JL

Client: Hampshire County Council

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	0.40	ES		0.20			Grass on TOPSOIL. Soft dark brown gravelly sandy CLAY. Gravels of fine to coarse subangular to subrounded orange-grey flint.	
				0.50			Medium dense light brown gravelly clayey SAND. Gravels of fine to coarse subangular to subrounded orange-grey flint. <i>Coarse gravel band. Dark brown well rounded coarse flint pebbles.</i>	
	1.10	B		1.40			Medium dense light brown sandy GRAVEL. Gravels of fine to medium subrounded to rounded orange-grey flint. Sand is coarse grained.	1
				1.70			Medium dense light beige-grey SAND. Sand is medium to coarse grained predominately of broken shell fragments. Grains are of multiple colours. <i>Pit wall collapses are very common.</i>	
							End of Pit at 1.70m	2
								3
								4
								5

Remarks: Granular material lead to repetitive pit wall collapse. Pit terminated at 1.70m due to instability.

Stability: Very poor

Project Name: Godbey House, Hayling Island

Project No.
5630

Co-ords: -
Level:

Date
03/11/2015

Location: 380 Seafront, Hayling Island, PO11 0BD

Dimensions: 2.00

Scale
1:25

Client: Hampshire County Council

Depth
1.70

0.50

Logged
JL

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	0.10	ES		0.10			Grass on TOPSOIL	
							Soft dark brown gravelly sandy CLAY. Gravels of fine to coarse subangular to subrounded orange-grey flint.	
				0.40			Firm brown gravelly sandy CLAY. Gravels of fine to coarse subangular to rounded orange-grey flint.	
	0.65	B					Medium dense brown clayey sandy GRAVELS with rare cobbles. Gravels and cobbles of fine to coarse subangular to rounded orange-black flint.	
	1.00	B		0.95			Dense orange-brown gravelly SAND/sandy GRAVEL. Gravels of subangular to rounded orange-grey flint. Sand is coarse and subangular of shell fragments.	1
				1.70			End of Pit at 1.70m	2
								3
								4
								5

Remarks:

Stability: Poor

Project Name: Godbey House, Hayling Island

Project No.
5630

Co-ords: -
Level:

Date
03/11/2015

Location: 380 Seafront, Hayling Island, PO11 0BD

Dimensions: 2.00


Depth
2.50

0.60

Scale
1:25

Logged
JL

Client: Hampshire County Council

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	0.60	ES		0.10			Grass on MADE GROUND Soft grey-brown slightly gravelly sandy CLAY. Common fine roots and occasional thick roots. Gravels are fine to coarse subangular to subrounded of orange-grey flint, pottery, clinker and brick. <i>The ground is very dry. Several large trees are planted near the pit location.</i>	
							Firm light brown sandy CLAY.	
	1.05	B		0.80			Dense to very dense orange-grey clayey, very sandy GRAVELS of fine to coarse subangular to subrounded orange-grey flint. <i>Strong orange staining is common.</i>	1
	2.30	B		2.50			<i>Gravels generally become coarser with depth.</i> <i>Note, clay content appears reduced as wet risings are removed from below groundwater level. Clay content is lost as groundwater washes over materials.</i>	2
							End of Pit at 2.50m	3
								4
								5

Remarks:

Stability: Good

TERRAFIRMA (SOUTH)


Site Name: 5630 - Godbey House, Hayling Island

Date Undertaken: 03/10/2015

Trial Pit No.: TP2

	Depth to Water (mm)	Time (Mins)
(effective depth - 100%)	570	0
	580	1
	585	2.5
	610	7.5
	640	18.5
	670	29
	700	44.5
	720	57.5
	750	70.5
	790	94.5
	820	118.5
(effective depth - 0%)	850	144.5

Length of Trial Pit (m)	1.8
Width of Trial Pit (m)	0.50
Depth of Trial Pit (m)	2.5
Effective Storage Depth (m)	0.28
75% Effective Depth (V _{p75})	0.64
25% Effective Depth (V _{p25})	0.78
Volume of Water Outflowing (m ³)	0.126
Assumed 50% effective depth (a _{p50})	1.79
Mean Surface Area of outflow	9.134
Time for 25% Outflow (t _{p25})	23.98332097
Time for 75% Outflow (t _{p75})	93.56682637
Soil Infiltration Rate (m/s)	3.30E-06



NB. tp25 and tp75 were calculated through a linear trend by fitting a straight line using the least squares method to the known values

Soil Infiltration Worksheet: This worksheet has been produced in combination with the document 'BRE Digest 365- September 1991'

This worksheet can be used to determine soil infiltration rates from trial pit field measurements

Worksheet options are identified by a green background

TERRAFIRMA (SOUTH)


Site Name: 5630 - Godbey House, Hayling Island

Date Undertaken: 03/10/2015

Trial Pit No.: TP3

	Depth to Water (mm)	Time (Mins)
(effective depth - 100%)	530	0
	560	6
	590	19
	620	43
	640	69
	660	95
(effective depth - 0%)	680	122

Length of Trial Pit (m)	1.9
Width of Trial Pit (m)	0.50
Depth of Trial Pit (m)	2.2
Effective Storage Depth (m)	0.15
75% Effective Depth (V_{p75})	0.5675
25% Effective Depth (V_{p25})	0.6425
Volume of Water Outflowing (m^3)	0.07125
Assumed 50% effective depth (a_{p50})	1.595
Mean Surface Area of outflow	8.606
Time for 25% Outflow (tp_{25})	14.29664782
Time for 75% Outflow (tp_{75})	76.22920032
Soil Infiltration Rate (m/s)	2.23E-06



NB. tp_{25} and tp_{75} were calculated through a linear trend by fitting a straight line using the least squares method to the known values

Soil Infiltration Worksheet: This worksheet has been produced in combination with the document 'BRE Digest 365- September 1991'

This worksheet can be used to determine soil infiltration rates from trial pit field measurements

Worksheet options are identified by a green background

TERRAFIRMA (SOUTH)


Site Name: 5630 - Godbey House, Hayling Island

Date Undertaken: 03/10/2015

Trial Pit No.: TP5 Fill 1

	Depth to Water (mm)	Time (Mins)
(effective depth - 100%)	580	0
	700	1
	800	2
	890	3
	960	4
	1040	5
	1100	6
	1150	7
	1190	8
(effective depth - 0%)	1230	9

Length of Trial Pit (m)	1.7
Width of Trial Pit (m)	0.50
Depth of Trial Pit (m)	2
Effective Storage Depth (m)	0.65
75% Effective Depth (V_{p75})	0.7425
25% Effective Depth (V_{p25})	1.0675
Volume of Water Outflowing (m^3)	0.27625
Assumed 50% effective depth (a_{p50})	1.095
Mean Surface Area of outflow	5.668
Time for 25% Outflow (t_{p25})	1.477954165
Time for 75% Outflow (t_{p75})	5.912107196
Soil Infiltration Rate (m/s)	1.83E-04



NB. t_{p25} and t_{p75} were calculated through a linear trend by fitting a straight line using the least squares method to the known values

Soil Infiltration Worksheet: This worksheet has been produced in combination with the document 'BRE Digest 365- September 1991'
 This worksheet can be used to determine soil infiltration rates from trial pit field measurements
 Worksheet options are identified by a green background

TERRAFIRMA (SOUTH)


Site Name: 5630 - Godbey House, Hayling Island

Date Undertaken: 03/10/2015

Trial Pit No.: TP5 Fill 2

	Depth to Water (mm)	Time (Mins)
(effective depth - 100%)	550	0
	650	1
	740	2
	810	3
	880	4
	930	5
	980	6
	1030	7
(effective depth - 0%)	1070	8

Length of Trial Pit (m)	1.7
Width of Trial Pit (m)	0.50
Depth of Trial Pit (m)	2
Effective Storage Depth (m)	0.52
75% Effective Depth (V _{p75})	0.68
25% Effective Depth (V _{p25})	0.94
Volume of Water Outflowing (m ³)	0.221
Assumed 50% effective depth (a _{p50})	1.19
Mean Surface Area of outflow	6.086
Time for 25% Outflow (tp ₂₅)	1.405772496
Time for 75% Outflow (tp ₇₅)	5.399517469
Soil Infiltration Rate (m/s)	1.52E-04



NB. tp₂₅ and tp₇₅ were calculated through a linear trend by fitting a straight line using the least squares method to the known values

Soil Infiltration Worksheet: This worksheet has been produced in combination with the document 'BRE Digest 365- September 1991'
 This worksheet can be used to determine soil infiltration rates from trial pit field measurements
 Worksheet options are identified by a green background

TERRAFIRMA (SOUTH)


Site Name: 5630 - Godbey House, Hayling Island

Date Undertaken: 03/10/2015

Trial Pit No.: TP5 Fill 3

	Depth to Water (mm)	Time (Mins)
(effective depth - 100%)	460	0
	670	4
	870	6
	920	7
	960	8
	1020	10
	1060	11
	1090	12
(effective depth - 0%)	1130	14


Length of Trial Pit (m)	1.7
Width of Trial Pit (m)	0.50
Depth of Trial Pit (m)	2
Effective Storage Depth (m)	0.67
75% Effective Depth (V_{p75})	0.6275
25% Effective Depth (V_{p25})	0.9625
Volume of Water Outflowing (m^3)	0.28475
Assumed 50% effective depth (a_{p50})	1.205
Mean Surface Area of outflow	6.152
Time for 25% Outflow (tp_{25})	2.560297905
Time for 75% Outflow (tp_{75})	9.036389442
Soil Infiltration Rate (m/s)	1.19E-04



NB. tp_{25} and tp_{75} were calculated through a linear trend by fitting a straight line using the least squares method to the known values

Soil Infiltration Worksheet: This worksheet has been produced in combination with the document 'BRE Digest 365- September 1991'
 This worksheet can be used to determine soil infiltration rates from trial pit field measurements
 Worksheet options are identified by a green background

Appendix 5



 Flood risk from rivers or the sea

☒ Extent of flooding

☐ Depth and flow estimates at monitoring stations

 Flood risk from surface water

☐ Extent of flooding

☐ High risk: depth

☐ High risk: velocity

☐ Medium risk: depth

☐ Medium risk: velocity

☐ Low risk: depth


☐ Low risk: velocity

 Flood risk from reservoirs

☐ Extent of flooding

☐ Flood depth

☐ Flood speed



Flood risk



High



Medium



Low



Very low



Location you selected





Flood risk from rivers or the sea


- ☐ Extent of flooding
- ☐ Depth and flow estimates at monitoring stations

Flood risk from surface water

- ☒ Extent of flooding
- ☐ High risk: depth
- ☐ High risk: velocity
- ☐ Medium risk: depth
- ☐ Medium risk: velocity
- ☐ Low risk: depth
- ☐ Low risk: velocity

Flood risk from reservoirs

- ☐ Extent of flooding
- ☐ Flood depth
- ☐ Flood speed



Flood risk



High



Medium



Low



Very low



Location you selected

Exit full screen



Appendix 6

Determination of Peak Discharge from Catchment



COLE EASDON
CONSULTANTS

Existing Site

The Rational Formula

$$Q_p = CiA/0.36$$

Q_{100yr}	23.8l/s	Peak discharge from catchment
A	0.10ha	Catchment area
i	91.6mm/hr	Average rainfall intensity
C	1.0mm/hr	Dimensionless coefficient

Determination of C

Value of C_V		
C_V	0.75	Volumetric runoff coefficient
Value of C_R		
C_R	1.3	Routing coefficient

Determination of i

Determination of M5-60 min and r

M5-60min	19mm	5 year - 60 minute rainfall depth
r	0.35	Ratio of the 5 year - 60 minute rainfall depth to the 5 year - 2 day rainfall depth
D	15min	Rainfall duration
T	100year	Return period

Determination of M5-D

Z_1	0.62	
M5-D	11.8mm	rainfall depth of 5 year return period for required duration

Determination of MT-D

Z_2	1.94	
MT-D	22.89mm	rainfall depth of the required return period

Determination of point rainfall intensities

i	91.6mm/hr
---	-----------

Application of areal reduction factor

A	0.0010km ²
ARF	1
i	91.6mm/hr

Determination of Peak Discharge from Catchment

Proposed Site Potential Runoff



The Rational Formula

$$Q_p = CiA/0.36$$

$Q_{P(100yr)}$	41l/s	Peak discharge from catchment	$Q_{P(100yr+40\%)}$	57l/s
A	0.1460ha	Catchment area		
i	91.6mm/hr	Average rainfall intensity		
C	1.092	Dimensionless coefficient		

Determination of C

Value of C_V		
C_V	0.84	Volumetric runoff coefficient
Value of C_R		
C_R	1.3	Routing coefficient

Determination of i

Determination of M5-60 min and r

M5-60min	19.0mm	5 year - 60 minute rainfall depth
r	0.35	Ratio of the 5 year - 60 minute rainfall depth to the 5 year - 2 day rainfall depth
D	15min	Rainfall duration
T	100year	Return period

Determination of M5-D

Z_1	0.62	
M5-D	11.8mm	rainfall depth of 5 year return period for required duration

Determination of MT-D

Z_2	1.94	
MT-D	22.89mm	rainfall depth of the required return period

Determination of point rainfall intensities

i	91.6mm/hr
---	-----------

Application of areal reduction factor

A	0.0015km ²
ARF	1
i	91.6mm/hr

Determination of Peak Discharge from Catchment

Proposed Site Potential Runoff



The Rational Formula

$$Q_p = CiA/0.36$$

$Q_{P(100yr)}$	45l/s	Peak discharge from catchment	$Q_{P(100yr+40\%)}$	62l/s
A	0.1606ha	Catchment area		
i	91.6mm/hr	Average rainfall intensity		
C	1.092	Dimensionless coefficient		

Determination of C

Value of C_V		
C_V	0.84	Volumetric runoff coefficient
Value of C_R		
C_R	1.3	Routing coefficient

Determination of i

Determination of M5-60 min and r

M5-60min	19.0mm	5 year - 60 minute rainfall depth
r	0.35	Ratio of the 5 year - 60 minute rainfall depth to the 5 year - 2 day rainfall depth
D	15min	Rainfall duration
T	100year	Return period

Determination of M5-D

Z_1	0.62	
M5-D	11.8mm	rainfall depth of 5 year return period for required duration

Determination of MT-D

Z_2	1.94	
MT-D	22.89mm	rainfall depth of the required return period

Determination of point rainfall intensities

i	91.6mm/hr
---	-----------

Application of areal reduction factor

A	0.0016km ²
ARF	1
i	91.6mm/hr

Cole Easdon Consultants				Page 1																																																																																																																																																																																																																			
York House, Edison Park Dorcan Way Swindon, SN3 3RB		Godbey House, Hayling Island Soakaway 1																																																																																																																																																																																																																					
Date July 2017 File 5550 SA1.srcx		Designed by NP Checked by RB																																																																																																																																																																																																																					
Elstree Computing Ltd		Source Control 2015.1																																																																																																																																																																																																																					
Summary of Results for 100 year Return Period (+40%) Half Drain Time : 1391 minutes. <table><tr><th>Storm Event</th><th>Max Level (m)</th><th>Max Depth (m)</th><th>Max Infiltration (l/s)</th><th>Max Volume (m³)</th><th>Status</th></tr><tr><td>15 min Summer</td><td>4.104</td><td>0.104</td><td>0.1</td><td>5.5</td><td>O K</td></tr><tr><td>30 min Summer</td><td>4.139</td><td>0.139</td><td>0.1</td><td>7.4</td><td>O K</td></tr><tr><td>60 min Summer</td><td>4.177</td><td>0.177</td><td>0.1</td><td>9.4</td><td>O K</td></tr><tr><td>120 min Summer</td><td>4.215</td><td>0.215</td><td>0.1</td><td>11.4</td><td>O K</td></tr><tr><td>180 min Summer</td><td>4.236</td><td>0.236</td><td>0.1</td><td>12.6</td><td>O K</td></tr><tr><td>240 min Summer</td><td>4.249</td><td>0.249</td><td>0.1</td><td>13.3</td><td>O K</td></tr><tr><td>360 min Summer</td><td>4.266</td><td>0.266</td><td>0.1</td><td>14.1</td><td>O K</td></tr><tr><td>480 min Summer</td><td>4.276</td><td>0.276</td><td>0.1</td><td>14.7</td><td>O K</td></tr><tr><td>600 min Summer</td><td>4.282</td><td>0.282</td><td>0.1</td><td>15.0</td><td>O K</td></tr><tr><td>720 min Summer</td><td>4.285</td><td>0.285</td><td>0.1</td><td>15.2</td><td>O K</td></tr><tr><td>960 min Summer</td><td>4.287</td><td>0.287</td><td>0.1</td><td>15.3</td><td>O K</td></tr><tr><td>1440 min Summer</td><td>4.283</td><td>0.283</td><td>0.1</td><td>15.0</td><td>O K</td></tr><tr><td>2160 min Summer</td><td>4.273</td><td>0.273</td><td>0.1</td><td>14.5</td><td>O K</td></tr><tr><td>2880 min Summer</td><td>4.262</td><td>0.262</td><td>0.1</td><td>13.9</td><td>O K</td></tr><tr><td>4320 min Summer</td><td>4.237</td><td>0.237</td><td>0.1</td><td>12.6</td><td>O K</td></tr><tr><td>5760 min Summer</td><td>4.214</td><td>0.214</td><td>0.1</td><td>11.4</td><td>O K</td></tr><tr><td>7200 min Summer</td><td>4.192</td><td>0.192</td><td>0.1</td><td>10.2</td><td>O K</td></tr><tr><td>8640 min Summer</td><td>4.172</td><td>0.172</td><td>0.1</td><td>9.2</td><td>O K</td></tr><tr><td>10080 min Summer</td><td>4.154</td><td>0.154</td><td>0.1</td><td>8.2</td><td>O K</td></tr><tr><td>15 min Winter</td><td>4.117</td><td>0.117</td><td>0.1</td><td>6.2</td><td>O K</td></tr></table> <table><tr><th>Storm Event</th><th>Rain (mm/hr)</th><th>Flooded Volume (m³)</th><th>Time-Peak (mins)</th></tr><tr><td>15 min Summer</td><td>124.633</td><td>0.0</td><td>19</td></tr><tr><td>30 min Summer</td><td>83.789</td><td>0.0</td><td>34</td></tr><tr><td>60 min Summer</td><td>53.779</td><td>0.0</td><td>64</td></tr><tr><td>120 min Summer</td><td>33.337</td><td>0.0</td><td>124</td></tr><tr><td>180 min Summer</td><td>24.832</td><td>0.0</td><td>182</td></tr><tr><td>240 min Summer</td><td>20.006</td><td>0.0</td><td>242</td></tr><tr><td>360 min Summer</td><td>14.706</td><td>0.0</td><td>362</td></tr><tr><td>480 min Summer</td><td>11.818</td><td>0.0</td><td>482</td></tr><tr><td>600 min Summer</td><td>9.966</td><td>0.0</td><td>602</td></tr><tr><td>720 min Summer</td><td>8.665</td><td>0.0</td><td>720</td></tr><tr><td>960 min Summer</td><td>6.943</td><td>0.0</td><td>960</td></tr><tr><td>1440 min Summer</td><td>5.071</td><td>0.0</td><td>1198</td></tr><tr><td>2160 min Summer</td><td>3.696</td><td>0.0</td><td>1576</td></tr><tr><td>2880 min Summer</td><td>2.949</td><td>0.0</td><td>1964</td></tr><tr><td>4320 min Summer</td><td>2.142</td><td>0.0</td><td>2808</td></tr><tr><td>5760 min Summer</td><td>1.705</td><td>0.0</td><td>3624</td></tr><tr><td>7200 min Summer</td><td>1.427</td><td>0.0</td><td>4392</td></tr><tr><td>8640 min Summer</td><td>1.235</td><td>0.0</td><td>5184</td></tr><tr><td>10080 min Summer</td><td>1.093</td><td>0.0</td><td>5944</td></tr><tr><td>15 min Winter</td><td>124.633</td><td>0.0</td><td>19</td></tr></table>						Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status	15 min Summer	4.104	0.104	0.1	5.5	O K	30 min Summer	4.139	0.139	0.1	7.4	O K	60 min Summer	4.177	0.177	0.1	9.4	O K	120 min Summer	4.215	0.215	0.1	11.4	O K	180 min Summer	4.236	0.236	0.1	12.6	O K	240 min Summer	4.249	0.249	0.1	13.3	O K	360 min Summer	4.266	0.266	0.1	14.1	O K	480 min Summer	4.276	0.276	0.1	14.7	O K	600 min Summer	4.282	0.282	0.1	15.0	O K	720 min Summer	4.285	0.285	0.1	15.2	O K	960 min Summer	4.287	0.287	0.1	15.3	O K	1440 min Summer	4.283	0.283	0.1	15.0	O K	2160 min Summer	4.273	0.273	0.1	14.5	O K	2880 min Summer	4.262	0.262	0.1	13.9	O K	4320 min Summer	4.237	0.237	0.1	12.6	O K	5760 min Summer	4.214	0.214	0.1	11.4	O K	7200 min Summer	4.192	0.192	0.1	10.2	O K	8640 min Summer	4.172	0.172	0.1	9.2	O K	10080 min Summer	4.154	0.154	0.1	8.2	O K	15 min Winter	4.117	0.117	0.1	6.2	O K	Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)	15 min Summer	124.633	0.0	19	30 min Summer	83.789	0.0	34	60 min Summer	53.779	0.0	64	120 min Summer	33.337	0.0	124	180 min Summer	24.832	0.0	182	240 min Summer	20.006	0.0	242	360 min Summer	14.706	0.0	362	480 min Summer	11.818	0.0	482	600 min Summer	9.966	0.0	602	720 min Summer	8.665	0.0	720	960 min Summer	6.943	0.0	960	1440 min Summer	5.071	0.0	1198	2160 min Summer	3.696	0.0	1576	2880 min Summer	2.949	0.0	1964	4320 min Summer	2.142	0.0	2808	5760 min Summer	1.705	0.0	3624	7200 min Summer	1.427	0.0	4392	8640 min Summer	1.235	0.0	5184	10080 min Summer	1.093	0.0	5944	15 min Winter	124.633	0.0	19
Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status																																																																																																																																																																																																																		
15 min Summer	4.104	0.104	0.1	5.5	O K																																																																																																																																																																																																																		
30 min Summer	4.139	0.139	0.1	7.4	O K																																																																																																																																																																																																																		
60 min Summer	4.177	0.177	0.1	9.4	O K																																																																																																																																																																																																																		
120 min Summer	4.215	0.215	0.1	11.4	O K																																																																																																																																																																																																																		
180 min Summer	4.236	0.236	0.1	12.6	O K																																																																																																																																																																																																																		
240 min Summer	4.249	0.249	0.1	13.3	O K																																																																																																																																																																																																																		
360 min Summer	4.266	0.266	0.1	14.1	O K																																																																																																																																																																																																																		
480 min Summer	4.276	0.276	0.1	14.7	O K																																																																																																																																																																																																																		
600 min Summer	4.282	0.282	0.1	15.0	O K																																																																																																																																																																																																																		
720 min Summer	4.285	0.285	0.1	15.2	O K																																																																																																																																																																																																																		
960 min Summer	4.287	0.287	0.1	15.3	O K																																																																																																																																																																																																																		
1440 min Summer	4.283	0.283	0.1	15.0	O K																																																																																																																																																																																																																		
2160 min Summer	4.273	0.273	0.1	14.5	O K																																																																																																																																																																																																																		
2880 min Summer	4.262	0.262	0.1	13.9	O K																																																																																																																																																																																																																		
4320 min Summer	4.237	0.237	0.1	12.6	O K																																																																																																																																																																																																																		
5760 min Summer	4.214	0.214	0.1	11.4	O K																																																																																																																																																																																																																		
7200 min Summer	4.192	0.192	0.1	10.2	O K																																																																																																																																																																																																																		
8640 min Summer	4.172	0.172	0.1	9.2	O K																																																																																																																																																																																																																		
10080 min Summer	4.154	0.154	0.1	8.2	O K																																																																																																																																																																																																																		
15 min Winter	4.117	0.117	0.1	6.2	O K																																																																																																																																																																																																																		
Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)																																																																																																																																																																																																																				
15 min Summer	124.633	0.0	19																																																																																																																																																																																																																				
30 min Summer	83.789	0.0	34																																																																																																																																																																																																																				
60 min Summer	53.779	0.0	64																																																																																																																																																																																																																				
120 min Summer	33.337	0.0	124																																																																																																																																																																																																																				
180 min Summer	24.832	0.0	182																																																																																																																																																																																																																				
240 min Summer	20.006	0.0	242																																																																																																																																																																																																																				
360 min Summer	14.706	0.0	362																																																																																																																																																																																																																				
480 min Summer	11.818	0.0	482																																																																																																																																																																																																																				
600 min Summer	9.966	0.0	602																																																																																																																																																																																																																				
720 min Summer	8.665	0.0	720																																																																																																																																																																																																																				
960 min Summer	6.943	0.0	960																																																																																																																																																																																																																				
1440 min Summer	5.071	0.0	1198																																																																																																																																																																																																																				
2160 min Summer	3.696	0.0	1576																																																																																																																																																																																																																				
2880 min Summer	2.949	0.0	1964																																																																																																																																																																																																																				
4320 min Summer	2.142	0.0	2808																																																																																																																																																																																																																				
5760 min Summer	1.705	0.0	3624																																																																																																																																																																																																																				
7200 min Summer	1.427	0.0	4392																																																																																																																																																																																																																				
8640 min Summer	1.235	0.0	5184																																																																																																																																																																																																																				
10080 min Summer	1.093	0.0	5944																																																																																																																																																																																																																				
15 min Winter	124.633	0.0	19																																																																																																																																																																																																																				
©1982-2015 XP Solutions																																																																																																																																																																																																																							

Cole Easdon Consultants		Page 2
York House, Edison Park Dorcan Way Swindon, SN3 3RB	Godbey House, Hayling Island Soakaway 1	
Date July 2017 File 5550 SA1.srcx	Designed by NP Checked by RB	
Elstree Computing Ltd		Source Control 2015.1

Summary of Results for 100 year Return Period (+40%)

Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status
30 min Winter	4.156	0.156	0.1	8.3	O K
60 min Winter	4.198	0.198	0.1	10.6	O K
120 min Winter	4.242	0.242	0.1	12.9	O K
180 min Winter	4.266	0.266	0.1	14.2	O K
240 min Winter	4.281	0.281	0.1	15.0	O K
360 min Winter	4.301	0.301	0.1	16.0	O K
480 min Winter	4.314	0.314	0.1	16.7	O K
600 min Winter	4.322	0.322	0.1	17.1	O K
720 min Winter	4.327	0.327	0.1	17.4	O K
960 min Winter	4.331	0.331	0.1	17.6	O K
1440 min Winter	4.327	0.327	0.1	17.4	O K
2160 min Winter	4.314	0.314	0.1	16.7	O K
2880 min Winter	4.298	0.298	0.1	15.9	O K
4320 min Winter	4.263	0.263	0.1	14.0	O K
5760 min Winter	4.227	0.227	0.1	12.1	O K
7200 min Winter	4.194	0.194	0.1	10.3	O K
8640 min Winter	4.165	0.165	0.1	8.8	O K
10080 min Winter	4.138	0.138	0.1	7.3	O K

Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)
30 min Winter	83.789	0.0	33
60 min Winter	53.779	0.0	64
120 min Winter	33.337	0.0	122
180 min Winter	24.832	0.0	180
240 min Winter	20.006	0.0	240
360 min Winter	14.706	0.0	356
480 min Winter	11.818	0.0	472
600 min Winter	9.966	0.0	588
720 min Winter	8.665	0.0	702
960 min Winter	6.943	0.0	924
1440 min Winter	5.071	0.0	1354
2160 min Winter	3.696	0.0	1684
2880 min Winter	2.949	0.0	2136
4320 min Winter	2.142	0.0	3028
5760 min Winter	1.705	0.0	3920
7200 min Winter	1.427	0.0	4752
8640 min Winter	1.235	0.0	5528
10080 min Winter	1.093	0.0	6256

Cole Easdon Consultants		Page 3
York House, Edison Park Dorcan Way Swindon, SN3 3RB	Godbey House, Hayling Island Soakaway 1	
Date July 2017	Designed by NP	
File 5550 SA1.srcx	Checked by RB	
Elstree Computing Ltd	Source Control 2015.1	

Rainfall Details

Rainfall Model	FSR	Winter Storms	Yes
Return Period (years)	100	Cv (Summer)	0.750
Region	England and Wales	Cv (Winter)	0.840
M5-60 (mm)	19.000	Shortest Storm (mins)	15
Ratio R	0.350	Longest Storm (mins)	10080
Summer Storms	Yes	Climate Change %	+40

Time Area Diagram

Total Area (ha) 0.024

Time (mins)	Area
From:	To: (ha)

0	4	0.024
---	---	-------

Cole Easdon Consultants		Page 4												
York House, Edison Park Dorcan Way Swindon, SN3 3RB	Godbey House, Hayling Island Soakaway 1													
Date July 2017 File 5550 SA1.srcx	Designed by NP Checked by RB													
Elstree Computing Ltd	Source Control 2015.1													
Model Details Storage is Online Cover Level (m) 5.200 Cellular Storage Structure Invert Level (m) 4.000 Safety Factor 2.0 Infiltration Coefficient Base (m/hr) 0.01200 Porosity 0.95 Infiltration Coefficient Side (m/hr) 0.01200 <table><thead><tr><th>Depth (m)</th><th>Area (m²)</th><th>Inf. Area (m²)</th><th>Depth (m)</th><th>Area (m²)</th><th>Inf. Area (m²)</th></tr></thead><tbody><tr><td>0.000</td><td>56.0</td><td>56.0</td><td>0.400</td><td>56.0</td><td>68.0</td></tr></tbody></table>			Depth (m)	Area (m²)	Inf. Area (m²)	Depth (m)	Area (m²)	Inf. Area (m²)	0.000	56.0	56.0	0.400	56.0	68.0
Depth (m)	Area (m²)	Inf. Area (m²)	Depth (m)	Area (m²)	Inf. Area (m²)									
0.000	56.0	56.0	0.400	56.0	68.0									
©1982-2015 XP Solutions														

Cole Easdon Consultants				Page 1																																																																																																																																																																																																																			
York House, Edison Park Dorcan Way Swindon, SN3 3RB		Godbey House, Hayling Island Soakaway 2																																																																																																																																																																																																																					
Date July 2017 File 5550 SA2.srcx		Designed by NP Checked by RB																																																																																																																																																																																																																					
Elstree Computing Ltd		Source Control 2015.1																																																																																																																																																																																																																					
Summary of Results for 100 year Return Period (+40%) Half Drain Time : 1393 minutes. <table><tr><th>Storm Event</th><th>Max Level (m)</th><th>Max Depth (m)</th><th>Max Infiltration (l/s)</th><th>Max Volume (m³)</th><th>Status</th></tr><tr><td>15 min Summer</td><td>3.968</td><td>0.068</td><td>0.1</td><td>3.9</td><td>O K</td></tr><tr><td>30 min Summer</td><td>3.991</td><td>0.091</td><td>0.1</td><td>5.3</td><td>O K</td></tr><tr><td>60 min Summer</td><td>4.016</td><td>0.116</td><td>0.1</td><td>6.7</td><td>O K</td></tr><tr><td>120 min Summer</td><td>4.041</td><td>0.141</td><td>0.1</td><td>8.1</td><td>O K</td></tr><tr><td>180 min Summer</td><td>4.055</td><td>0.155</td><td>0.1</td><td>8.9</td><td>O K</td></tr><tr><td>240 min Summer</td><td>4.064</td><td>0.164</td><td>0.1</td><td>9.4</td><td>O K</td></tr><tr><td>360 min Summer</td><td>4.075</td><td>0.175</td><td>0.1</td><td>10.1</td><td>O K</td></tr><tr><td>480 min Summer</td><td>4.082</td><td>0.182</td><td>0.1</td><td>10.5</td><td>O K</td></tr><tr><td>600 min Summer</td><td>4.087</td><td>0.187</td><td>0.1</td><td>10.7</td><td>O K</td></tr><tr><td>720 min Summer</td><td>4.089</td><td>0.189</td><td>0.1</td><td>10.9</td><td>O K</td></tr><tr><td>960 min Summer</td><td>4.091</td><td>0.191</td><td>0.1</td><td>11.0</td><td>O K</td></tr><tr><td>1440 min Summer</td><td>4.089</td><td>0.189</td><td>0.1</td><td>10.9</td><td>O K</td></tr><tr><td>2160 min Summer</td><td>4.084</td><td>0.184</td><td>0.1</td><td>10.6</td><td>O K</td></tr><tr><td>2880 min Summer</td><td>4.077</td><td>0.177</td><td>0.1</td><td>10.2</td><td>O K</td></tr><tr><td>4320 min Summer</td><td>4.062</td><td>0.162</td><td>0.1</td><td>9.3</td><td>O K</td></tr><tr><td>5760 min Summer</td><td>4.047</td><td>0.147</td><td>0.1</td><td>8.4</td><td>O K</td></tr><tr><td>7200 min Summer</td><td>4.032</td><td>0.132</td><td>0.1</td><td>7.6</td><td>O K</td></tr><tr><td>8640 min Summer</td><td>4.019</td><td>0.119</td><td>0.1</td><td>6.9</td><td>O K</td></tr><tr><td>10080 min Summer</td><td>4.007</td><td>0.107</td><td>0.1</td><td>6.2</td><td>O K</td></tr><tr><td>15 min Winter</td><td>3.977</td><td>0.077</td><td>0.1</td><td>4.4</td><td>O K</td></tr></table> <table><tr><th>Storm Event</th><th>Rain (mm/hr)</th><th>Flooded Volume (m³)</th><th>Time-Peak (mins)</th></tr><tr><td>15 min Summer</td><td>124.633</td><td>0.0</td><td>19</td></tr><tr><td>30 min Summer</td><td>83.789</td><td>0.0</td><td>34</td></tr><tr><td>60 min Summer</td><td>53.779</td><td>0.0</td><td>64</td></tr><tr><td>120 min Summer</td><td>33.337</td><td>0.0</td><td>124</td></tr><tr><td>180 min Summer</td><td>24.832</td><td>0.0</td><td>182</td></tr><tr><td>240 min Summer</td><td>20.006</td><td>0.0</td><td>242</td></tr><tr><td>360 min Summer</td><td>14.706</td><td>0.0</td><td>362</td></tr><tr><td>480 min Summer</td><td>11.818</td><td>0.0</td><td>482</td></tr><tr><td>600 min Summer</td><td>9.966</td><td>0.0</td><td>602</td></tr><tr><td>720 min Summer</td><td>8.665</td><td>0.0</td><td>720</td></tr><tr><td>960 min Summer</td><td>6.943</td><td>0.0</td><td>960</td></tr><tr><td>1440 min Summer</td><td>5.071</td><td>0.0</td><td>1196</td></tr><tr><td>2160 min Summer</td><td>3.696</td><td>0.0</td><td>1560</td></tr><tr><td>2880 min Summer</td><td>2.949</td><td>0.0</td><td>1964</td></tr><tr><td>4320 min Summer</td><td>2.142</td><td>0.0</td><td>2772</td></tr><tr><td>5760 min Summer</td><td>1.705</td><td>0.0</td><td>3584</td></tr><tr><td>7200 min Summer</td><td>1.427</td><td>0.0</td><td>4392</td></tr><tr><td>8640 min Summer</td><td>1.235</td><td>0.0</td><td>5184</td></tr><tr><td>10080 min Summer</td><td>1.093</td><td>0.0</td><td>5856</td></tr><tr><td>15 min Winter</td><td>124.633</td><td>0.0</td><td>19</td></tr></table>						Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status	15 min Summer	3.968	0.068	0.1	3.9	O K	30 min Summer	3.991	0.091	0.1	5.3	O K	60 min Summer	4.016	0.116	0.1	6.7	O K	120 min Summer	4.041	0.141	0.1	8.1	O K	180 min Summer	4.055	0.155	0.1	8.9	O K	240 min Summer	4.064	0.164	0.1	9.4	O K	360 min Summer	4.075	0.175	0.1	10.1	O K	480 min Summer	4.082	0.182	0.1	10.5	O K	600 min Summer	4.087	0.187	0.1	10.7	O K	720 min Summer	4.089	0.189	0.1	10.9	O K	960 min Summer	4.091	0.191	0.1	11.0	O K	1440 min Summer	4.089	0.189	0.1	10.9	O K	2160 min Summer	4.084	0.184	0.1	10.6	O K	2880 min Summer	4.077	0.177	0.1	10.2	O K	4320 min Summer	4.062	0.162	0.1	9.3	O K	5760 min Summer	4.047	0.147	0.1	8.4	O K	7200 min Summer	4.032	0.132	0.1	7.6	O K	8640 min Summer	4.019	0.119	0.1	6.9	O K	10080 min Summer	4.007	0.107	0.1	6.2	O K	15 min Winter	3.977	0.077	0.1	4.4	O K	Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)	15 min Summer	124.633	0.0	19	30 min Summer	83.789	0.0	34	60 min Summer	53.779	0.0	64	120 min Summer	33.337	0.0	124	180 min Summer	24.832	0.0	182	240 min Summer	20.006	0.0	242	360 min Summer	14.706	0.0	362	480 min Summer	11.818	0.0	482	600 min Summer	9.966	0.0	602	720 min Summer	8.665	0.0	720	960 min Summer	6.943	0.0	960	1440 min Summer	5.071	0.0	1196	2160 min Summer	3.696	0.0	1560	2880 min Summer	2.949	0.0	1964	4320 min Summer	2.142	0.0	2772	5760 min Summer	1.705	0.0	3584	7200 min Summer	1.427	0.0	4392	8640 min Summer	1.235	0.0	5184	10080 min Summer	1.093	0.0	5856	15 min Winter	124.633	0.0	19
Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status																																																																																																																																																																																																																		
15 min Summer	3.968	0.068	0.1	3.9	O K																																																																																																																																																																																																																		
30 min Summer	3.991	0.091	0.1	5.3	O K																																																																																																																																																																																																																		
60 min Summer	4.016	0.116	0.1	6.7	O K																																																																																																																																																																																																																		
120 min Summer	4.041	0.141	0.1	8.1	O K																																																																																																																																																																																																																		
180 min Summer	4.055	0.155	0.1	8.9	O K																																																																																																																																																																																																																		
240 min Summer	4.064	0.164	0.1	9.4	O K																																																																																																																																																																																																																		
360 min Summer	4.075	0.175	0.1	10.1	O K																																																																																																																																																																																																																		
480 min Summer	4.082	0.182	0.1	10.5	O K																																																																																																																																																																																																																		
600 min Summer	4.087	0.187	0.1	10.7	O K																																																																																																																																																																																																																		
720 min Summer	4.089	0.189	0.1	10.9	O K																																																																																																																																																																																																																		
960 min Summer	4.091	0.191	0.1	11.0	O K																																																																																																																																																																																																																		
1440 min Summer	4.089	0.189	0.1	10.9	O K																																																																																																																																																																																																																		
2160 min Summer	4.084	0.184	0.1	10.6	O K																																																																																																																																																																																																																		
2880 min Summer	4.077	0.177	0.1	10.2	O K																																																																																																																																																																																																																		
4320 min Summer	4.062	0.162	0.1	9.3	O K																																																																																																																																																																																																																		
5760 min Summer	4.047	0.147	0.1	8.4	O K																																																																																																																																																																																																																		
7200 min Summer	4.032	0.132	0.1	7.6	O K																																																																																																																																																																																																																		
8640 min Summer	4.019	0.119	0.1	6.9	O K																																																																																																																																																																																																																		
10080 min Summer	4.007	0.107	0.1	6.2	O K																																																																																																																																																																																																																		
15 min Winter	3.977	0.077	0.1	4.4	O K																																																																																																																																																																																																																		
Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)																																																																																																																																																																																																																				
15 min Summer	124.633	0.0	19																																																																																																																																																																																																																				
30 min Summer	83.789	0.0	34																																																																																																																																																																																																																				
60 min Summer	53.779	0.0	64																																																																																																																																																																																																																				
120 min Summer	33.337	0.0	124																																																																																																																																																																																																																				
180 min Summer	24.832	0.0	182																																																																																																																																																																																																																				
240 min Summer	20.006	0.0	242																																																																																																																																																																																																																				
360 min Summer	14.706	0.0	362																																																																																																																																																																																																																				
480 min Summer	11.818	0.0	482																																																																																																																																																																																																																				
600 min Summer	9.966	0.0	602																																																																																																																																																																																																																				
720 min Summer	8.665	0.0	720																																																																																																																																																																																																																				
960 min Summer	6.943	0.0	960																																																																																																																																																																																																																				
1440 min Summer	5.071	0.0	1196																																																																																																																																																																																																																				
2160 min Summer	3.696	0.0	1560																																																																																																																																																																																																																				
2880 min Summer	2.949	0.0	1964																																																																																																																																																																																																																				
4320 min Summer	2.142	0.0	2772																																																																																																																																																																																																																				
5760 min Summer	1.705	0.0	3584																																																																																																																																																																																																																				
7200 min Summer	1.427	0.0	4392																																																																																																																																																																																																																				
8640 min Summer	1.235	0.0	5184																																																																																																																																																																																																																				
10080 min Summer	1.093	0.0	5856																																																																																																																																																																																																																				
15 min Winter	124.633	0.0	19																																																																																																																																																																																																																				
©1982-2015 XP Solutions																																																																																																																																																																																																																							

Cole Easdon Consultants		Page 2
York House, Edison Park Dorcan Way Swindon, SN3 3RB	Godbey House, Hayling Island Soakaway 2	
Date July 2017 File 5550 SA2.srcx	Designed by NP Checked by RB	
Elstree Computing Ltd		
Source Control 2015.1		

Summary of Results for 100 year Return Period (+40%)

Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m ³)	Status
30 min Winter	4.002	0.102	0.1	5.9	O K
60 min Winter	4.030	0.130	0.1	7.5	O K
120 min Winter	4.059	0.159	0.1	9.1	O K
180 min Winter	4.075	0.175	0.1	10.1	O K
240 min Winter	4.085	0.185	0.1	10.6	O K
360 min Winter	4.098	0.198	0.1	11.4	O K
480 min Winter	4.107	0.207	0.1	11.9	O K
600 min Winter	4.112	0.212	0.1	12.2	O K
720 min Winter	4.116	0.216	0.1	12.4	O K
960 min Winter	4.119	0.219	0.1	12.6	O K
1440 min Winter	4.118	0.218	0.1	12.5	O K
2160 min Winter	4.110	0.210	0.1	12.1	O K
2880 min Winter	4.100	0.200	0.1	11.5	O K
4320 min Winter	4.078	0.178	0.1	10.2	O K
5760 min Winter	4.055	0.155	0.1	8.9	O K
7200 min Winter	4.033	0.133	0.1	7.7	O K
8640 min Winter	4.014	0.114	0.1	6.5	O K
10080 min Winter	3.996	0.096	0.1	5.5	O K

Storm Event	Rain (mm/hr)	Flooded Volume (m ³)	Time-Peak (mins)
30 min Winter	83.789	0.0	33
60 min Winter	53.779	0.0	62
120 min Winter	33.337	0.0	122
180 min Winter	24.832	0.0	180
240 min Winter	20.006	0.0	240
360 min Winter	14.706	0.0	356
480 min Winter	11.818	0.0	472
600 min Winter	9.966	0.0	588
720 min Winter	8.665	0.0	702
960 min Winter	6.943	0.0	926
1440 min Winter	5.071	0.0	1354
2160 min Winter	3.696	0.0	1684
2880 min Winter	2.949	0.0	2136
4320 min Winter	2.142	0.0	3028
5760 min Winter	1.705	0.0	3912
7200 min Winter	1.427	0.0	4688
8640 min Winter	1.235	0.0	5448
10080 min Winter	1.093	0.0	6160

Cole Easdon Consultants		Page 3
York House, Edison Park Dorcan Way Swindon, SN3 3RB	Godbey House, Hayling Island Soakaway 2	
Date July 2017	Designed by NP	
File 5550 SA2.srcx	Checked by RB	
Elstree Computing Ltd	Source Control 2015.1	

Rainfall Details

Rainfall Model	FSR	Winter Storms	Yes
Return Period (years)	100	Cv (Summer)	0.750
Region	England and Wales	Cv (Winter)	0.840
M5-60 (mm)	19.000	Shortest Storm (mins)	15
Ratio R	0.350	Longest Storm (mins)	10080
Summer Storms	Yes	Climate Change %	+40

Time Area Diagram

Total Area (ha) 0.017

Time (mins) Area
From: To: (ha)

0 4 0.017

Cole Easdon Consultants		Page 4												
York House, Edison Park Dorcan Way Swindon, SN3 3RB	Godbey House, Hayling Island Soakaway 2													
Date July 2017 File 5550 SA2.srcx	Designed by NP Checked by RB													
Elstree Computing Ltd														
Source Control 2015.1														
Model Details Storage is Online Cover Level (m) 5.100 Cellular Storage Structure Invert Level (m) 3.900 Safety Factor 2.0 Infiltration Coefficient Base (m/hr) 0.00830 Porosity 0.95 Infiltration Coefficient Side (m/hr) 0.00830 <table><thead><tr><th>Depth (m)</th><th>Area (m²)</th><th>Inf. Area (m²)</th><th>Depth (m)</th><th>Area (m²)</th><th>Inf. Area (m²)</th></tr></thead><tbody><tr><td>0.000</td><td>60.5</td><td>60.5</td><td>0.400</td><td>60.5</td><td>72.9</td></tr></tbody></table>			Depth (m)	Area (m²)	Inf. Area (m²)	Depth (m)	Area (m²)	Inf. Area (m²)	0.000	60.5	60.5	0.400	60.5	72.9
Depth (m)	Area (m²)	Inf. Area (m²)	Depth (m)	Area (m²)	Inf. Area (m²)									
0.000	60.5	60.5	0.400	60.5	72.9									
©1982-2015 XP Solutions														

Cole Easdon Consultants				Page 1																																																																																																																																																																																																																			
York House, Edison Park Dorcan Way Swindon, SN3 3RB		Godbey House, Hayling Island Permeable Paving																																																																																																																																																																																																																					
Date July 2017 File 5550 Permeable		Designed by NP Checked by RB																																																																																																																																																																																																																					
Elstree Computing Ltd		Source Control 2015.1																																																																																																																																																																																																																					
Summary of Results for 100 year Return Period (+40%) Half Drain Time : 32 minutes. <table><tr><th>Storm Event</th><th>Max Level (m)</th><th>Max Depth (m)</th><th>Max Infiltration (l/s)</th><th>Max Volume (m³)</th><th>Status</th></tr><tr><td>15 min Summer</td><td>3.411</td><td>0.411</td><td>8.8</td><td>18.4</td><td>O K</td></tr><tr><td>30 min Summer</td><td>3.467</td><td>0.467</td><td>10.0</td><td>23.7</td><td>O K</td></tr><tr><td>60 min Summer</td><td>3.492</td><td>0.492</td><td>10.5</td><td>26.4</td><td>O K</td></tr><tr><td>120 min Summer</td><td>3.488</td><td>0.488</td><td>10.4</td><td>25.9</td><td>O K</td></tr><tr><td>180 min Summer</td><td>3.467</td><td>0.467</td><td>10.0</td><td>23.7</td><td>O K</td></tr><tr><td>240 min Summer</td><td>3.443</td><td>0.443</td><td>9.5</td><td>21.3</td><td>O K</td></tr><tr><td>360 min Summer</td><td>3.399</td><td>0.399</td><td>8.5</td><td>17.3</td><td>O K</td></tr><tr><td>480 min Summer</td><td>3.364</td><td>0.364</td><td>7.8</td><td>14.4</td><td>O K</td></tr><tr><td>600 min Summer</td><td>3.334</td><td>0.334</td><td>7.1</td><td>12.1</td><td>O K</td></tr><tr><td>720 min Summer</td><td>3.308</td><td>0.308</td><td>6.6</td><td>10.3</td><td>O K</td></tr><tr><td>960 min Summer</td><td>3.268</td><td>0.268</td><td>5.7</td><td>7.8</td><td>O K</td></tr><tr><td>1440 min Summer</td><td>3.212</td><td>0.212</td><td>4.5</td><td>4.9</td><td>O K</td></tr><tr><td>2160 min Summer</td><td>3.163</td><td>0.163</td><td>3.5</td><td>2.9</td><td>O K</td></tr><tr><td>2880 min Summer</td><td>3.133</td><td>0.133</td><td>2.8</td><td>1.9</td><td>O K</td></tr><tr><td>4320 min Summer</td><td>3.097</td><td>0.097</td><td>2.1</td><td>1.0</td><td>O K</td></tr><tr><td>5760 min Summer</td><td>3.077</td><td>0.077</td><td>1.6</td><td>0.6</td><td>O K</td></tr><tr><td>7200 min Summer</td><td>3.065</td><td>0.065</td><td>1.4</td><td>0.5</td><td>O K</td></tr><tr><td>8640 min Summer</td><td>3.056</td><td>0.056</td><td>1.2</td><td>0.3</td><td>O K</td></tr><tr><td>10080 min Summer</td><td>3.050</td><td>0.050</td><td>1.1</td><td>0.3</td><td>O K</td></tr><tr><td>15 min Winter</td><td>3.440</td><td>0.440</td><td>9.4</td><td>21.1</td><td>O K</td></tr></table> <table><tr><th>Storm Event</th><th>Rain (mm/hr)</th><th>Flooded Volume (m³)</th><th>Time-Peak (mins)</th></tr><tr><td>15 min Summer</td><td>124.633</td><td>0.0</td><td>21</td></tr><tr><td>30 min Summer</td><td>83.789</td><td>0.0</td><td>31</td></tr><tr><td>60 min Summer</td><td>53.779</td><td>0.0</td><td>48</td></tr><tr><td>120 min Summer</td><td>33.337</td><td>0.0</td><td>82</td></tr><tr><td>180 min Summer</td><td>24.832</td><td>0.0</td><td>114</td></tr><tr><td>240 min Summer</td><td>20.006</td><td>0.0</td><td>146</td></tr><tr><td>360 min Summer</td><td>14.706</td><td>0.0</td><td>208</td></tr><tr><td>480 min Summer</td><td>11.818</td><td>0.0</td><td>270</td></tr><tr><td>600 min Summer</td><td>9.966</td><td>0.0</td><td>330</td></tr><tr><td>720 min Summer</td><td>8.665</td><td>0.0</td><td>390</td></tr><tr><td>960 min Summer</td><td>6.943</td><td>0.0</td><td>510</td></tr><tr><td>1440 min Summer</td><td>5.071</td><td>0.0</td><td>746</td></tr><tr><td>2160 min Summer</td><td>3.696</td><td>0.0</td><td>1104</td></tr><tr><td>2880 min Summer</td><td>2.949</td><td>0.0</td><td>1468</td></tr><tr><td>4320 min Summer</td><td>2.142</td><td>0.0</td><td>2188</td></tr><tr><td>5760 min Summer</td><td>1.705</td><td>0.0</td><td>2888</td></tr><tr><td>7200 min Summer</td><td>1.427</td><td>0.0</td><td>3632</td></tr><tr><td>8640 min Summer</td><td>1.235</td><td>0.0</td><td>4344</td></tr><tr><td>10080 min Summer</td><td>1.093</td><td>0.0</td><td>5016</td></tr><tr><td>15 min Winter</td><td>124.633</td><td>0.0</td><td>22</td></tr></table>						Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status	15 min Summer	3.411	0.411	8.8	18.4	O K	30 min Summer	3.467	0.467	10.0	23.7	O K	60 min Summer	3.492	0.492	10.5	26.4	O K	120 min Summer	3.488	0.488	10.4	25.9	O K	180 min Summer	3.467	0.467	10.0	23.7	O K	240 min Summer	3.443	0.443	9.5	21.3	O K	360 min Summer	3.399	0.399	8.5	17.3	O K	480 min Summer	3.364	0.364	7.8	14.4	O K	600 min Summer	3.334	0.334	7.1	12.1	O K	720 min Summer	3.308	0.308	6.6	10.3	O K	960 min Summer	3.268	0.268	5.7	7.8	O K	1440 min Summer	3.212	0.212	4.5	4.9	O K	2160 min Summer	3.163	0.163	3.5	2.9	O K	2880 min Summer	3.133	0.133	2.8	1.9	O K	4320 min Summer	3.097	0.097	2.1	1.0	O K	5760 min Summer	3.077	0.077	1.6	0.6	O K	7200 min Summer	3.065	0.065	1.4	0.5	O K	8640 min Summer	3.056	0.056	1.2	0.3	O K	10080 min Summer	3.050	0.050	1.1	0.3	O K	15 min Winter	3.440	0.440	9.4	21.1	O K	Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)	15 min Summer	124.633	0.0	21	30 min Summer	83.789	0.0	31	60 min Summer	53.779	0.0	48	120 min Summer	33.337	0.0	82	180 min Summer	24.832	0.0	114	240 min Summer	20.006	0.0	146	360 min Summer	14.706	0.0	208	480 min Summer	11.818	0.0	270	600 min Summer	9.966	0.0	330	720 min Summer	8.665	0.0	390	960 min Summer	6.943	0.0	510	1440 min Summer	5.071	0.0	746	2160 min Summer	3.696	0.0	1104	2880 min Summer	2.949	0.0	1468	4320 min Summer	2.142	0.0	2188	5760 min Summer	1.705	0.0	2888	7200 min Summer	1.427	0.0	3632	8640 min Summer	1.235	0.0	4344	10080 min Summer	1.093	0.0	5016	15 min Winter	124.633	0.0	22
Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status																																																																																																																																																																																																																		
15 min Summer	3.411	0.411	8.8	18.4	O K																																																																																																																																																																																																																		
30 min Summer	3.467	0.467	10.0	23.7	O K																																																																																																																																																																																																																		
60 min Summer	3.492	0.492	10.5	26.4	O K																																																																																																																																																																																																																		
120 min Summer	3.488	0.488	10.4	25.9	O K																																																																																																																																																																																																																		
180 min Summer	3.467	0.467	10.0	23.7	O K																																																																																																																																																																																																																		
240 min Summer	3.443	0.443	9.5	21.3	O K																																																																																																																																																																																																																		
360 min Summer	3.399	0.399	8.5	17.3	O K																																																																																																																																																																																																																		
480 min Summer	3.364	0.364	7.8	14.4	O K																																																																																																																																																																																																																		
600 min Summer	3.334	0.334	7.1	12.1	O K																																																																																																																																																																																																																		
720 min Summer	3.308	0.308	6.6	10.3	O K																																																																																																																																																																																																																		
960 min Summer	3.268	0.268	5.7	7.8	O K																																																																																																																																																																																																																		
1440 min Summer	3.212	0.212	4.5	4.9	O K																																																																																																																																																																																																																		
2160 min Summer	3.163	0.163	3.5	2.9	O K																																																																																																																																																																																																																		
2880 min Summer	3.133	0.133	2.8	1.9	O K																																																																																																																																																																																																																		
4320 min Summer	3.097	0.097	2.1	1.0	O K																																																																																																																																																																																																																		
5760 min Summer	3.077	0.077	1.6	0.6	O K																																																																																																																																																																																																																		
7200 min Summer	3.065	0.065	1.4	0.5	O K																																																																																																																																																																																																																		
8640 min Summer	3.056	0.056	1.2	0.3	O K																																																																																																																																																																																																																		
10080 min Summer	3.050	0.050	1.1	0.3	O K																																																																																																																																																																																																																		
15 min Winter	3.440	0.440	9.4	21.1	O K																																																																																																																																																																																																																		
Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)																																																																																																																																																																																																																				
15 min Summer	124.633	0.0	21																																																																																																																																																																																																																				
30 min Summer	83.789	0.0	31																																																																																																																																																																																																																				
60 min Summer	53.779	0.0	48																																																																																																																																																																																																																				
120 min Summer	33.337	0.0	82																																																																																																																																																																																																																				
180 min Summer	24.832	0.0	114																																																																																																																																																																																																																				
240 min Summer	20.006	0.0	146																																																																																																																																																																																																																				
360 min Summer	14.706	0.0	208																																																																																																																																																																																																																				
480 min Summer	11.818	0.0	270																																																																																																																																																																																																																				
600 min Summer	9.966	0.0	330																																																																																																																																																																																																																				
720 min Summer	8.665	0.0	390																																																																																																																																																																																																																				
960 min Summer	6.943	0.0	510																																																																																																																																																																																																																				
1440 min Summer	5.071	0.0	746																																																																																																																																																																																																																				
2160 min Summer	3.696	0.0	1104																																																																																																																																																																																																																				
2880 min Summer	2.949	0.0	1468																																																																																																																																																																																																																				
4320 min Summer	2.142	0.0	2188																																																																																																																																																																																																																				
5760 min Summer	1.705	0.0	2888																																																																																																																																																																																																																				
7200 min Summer	1.427	0.0	3632																																																																																																																																																																																																																				
8640 min Summer	1.235	0.0	4344																																																																																																																																																																																																																				
10080 min Summer	1.093	0.0	5016																																																																																																																																																																																																																				
15 min Winter	124.633	0.0	22																																																																																																																																																																																																																				
©1982-2015 XP Solutions																																																																																																																																																																																																																							

Cole Easdon Consultants		Page 2
York House, Edison Park Dorcan Way Swindon, SN3 3RB	Godbey House, Hayling Island Permeable Paving	
Date July 2017 File 5550 Permeable	Designed by NP Checked by RB	
Elstree Computing Ltd	Source Control 2015.1	

Summary of Results for 100 year Return Period (+40%)

Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m ³)	Status
30 min Winter	3.499	0.499	10.7	27.1	O K
60 min Winter	3.522	0.522	11.1	29.6	Flood Risk
120 min Winter	3.506	0.506	10.8	27.8	Flood Risk
180 min Winter	3.472	0.472	10.1	24.3	O K
240 min Winter	3.438	0.438	9.3	20.8	O K
360 min Winter	3.378	0.378	8.1	15.5	O K
480 min Winter	3.331	0.331	7.1	11.9	O K
600 min Winter	3.294	0.294	6.3	9.4	O K
720 min Winter	3.264	0.264	5.6	7.6	O K
960 min Winter	3.219	0.219	4.7	5.2	O K
1440 min Winter	3.165	0.165	3.5	2.9	O K
2160 min Winter	3.121	0.121	2.6	1.6	O K
2880 min Winter	3.097	0.097	2.1	1.0	O K
4320 min Winter	3.070	0.070	1.5	0.5	O K
5760 min Winter	3.056	0.056	1.2	0.3	O K
7200 min Winter	3.048	0.048	1.0	0.3	O K
8640 min Winter	3.045	0.045	0.9	0.2	O K
10080 min Winter	3.042	0.042	0.8	0.2	O K

Storm Event	Rain (mm/hr)	Flooded Volume (m ³)	Time-Peak (mins)
30 min Winter	83.789	0.0	32
60 min Winter	53.779	0.0	50
120 min Winter	33.337	0.0	86
180 min Winter	24.832	0.0	120
240 min Winter	20.006	0.0	154
360 min Winter	14.706	0.0	216
480 min Winter	11.818	0.0	278
600 min Winter	9.966	0.0	338
720 min Winter	8.665	0.0	396
960 min Winter	6.943	0.0	514
1440 min Winter	5.071	0.0	750
2160 min Winter	3.696	0.0	1108
2880 min Winter	2.949	0.0	1456
4320 min Winter	2.142	0.0	2184
5760 min Winter	1.705	0.0	2928
7200 min Winter	1.427	0.0	3624
8640 min Winter	1.235	0.0	4296
10080 min Winter	1.093	0.0	5072

Cole Easdon Consultants		Page 3
York House, Edison Park Dorcan Way Swindon, SN3 3RB	Godbey House, Hayling Island Permeable Paving	
Date July 2017	Designed by NP	
File 5550 Permeable	Checked by RB	
Elstree Computing Ltd		Source Control 2015.1

Rainfall Details

Rainfall Model	FSR	Winter Storms	Yes
Return Period (years)	100	Cv (Summer)	0.750
Region	England and Wales	Cv (Winter)	0.840
M5-60 (mm)	19.000	Shortest Storm (mins)	15
Ratio R	0.350	Longest Storm (mins)	10080
Summer Storms	Yes	Climate Change %	+40

Time Area Diagram

Total Area (ha) 0.120

Time (mins)	Area	Time (mins)	Area	Time (mins)	Area
From:	To:	From:	To:	From:	To:
0	4	0.040	4	8	0.040
				8	12
					0.040

Cole Easdon Consultants		Page 4
York House, Edison Park Dorcan Way Swindon, SN3 3RB	Godbey House, Hayling Island Permeable Paving	
Date July 2017	Designed by NP	
File 5550 Permeable	Checked by RB	
Elstree Computing Ltd	Source Control 2015.1	

Model Details

Storage is Online Cover Level (m) 3.800

Porous Car Park Structure

Infiltration Coefficient Base (m/hr)	0.21200	Width (m)	14.5
Membrane Percolation (mm/hr)	1000	Length (m)	50.0
Max Percolation (l/s)	201.4	Slope (1:X)	50.0
Safety Factor	2.0	Depression Storage (mm)	5
Porosity	0.30	Evaporation (mm/day)	3
Invert Level (m)	3.000	Cap Volume Depth (m)	0.000