

11. SHOPFRONT GLAZING

Main Front entrance door supplied with shop front, effective clear width 1000mm - DDA access. Composite aluminium framed doors full height with glazed top light and side window to altered shopfront elevations. Door to be aluminium framed, etched, chromate conversion coat treated and finished in polyester powder coating stoved at 200°C, complete with handles, locks, closer, hinges etc.

Frame finish - powder coated Concrete Grey Ral 7023 Door finish - powder coated Umbra Grey RAL 7022

Letter plate to base of door leaf.

Doors to be manufactured to include "Anti Finger Trap Door Styles".

Ironmongery from Laidlaw Solution Ltd. or similar approved

See figures 9 and 10 for typical image.



Fig 9

Shopfront glazing, main entrance doors and Signage Zone (Note: application elevation differs slightly from photo which is for information only)

12.EXIT DOOR

Aluminium framed Glazed doors supplied with shopfront complete with top fanlight section (see elevations). Door to be KAWNEER or similar, aluminium frame etched chromate conversion coat treated and finished in polyester powder coating stoved at 200°C, complete with built in concealed escape latch bar set.

Frame finish - Frame finish - powder coated Concrete Grey Ral 7023 Door finish - powder coated Umbra Grey RAL 7022 Doors to be manufactured to include "Anti Finger Trap Door Styles".

Ironmongery from Laidlaw Solution Ltd. or similar approved

Glazing to be 24mm double glazed units consisting of 4mm laminated glass with 16mm silver spacer and 4mm toughened glass.

See figures 9 and 10 for typical image.

13. MAIN ENTRANCE PANS

Umber grey Ral 7022 powder coated aluminium pans fixed to 100mm Kingspan cladding panels to form entrance pilasters
See figures 9 and 10 for typical image.

14. MAIN ENTRANCE DOORS

Main Front entrance door supplied with shop front, effective clear width 1000mm - DDA access. Composite aluminium framed doors full height with glazed top light and side window to altered shopfront elevations. Door to be aluminium framed, etched, chromate conversion coat treated and finished in polyester powder coating stoved at 200°C, complete with handles, locks, closer, hinges etc.

Frame finish - powder coated Concrete Grey Ral 7023 Door finish - powder coated Umbra Grey RAL 7022

Door glazing to be 24mm double glazed units consisting of 4mm laminated glass with 16mm silver spacer and 4mm toughened glass

Letter plate to base of door leaf.

Doors to be manufactured to include "Anti Finger Trap Door Styles".



Ironmongery from Laidlaw Solution Ltd. or similar approved

See figures 9 and 10 for typical image.




Fig 10

Photo of a typical KFC unit indicating Shopfront, main entrance doors and Signage Zone . Ral colours to shopfront and doors




FRONT ELEVATION


PRESSED SUB CILL



FRONT ELEVATION WITH HOOD APPLIED



SECTION THRU AT SLIDING DOOR



SIDE ELEVATION

SPEAKER GRILLES REQUIRED

CLIENT	SCALE 1:20 @ A3	DRWG No	REV NOTES	SHERWOOD ALUMINIUM SYSTEMS LTD. Unit 10,Bestwood Road, Brookhill Ind, Est Pinxton,Nottingham. NG16 6NT TEL:01773 863863 FAX:01773 863864
PROJECT	DATE JULY 2016	COLOUR REF:		
DRWG TITLE ORDER POINT POD	DRAWN RC	RAL 3001 RED SATIN		
THIS DRWG IS THE PROPERTY OF SHREWOOD ALUMINIUM LTD. COPYRIGHT IS RESERVED BY THEM AND THE DRAWING IS ISSUED ON THE CONDITION THAT IT IS NOT COPIED,REPRODUCED,RETAINED OR DISCLOSED TO ANY UNAUTHORIZED PERSON,EITHER WHOLLY OR IN PART WITHOUT THE CONSENT IN WRITING OF SHERWOOD ALUMINIUM LTD.				

15. SIGNAGE ZONE

Signage zone. 1950mm high x 1950mm wide x 200mm Colonel logo box powder coated grey RAL7022 . 2758mm between building FFL and sign's underside. Internally illuminated Colonel logo flex box fixed to building front. Finish flex box colonels logo extruded aluminium sign comp system finished Grey RAL 7022 illumination provided banks of LED. Flex face substrate is to be decorated with face applied 3M self adhesive vinyl's to match corporate colours, Cardinal red/ white/black and warm beige.

See figure 9 and 10 for typical image.

16. SOFFIT LIGHT

Recessed LED downlight with Brushed Aluminium twist and lock bezel and IP54 glass

