

PROPOSED SINGLE STOREY REAR ADDITION & ALTS. 14, NUTBOURNE ROAD, HAYLING ISLAND, HANTS. FOR MR & MRS B. RUSSELL.


FIT NEW RADIATORS WITH TRV VALVES

ELECTRICAL INSTALLATION BY APPROVED
CERTIFICATED ELECTRICIAN TO COMPLY WITH
APPROVED DOCUMENT P.
CERTIFICATE TO BE ISSUED ON COMPLETION OF WORK.
BY COMPETENT APPROVED CERTIFICATED ELECTRICIAN
USE ENERGY EFFICIENT LIGHT BULBS AND FITTINGS.

LANTERN LIGHT SUPPLIED AND FITTED BY SPECIALIST
STRICTLY IN ACCORDANCE WITH THE MANUFACTURERS
SPECIFICATION FOR LEAD FLASHINGS ETC SEE
ENGINEERS CALCULATIONS FOR TRIMMERS

STUDWORK TO BE WELL BRACED 100X50MM TIMBER
WITH 12.5MM PLASTERBOARD AND SET BOTH SIDES
INSERT 100MM SOUND DEADENING QUILT MINIMUM
DENSITY 10KG/M3.

A CAVITY TRAY AND LEAD FLASHING IS REQUIRED AT THE
JUNCTION OF THE NEW FLAT ROOF AND THE EXISTING
CAVITY WALLS OF THE HOUSE.



PLANS TO BE READ IN CONJUNCTION WITH THE
ENGINEERS CALCULATIONS AND DETAILS FOR NEW
BEAM SIZES/PADSTONES/BOLTING/FOUNDATIONS ETC
ENCASE NEW STEELWORK IN 12.5MM FIRELINE
BOARDING FIXED STAGGERED JOINT.



date apr 16
scale 1:50

SECTION DRAWING

PETER J. WALKER MRICS
CHARTERED SURVEYOR
182 SEAFRONT, HAYLING ISLAND, HANTS
PO11 9 AN

TEL: 02392467571