

NEW WINDOW CATNIC OVER

NEW SVP

NEW DOORWAY

garage

HALF HOUR FIRE RESISTING SELF CLOSING DOOR AND FRAME WITH MINIMUM 100MM STEP DOWN

INSULATED STUDWORK

NEW DRAINS

NEW INSPECTION CHAMBERS

EX DRAIN

LX IC INVERT 700MM

HAVANT BOROUGH COUNCIL

24 MAY 2016

RECEIVED

PROVIDE SMOKE DETECTOR TO LOUNGE MAINS OPERATED WITH BATTERY BACKUP. HEATING - HOT WATER AND SPACE HEATING BY ELECTRIC FULLY THERMOSTATICALLY CONTROLLED SYSTEM.

ELECTRICAL INSTALLATION BY APPROVED CERTIFICATED ELECTRICIAN TO COMPLY WITH APPROVED DOCUMENT P. CERTIFICATE TO BE ISSUED ON COMPLETION OF WORK. BY COMPETENT APPROVED CERTIFICATED ELECTRICIAN USE ENERGY EFFICIENT LIGHT BULBS AND FITTINGS.

NEW WINDOW TO BEDROOM MINIMUM 850X500MM FULLY OPENABLE FOR ESCAPE PURPOSES

date may 2016
scale 1.50

EXTENSION & CONVERSION OF EX. OUTBUILDING
TO FORM ANCILLARY ACCOMMODATION UNIT.
THE RETREAT, CROFT LANE, HAYLING IS, HANTS.
FOR MR M. COOPER.

PETER J. WALKER MRICS
CHARTERED SURVEYOR
182 SEAFRONT, HAYLING ISLAND, HANTS
PO11 9 AN

TEL: 02392467571