

[illegible]

Monroe County Ref	Level	Invert (feet)	Depth (feet)	Const./Conc.	Cover Grade	Notes				
						1	2	3	4	5
S1	7.50	6.40	1.10	B	B1/25					
S2	7.37	6.40	0.97	B	D400					
S3	7.32	6.40	0.92	B	D400					
S4	7.15	6.40	0.75	B	D400					
S5	7.15	6.40	0.75	B	D400					
S6	7.15	6.40	0.75	B	D400					
S7	7.15	6.40	0.75	B	D400					
S8	7.15	6.40	0.75	B	D400					
S9	7.15	6.40	0.75	B	B1/25					
S10	7.15	6.40	0.75	B	D400					
S11	7.15	6.40	0.75	B	D400					
S12	7.15	6.40	0.75	B	D400					
S13	7.15	6.40	0.75	B	B1/25					
S14	7.38	6.40	0.98	B	D400					
S15	7.15	6.40	0.75	B	B1/25					
S16	7.15	6.40	0.75	B	B1/25					
S17	7.42	6.40	1.02	B	B1/25					
S18	6.75	6.00	0.75	B	B1/25					
S19	6.75	6.00	0.75	B	D400					
S20	6.75	6.00	0.75	B	D400					
S21	7.15	6.40	0.75	B	D400					
S22	7.15	6.40	0.75	B	D400					

Member	Layer	Invert	Depth	Steel	Cover
Ref	Level	Level	(ft)	Constr	Code
F1	7.5	3.3	3.72	B	D400
F2	7.5	2.97	4.18	B	D400
F3	7.5	3.39	3.16	B	D400
F4	7.5	4.17	2.98	B	D400
F5	7.5	4.75	2.40	B	D400
F6	7.5	5.62	1.68	B	D400
F7	7.5	4.24	2.41	B	D400
F8	7.5	5.17	1.98	B	D400
F9	7.5	5.75	1.40	B	D400
F10	7.5	5.99	1.16	B	D400
F11	7.50	6.25	1.05	B	D400
F12	7.40	6.05	1.35	B	D400
F13	7.38	6.03	1.35	B	D400

REFER TO HDL DRG. Nos. 14-2260-510
FOR EXTERNAL WORKS/DRAINAGE DETAILS

SIZE OF SOAKAWAYS SUBJECT TO RESULT OF
PERCUSSION TESTS

SOAKAWAYS TO BE LOCATED A MINIMUM OF 5m FROM ANY FOUNDATION

Version	Approved	Reviewed by	Decided by	Approved by
07	CONSTRUCTION	HDL/09.16	HDL/09.16	HDL/09.16
06	CONSTRUCTION	HDL/09.16	HDL/09.16	HDL/09.16
05	CONSTRUCTION	HDL/09.16	HDL/09.16	HDL/09.16
04	CONSTRUCTION	HDL/11.15	HDL/11.15	HDL/11.15

ORIGINAL DOCUMENT FILE NO.	6-1121
CAD REF.	

 HDP
 Project: RANELAGH ROAD, HAVANT
 Drawing Title: 00000000 - 00000000 - 00000000

DRAINAGE LAYOUT	
Purpose	Scale
CONSTRUCTION	DRAIN HCL 1:200

and Structural Engineers	Issuing Office	Drawing Number	Version
	SMANMORE		
Telephone	01489 893 596		C7

NOTES

1. THIS DRAWING IS COPYRIGHT AND SHOULD NOT BE REPRODUCED WITHOUT
APPROVAL.

2. THIS DRAWING TO BE READ IN CONJUNCTION WITH THE ARCHITECT'S DRAWINGS. ANY DISCREPANCIES ARE TO BE BROUGHT TO THE ATTENTION OF BOTH PARTIES.

3. ANY DIMENSIONS/LEVELS INDICATED 'rel.' REFER TO ASSUMED/EXISTING DIMENSIONS WHICH ARE TO BE SITE CHECKED PRIOR TO THE COMMENCEMENT ANY WORK.

DRAWING NOTE

D1. INSURE PITS AND POSITIONS OF EXISTING MAINS, CHIMNEYS, SEWER
D2. WHERE NEW CONNECTIONS ARE TO BE MADE MUST BE CHECKED AND CONFIRMED
D3. TO THE ENGINEER PRIOR TO THE COMMENCEMENT OF ANY WORKS.
D4. D1. DRAPAGE WORKS SHALL BE CARRIED OUT IN ACCORDANCE WITH THE
D5. REQUIREMENTS OF THE LOCAL AUTHORITY, ENVIRONMENT AGENCIES AND IN
D6. CONSULTATION WITH ALL RELEVANT BRITISH STANDARDS, CODES OF PRACTICE
D7. "SERVICES FOR ADDITION" AS APPROPRIATE.
D8. D1. DRAPAGE SHALL COMPLY WITH THE TYPICAL DETAILS AND THE
D9. REQUIREMENTS OF BS EN 752.
D10. REFERENCE TO WATKINS SCHEDULE OR DRAWINGS FOR WATKINS TAPES, SIZE

[illegible]

C