

Ms Sarah Roberts
Critchley Architecture and Design
The Old Bakery
34 North Street
Havant
PO9 1BU

For: Mrs Elliott
HTE Holdings Ltd

**The Town and Country Planning (Development Management Procedure) (England)
Order 2015
Grant of Planning Permission**

Application Number: APP/24/00200

Site Address: Land Rear of 25 Mengham Road, Hayling Island, PO11 9BG

Proposal: Conversion and partial demolition of existing bakery and offices to 5 No. self-contained flats comprising 1No. 2 bed and 4No. 1 bed with associated parking and cycle storage.

Further to your application received on 29 February 2024 (which was valid from 15 April 2024) Havant Borough Council, as Local Planning Authority **Grants Planning Permission** for the above proposal in accordance with the submitted plans and particulars as detailed below.

This permission is subject to compliance with:

- (i) The plans and other documents submitted with regard to your application; and
- (ii) The following conditions:

Conditions:

1 GENERAL

The development must be begun not later than three years beginning with the date of this permission.

Reason: To comply with the requirements of Section 91 of the Town and Country Planning Act 1990 as amended by Section 51 of the Planning and Compulsory Purchase Act 2004.

- 2** The development hereby permitted shall be carried out in accordance with the following approved plans and documents:

Plans

Location & Block Plan - Drawing No. 20058-111
Proposed Site Plan (Ground Floor) - Drawing No. 20058-421 A

Our Ref: APP/24/00200

Documents

Application Form
Design & Access Statement
European Site avoidance and mitigation checklist
Occupancy calculator
Nitrate Budget calculator
Lighting details
Arboricultural Method Statement dated 6 November 2023
Contaminated Land Intrusive Investigation
Construction Environmental Management Plan
Environmental Noise Impact Assessment dated November 2023
Design Note - Swift Boxes
CIL forms 1 and 2
C.S.H. Water Report dated 02.Nov 23

Reason: - To ensure provision of a satisfactory development.

- 3 The external materials used shall match, in type, colour and texture, those of the existing building so far as practicable.
Reason: In the interests of the amenities of the area and having due regard to policy CS16 of the Havant Borough Local Plan (Core Strategy) 2011 and the National Planning Policy Framework.
- 4 Any required tree works shall be pruned in accordance with the recommendations in British Standard BS3998:2010 (Recommendations for Tree work).
Reason: To ensure the continuity of amenity value afforded by the trees in question and having due regard to policies CS16 and DM8 of the Havant Borough Local Plan (Core Strategy) 2011 and the National Planning Policy Framework.
- 5 Prior to occupation the lighting shall be installed and thereafter maintained and operated in accordance with the approved details unless the Local Planning Authority gives its written consent to the variation.
Reason: To protect the appearance of the area, the environment, and local residents from light pollution, having regard to policies DM10 and CS16 of the Havant Borough Local Plan (Core Strategy) 2011 and the National Planning Policy Framework.
- 6 The protective fencing shall be erected and retained in accordance with the approved details in the Arboricultural Method Statement dated 6 November 2023, throughout the development hereby permitted.

Reason: To safeguard the continued health and presence of such existing vegetation and protect the amenities of the locality and having due regard to policies CS16 and DM8 of the Havant Borough Local Plan (Core Strategy) 2011 and the National Planning Policy Framework.

7 PREOCCUPATION

Prior to occupation the agreed means of enclosure shall be erected and thereafter retained.

Reason: To safeguard the amenities of the locality and occupiers of neighbouring property and having due regard to policy CS16 of the Havant Borough Local Plan (Core Strategy) 2011 and the National Planning Policy Framework.

- 8 The car parking, servicing and other vehicular access arrangements shown on the approved plans to serve the development hereby permitted shall be made fully available for use prior to the development being first brought into use and shall be retained thereafter for their intended purpose.

Reason: In the interests of highway safety and having due regard to policy DM13 of the Havant Borough Local Plan (Core Strategy) 2011 and the National Planning Policy Framework.

- 9 Prior to the occupation of the development hereby approved the authorised 2 Swift Boxes shall be installed and therefore retained and maintained.

Reason: In the interest of ecology having regard to Policy CS11 and DM8 of the Havant Borough Local Plan (Core Strategy) 2011 and the National Planning Policy Framework.

- 10 Prior to occupation of the development hereby permitted a report shall be submitted to the Local Planning Authority in writing to confirm that the measurements employed with regard to the building envelope, including fenestration and ventilation, for this residential unit, will meet BS8223:2014 standards as recommended for indoor ambient noise levels for dwellings, especially in relation to living rooms and bedrooms i.e. during the day (07:00 to 23:00) 35 dB L Aeq,16 hour and at night (23:00 to 07:00) 30 dB L Aeq,8 hour for bedrooms. Similarly, for traditional external areas that are used for personal amenity space, such as gardens and patios the external noise level does not exceed 50 dB LAeq with an upper guideline value of 55 dB LAeq in noisier environments.

Reason: To ensure the residential amenity of the properties is not impacted upon by any external noise levels, especially traffic noise having due regard to policy CS16 of the Havant Borough Local Plan (Core Strategy) 2011 and the National Planning Policy Framework.

- 11 Prior to the occupation of the development details of the Electrical Vehicle Charging points for the development shall be submitted to, and approved in writing by the Local Planning Authority. The approved Charging Points shall be installed prior to the occupation of the development and retained and maintained at all times thereafter.

Reason: To ensure the appearance of the development is satisfactory and having due regard to policies CS11 and CS16 of the Havant Borough Local Plan (Core Strategy) 2011 and the National Planning Policy Framework.

12 POST OCCUPATION

The landscaping works shown on the approved plan, ref. drawing no 20058-421C, Proposed Site Plan (Ground Floor), shall be carried out in accordance with the approved details and in accordance with any timing / phasing arrangements approved or within the first planting season following final occupation of the development hereby permitted, whichever is the sooner. Any trees or shrubs planted or retained in accordance with this condition which are removed, uprooted, destroyed, die or become severely damaged or become seriously diseased within 5 years of planting shall be replaced within the next planting season by trees or shrubs of similar size and species to those originally required to be planted.

Reason: To ensure the appearance of the development is satisfactory and having

due regard to policies CS11, CS16, DM8 and DM9 of the Havant Borough Local Plan (Core Strategy) 2011 and the National Planning Policy Framework.

- 13 At all times following occupation of the development hereby approved, all measures for water usage within the submitted nutrient budget shall be maintained in the development in perpetuity.

Reason: There is existing evidence of high levels of nitrogen and phosphorus in the water environment with evidence of eutrophication at some European designated nature conservation sites in the Solent catchment. The PUSH Integrated Water Management Strategy has identified that there is uncertainty as to whether new housing development can be accommodated without having a detrimental impact on the designated sites within the Solent. Further detail regarding this can be found in the appropriate assessment that was carried out regarding this planning application. In compliance with Regulation 63 of the Conservation of Habitats and Species Regulations 2017, the local planning authority has a duty to ensure that sufficient mitigation is provided against any impacts which might arise upon the designated sites. In coming to this decision, the Council has also had regard to Policy CS11 of the Havant Borough Local Plan (Core Strategy) 2011.

Other Important Information:

- (1) This notice only relates to the decision of Havant Borough Council as Local Planning Authority under the Town and Country Planning Acts. It does not relate to any other application that may be required under the Building Regulations or under any other Act, Regulation, Byelaw or Order where the Council's approval may be needed. For further guidance as to the need for consent under the Building Regulations please phone 023 9244 6571.
- (2) Your attention is drawn to the attached information regarding firstly your right to appeal to the Planning Inspectorate, if you are aggrieved by the Council's decision, and secondly the rights of an owner to, in certain circumstances serve a purchase notice on the Council. See www.planningportal.co.uk
- (3) Any failure to adhere to the details of the approved plans, and other documents or to comply with any conditions listed above may lead to enforcement action being taken by the Council. If you wish to depart from the approved details or conditions in any way you should contact the Planning and Development service at the Plaza or by telephoning 023 9244 6015.
- (1) In accordance with paragraphs 38-50 of the NPPF Havant Borough Council (HBC) takes a positive and proactive approach and works with applicants/agents on development proposals in a manner focused on solutions by:
 - Offering a pre-application advice service, and
 - Updating you of any issues that may arise in the processing of your application and where possible suggesting solutions, and,

In this instance: You were updated about issues after the initial site visit.

(2) **Fire & Rescue Service**

HWFRS understands that the project involves Conversion and partial demolition of existing bakery and offices to 5 No. self-contained flats comprising 1No. 2 bed and 4No. 1 bed with associated parking and cycle storage.

I confirm that Hampshire & IOW Fire and Rescue Service (HWFRS) has received your application, dated 16 April 2024. The inspector named above has considered the information provided and has made the following comments:

Building Regulations: Access for Firefighting

Access and facilities for Fire Service Appliances and Firefighters should be in accordance with Approved Document B5 of the current Building Regulations.

Hampshire Act 1983 Section 12 – Access for Fire Service

Access **to** the proposed site should be in accordance with Hampshire Act 1983 Sect, 12 (Access to buildings **within the site** will be dealt with as part of the building regulations application at a later stage). Access roads **to** the site should be in accordance with Approved Document B5 of the current Building Regulations.

Fire and Rescue Services Act 2004

The following recommendations are advisory only and do not form part of any current legal requirement of this Authority.

Access for High-reach Appliances

High reach appliances currently operated by the HWFRS exceed the maximum requirements given in Section 17 of the Approved Document B. When considering high rise buildings these variations should be considered as additions and incorporated as follows. Structures such as bridges, which a high-reach appliance may need to cross should have a maximum carrying capacity of 26 tonnes. Where the operation of a high reach vehicle is envisaged, a road or hard standing is required 6m wide. In addition, the road or hard standing needs to be positioned so that its nearer edge is not less than 3m from the face of the building.

Water Supplies

Additional water supplies for firefighting may be necessary. You should contact the Water Management Team, Hampshire & IOW Fire and Rescue Headquarters, Leigh Road, Eastleigh, SO50 9SJ (hydrants@hantsfire.gov.uk) to discuss your proposals.

Fire Protection

HWFRS would strongly recommend that consideration is given to installation of an Automatic Water Fire Suppression Systems (AWFSS) to promote life safety and property protection within the premises.

HWFRS is fully committed to promoting Fire Protection Systems for both business and domestic premises. Support is offered to assist all in achieving a reduction of loss of life and the impact of fire on the wider community.

Testing of Fire Safety Systems

HWFRS strongly recommends that, upon commissioning, all fire safety systems

are fully justified, fully tested and shown to be working as designed. Thereafter, their effectiveness should be reconfirmed periodically throughout their working lifecycles.

Firefighting and the Environment

Should a serious unsuppressed fire occur on the premises, the water environment may become polluted with 'fire water run-off' that may include foam. The Service will liaise with the Environment Agency at any incident where they are in attendance and under certain circumstances, where there is a serious risk to the environment, a 'controlled burn' may take place. This of course could lead to the total loss of the building and its contents.

Premises' occupiers have a duty to prevent and mitigate damage to the water environment from 'fire water run off' and other spillages.

Timber-framed Buildings

These types of buildings are particularly vulnerable to severe fire damage and fire spread during the construction phase.

The UK Timber Frame Association publication '16 Steps to Fire Safety on Timber Frame Construction Sites' provides guidance on this issue and is available from:

<https://tff.co.uk/download/16-steps-fire-safety-timber-frame-construction-sites/>

This guidance should be read in conjunction with the 'Joint Code of Practice on the Protection from Fire of Construction Sites and Buildings Undergoing Renovation', published by the Construction Confederation and The Fire Protection Association (Sixth Edition, ISBN 1-902790-33-2)

Copies of the 'Joint Codes of Practice' and useful sister publication, 'Construction Site Fire Prevention Checklist' (Second edition, ISBN 1-902790-32-4), are available for purchase from the Fire Protection Association: (www.thefpa.co.uk) and from the Construction Industry Press:

([Publications for Construction Professionals and Builders | CIP Books](#))

If have any queries concerning these matters may be directed to the inspector named above, but all correspondence should be addressed to the Chief Officer.

- (3) You are hereby requested to ensure that no works or ancillary operations associated with any demolition, excavation, clearance and construction works at the development, which are audible at the site boundary, shall take place on any Sunday or Bank / Public Holiday, nor on any other day except between the following times: Monday to Friday: 08.00 - 18.00 and Saturday: 08:00 - 13.00. This is in order to protect the occupants of nearby residential properties from noise and vibration nuisance
- (4) You are hereby requested to ensure that no bonfires take place on this site, during any phase of the operation i.e. demolition, excavation, clearance and construction works. If you feel you have a legitimate reason for a bonfire, it is recommended you enquire with the Environmental Health Pollution team, at Havant Borough Council, prior to taking this action. This is in order to protect the occupants of nearby residential properties from smoke pollution.
- (5) You are hereby requested to ensure that the Environmental Health Pollution team, at Havant Borough Council are advised in writing as to what measures are to be put in

Our Ref: APP/24/00200

place for the control of any dust that might emanate from the development site. This is to protect the occupants of nearby residential properties from dust pollution.

(6) **Piling**

If any piling is to be undertaken on this site, the least intrusive noise and vibration method of piling shall be employed at this site. This should be accompanied by a justification as to the reasons why a particular piling method has been chosen, and additionally the proposed mitigation methods to be employed, to ensure minimal impact on nearest residential receptors.

To ensure the amenities of nearby residential properties are not impacted upon by any external noise or vibration levels during any piling operations.

(7) **HBC on behalf of Norse South East:**

1. Access Requirements:

Access/Service Roads need to be capable of taking a 26 tonne Refuse Collection Vehicle (RCV) and allow vehicle to reverse close to bin store or containment area. Width of RCV 2.8m, maximum length 11.3m.

Drop kerbs also need to be provided to allow easy transfer of bins from store area to vehicle.

No bins to be pulled or waste carried more than 25 metres.

2. Bin Stores:

Almost all bulk bins utilised by the Authority are approximately 1.26 metres wide, therefore doors to stores need to be of 1.8 metres width to enable all types of container to be easily removed and returned.

A standard depth of 1.0 metre also applies to the majority of bulk bins, and bin stores therefore need to accommodate the required of containers measuring 1.26m x 1.0m.

NB: In 2026 food waste collections will be introduced, so consideration should be given to capacity for additional containers.

3. Bin requirements

Note: Factors such as family size and age of occupants can influence the number of bins required and it is therefore advisable that the waste Management team be asked to confirm each calculation if possible.

4. Bin sizes for Information:

- a) 140 litre (plastic) - 1065mm tall x 485mm wide x 550mm deep
- b) 240 litre (plastic) - 1075mm tall x 580mm wide x 725mm deep
- c) 660 litre (metal) - 1310mm tall x 1260mm wide x 730mm deep
- d) 940 litre (metal) - 1500mm tall x 1020mm wide x 975mm deep
- e) 1100 litre (metal) - 1370mm tall x 1260mm wide x 990mm deep

Alex Robinson

Alex Robinson

Executive Head of Place

01 November 2024

**NOTIFICATION TO BE SENT TO AN APPLICANT WHEN A LOCAL
PLANNING AUTHORITY REFUSE PLANNING PERMISSION
OR GRANT IT SUBJECT TO CONDITIONS**

- These notes are for information only and do not purport to set out the law on the subject.
- Only the applicant possesses the right of appeal.

Appeals to the Secretary of State

- If you are aggrieved by the decision of your local planning authority to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Secretary of State under section 78 of the Town and Country Planning Act 1990.
- If this is a decision on a planning application relating to the same or substantially the same land and development as is already the subject of an enforcement notice and you want to appeal against your local planning authority's decision on your application, then you must do so within 28 days of the date of this notice.
- If an enforcement notice is served relating to the same or substantially the same land and development as in your application and if you want to appeal against your local planning authority's decision on your application, then you must do so within 28 days of the date of service of the enforcement notice, or within 6 months [12 weeks in the case of a householder appeal] of the date of this notice, whichever period expires earlier.
- If this is a decision to refuse planning permission for a householder application and you want to appeal against your local planning authority's decision then you must do so within 12 weeks of the date of this notice.
- If this is a decision to refuse planning permission for a minor commercial application and you want to appeal against your local planning authority's decision then you must do so within 12 weeks of the date of this notice.
- If this is a decision to refuse express consent for the display of an advertisement and you want to appeal against your local planning authority's decision then you must do so within 8 weeks of the date of receipt of this notice.
- If this is a decision to refuse consent to work on a tree which is subject to a Tree Preservation Order and you want to appeal against your local planning authority's decision then you must do so within 28 days of the date of this notice.
- If this is a decision to refuse any other type of application and you want to appeal against your local planning authority's decision then you must do so within 6 months of the date of this notice.
- **Appeals can be made online at:** <https://www.gov.uk/appeal-householder-planning-decision> for householder applications; <https://www.gov.uk/appeal-planning-decision> for full applications; <https://www.gov.uk/planning-inspectorate> for anything else.
- The Secretary of State can allow a longer period for giving notice of an appeal but will not normally be prepared to use this power unless there are special circumstances which excuse the delay in giving notice of appeal.
- The Secretary of State need not consider an appeal if it seems to the Secretary of State that the local planning authority could not have granted planning permission for the proposed development or could not have granted it without the conditions they imposed, having regard to the statutory requirements, to the provisions of any development order and to any directions given under a development order.

If you intend to submit an appeal that you would like examined by inquiry, then you must notify the Local Planning Authority and Planning Inspectorate (inquiryappeals@planninginspectorate.gov.uk) at least 10 days before submitting the appeal. [Further details are on GOV.UK.](#)

IMPORTANT NOTICE FOR APPLICANTS WITH REGARD TO BUILDING REGULATIONS

This notice only relates to the decision of Havant Borough Council under the Town and Country Planning Acts. It does not relate to any other application that may be required any other Act, Regulation, Byelaw or Order where the Council's approval may be needed.

For further guidance as the need for consent under the Building Regulations, please telephone Havant Borough Council's Building Control team on:

023 9244 6571

Southern Gas advisory note

In June 2021 SGN issued a comprehensive advisory note

There are a number of risks created by built over gas mains and services; these are:

- Pipework loading - pipes are at risk from loads applied by the new structure and are more susceptible to interference damage.
- Gas entry into buildings - pipework proximity increases risk of gas entry in buildings. Leaks arising from previous external pipework able to track directly into main building from unsealed entry.
- Occupier safety - lack or no fire resistance of pipework, fittings, or meter installation. Means of escape could be impeded by an enclosed meter.

Please note therefore, if you plan to dig, or carry out building work to a property, site, or public highway within our gas network, you must:

1. Check your proposals against the information held at <https://www.linerearchbeforeudig.co.uk/> to assess any risk associated with your development and
2. Contact our Plant Protection team to let them know. Plant location enquiries must be made via email, but you can phone us with general plant protection queries. See our contact details below:

Phone: 0800 912 1722 / Email: plantlocation@sgn.co.uk

In the event of an overbuild on our gas network, the pipework must be altered, you may be temporarily disconnected, and your insurance may be invalidated.

Further information on safe digging practices can be found here:

- Our free Damage Prevention e-Learning only takes 10-15 minutes to complete and highlights the importance of working safely near gas pipelines, giving clear guidance on what to do and who to contact before starting any work
<https://www.sgn.co.uk/damage-prevention>
- Further information can also be found here
<https://www.sgn.co.uk/help-and-advice/digging-safely>

SGN personnel will contact you accordingly.