UPSTAND PAVING SLAB HAS BEEN PLACED AGAINST RAILINGS TO PREVENT FLOWS ONTO TERRACE INTO GROUND FLOOR BEDROOMS.
THE PATIO FALLS AWAY FROM THE BUILDING TO A LINE DRAIN ADJACENT TO THE RAILINGS

EXISTING OVERLAND FLOWS ENTERED SITE AT POINTS (A) AND (B) AND EXITED AT POINTS (C) AND (D) TO THE SOUTH
UPSTAND PROTECTION DIRECTS FLOW FROM POINT A TO POINT (1) GULLY AND THEN TOWARD PIPE BEDDING MATERIALS IN ACCESS ROAD AT POINT (2). FLOWS THEN CONTINUE TOWARD POINT (D) REPLICATING EXISTING CONDITIONS

YARD GULLY WITH 150mm PIPE OUTLET CONNECTS INTO PIPE BEDDING MATERIAL

FFL 31.505

FFL 28.200

YARD GULLY WITH 150mm PIPE OUTLET CONNECTS INTO LAND DRAIN

YARD GULLY WITH 150mm PIPE OUTLET CONNECTS INTO LAND DRAIN

LC 3

LC 5

LC 6

ROAD 2

Access road

vegetation

overgrown

PLOT 1

PLOT 2


NOTES

1. DO NOT SCALE FROM THIS DRAWING. USE FIGURED DIMENSIONS ONLY, IF IN DOUBT ASK.
2. ALL DIMENSIONS IN MILLIMETRES UNLESS NOTED OTHERWISE.
3. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ENGINEERS AND ARCHITECTS DRAWINGS AND SPECIFICATIONS.

LEGEND

- SITE BOUNDARY
- BOUNDARY UPSTAND PROTECTION
- PROPOSED BUILDING OUTLINE
- ENVIRONMENT AGENCY OVERLAND SURFACE WATER FLOW MAP

ACO MULTIDRAIN CHANNEL TO NORTHERN BOUNDARY



SECTION 1-1

IMPORTANT NOTE:
DRAINAGE ROUTING AND STRATEGY TAKEN FROM DRAWING NUMBER 11063-500P-503P INC.

REVISION	-	DRAWN
DATE		CHECKED

Client:
ANAVO DEVELOPMENTS LIMITED

Project Title:
HAVANT :
HAVANT CARE HOME
BARTONS ROAD, HAVANT

Drawing Title:
OVERLAND FLOW REVIEW

Drawn By: RN	Scales: 1:200@A1
Date: DEC 2024	Drawing Number: 11063-509 Rev:
Checked By: ANR	
Date: DEC 2024	

Drawing Status: PLANNING

NJP Consulting Engineers Limited
20 St Andrews Crescent
Cardiff CF10 3DD

Tel: 029 2072 9500
Email: info@njpuk.com
Web: www.njpuk.com