

Installation Type	Unit of Measure	Capacity/Flow rate (1)	Use Factor (2)	Fixed use (litres/person/day) (3)	Litres/person/day = [(1)x(2)] + (3) (4)
WC (single flush)	Flush Volume (litres)		4.42	0.00	0
WC (dual flush)	Full flush Volume (litres)	6	1.46	0.00	8.76
	Part flush Volume (litres)	3	2.96	0.00	8.88
WC (multiple fittings)	Average effective flushing Volume (litres)		4.42	0.00	0
Taps (excluding kitchen/utility room taps)	Flow rate (litres/min)	8.00	1.58	1.58	14.22
Bath (where shower also present)	Capacity to overflow (litres)	165.00	0.11	0.00	18.15
Shower (where bath also present)	Flow Rate (litres / minute)	8.00	4.37	0.00	34.96
Bath Only	Capacity to overflow (litres)		0.50	0.00	0
Shower Only	Flow Rate (litres/minute)		5.60	0.00	0
Kitchen/Utility room sink taps	Flow rate (litres/minute)	5.00	0.44	10.36	12.56
Washing Machine	(Litres/kg dry load)	2.10	2.1	0.00	4.41
Dishwasher	(Litres/place setting)	3.60	3.6	0.00	12.96
Waste disposal unit	(Litres/use)	☐ Present	3.08	0.00	0
Water Softener	(Litres/person/day)		1.00	0.00	0
	(5)	Total Calculated use (litres/person/day) =SUM(column 4)			114.90
	(6)	Contribution from greywater (litres/person/day)			0
	(7)	Contribution from rainwater (litres/person/day)			0
	(8)	Normalisation factor			0.91
	(9)	Total internal water consumption = [(5)-(6)-(7)]x(8) (litres/person/day)			104.56
	(10)	External water use			5.0
	(11)	Total water consumption (Building Regulation 17:K) = (9)+(10) (litres/person/day)			109.6

Installation Type	Make/Model (mandatory)	Litres/Person/Day
WC (dual flush)	Orchard Eden Close coupled dual flush (victoria plumbing eco range)	17.64
Taps	Orchard wharf mixer taps	14.22
Baths (shower(s) present)	Orchard Round Edge bath (victoria plumbing eco range)	18.15
Showers (bath(s) present)	Aqualisa Q (victoria plumbing eco range)	34.96
Kitchen Taps	Schon Eilean mixer tap	12.56
Washing Machines		4.41
Dishwasher		12.96
Property Type	3 Bed Bungalow	
Housing Development	11 West Hays Road Hayling Island	



©WRC plc 2022

[Terms and Conditions](#)
[System Requirements](#)