

From: Gregory, Tom <Tom.Gregory@easthants.gov.uk>
Sent: 11 July 2022 14:45
To: Speller, Graham <Graham.Speller@havant.gov.uk>
Subject: RE: Planning Application APP/22/00376 British Telecom, Telephone Exchange, 210 London Road, Waterloooville, PO7 7AJ

Dear Graham,

Please consider this email as an arboricultural consultation response on the above planning application.

There are several trees within and around the site that could be affected by the proposals. Those proposed for removal are not considered to meet the necessary criteria for a TPO. Arboricultural information has been submitted that demonstrates an acceptable relationship between the remaining trees and the proposals. It also provides a suitable level of protection during the construction process. On that basis, if you are minded to permit this application it would be recommended that a suitably worded condition is imposed requiring the applicant to adhere to the protection measures and methodology specified.

Kind regards,

Thomas Gregory DipArbL4 (ABC) TechArborA
Arboricultural Officer , East Hampshire District Council & Havant Borough Council

My working pattern – Monday, Tuesday



Your privacy matters. Go to www.havant.gov.uk/privacy-policy



Your privacy matters. Go to easthants.gov.uk/privacy-policy

Information in this message is confidential and may be privileged. It is intended solely for the person to whom it is addressed. If you are not the intended recipient, please notify the sender, and please delete the message from your system immediately.