

C.S.H. Water Report

PROJECT DETAILS

Project Reference:

Client:

Property: Proposed First Floor Extension & Alterations to
Oak View Residential Care Home, 47-49 Beech Road
HAYLING ISLAND PO11 0JB

Local Authority:

Agent:

Assessor:

Address:

Contact:

Software: G-Calc 2015 version 3.0.2

Prepared on: 19-Apr-22

RESULT SUMMARY

By following the Government's national calculation methodology for assessing water efficiency in new dwellings this 18 bed dwelling, as designed, achieves an internal potable water consumption of 100.4 litres per person per day.

Credits for Sustainable homes rating: 3

Table 1: The Water Calculator for New Dwellings

Installation Type	Unit of measure	Value	Use factor	Fixed use	litres/person/day
WC(single flush)	Flush volume (litres)	0	4.42	0.00	0
WC(dual flush)	Full flush vol.	0	1.46	0.00	0
	Part flush vol.	0	2.96	0.00	0
WC(multiple fittings)	Average effective Flush vol. (litres)	3.06	4.42	0.00	13.53
Taps(excl. Kitchen)	Flow rate (litres/min)	5	1.58	1.58	9.48
Bath (shower also present)	Capacity to overflow (litres)	185	0.11	0.00	20.35
Shower (bath also present)	Flow rate (litres/min)	8	4.37	0.00	34.96
Bath only	Capacity to overflow (litres)		0.50	0.00	0
Shower only	Flow rate (litres/minute)		5.6	0.00	0
Kitchen sink taps	Flow rate (litres/minute)		0.44	10.36	10.36
Washing Machine	litres/kg dry load	8.17	2.1	0.0	17.16
Dishwasher	litres/place setting	1.25	3.6	0.0	4.5
Waste disposal	litres/use	0	3.08	0.0	0
Water softener	litres/person/day	0	1.0	0.0	0
Total calculated use (litres/person/day)					110.34
Contribution from greywater (litres/person/day)					-
Contribution from rainwater (litres/person/day)					-
Normalisation factor					0.91
Total Water Consumption. Code for Sustainable Homes (litres/person/day)					100.4
External water use					5.0
Total Water Consumption. (36(1)) (litres/person/day)					105.4

Table 2: Consumption Calculator for multiple fittings for New Dwellings			
2.1: Taps (excluding kitchen sink taps)			
	Flow Rate (l/min)	Quantity (No.)	Total per fitting type
1	5	20	100
2			
3			
4			
Total (Sum of all Quantities)		20	
Total (Sum of all totals per fitting type)			100
Average Flow Rate (l/min)			5
Maximum Flow Rate (l/min)			5
Proportionate flow Rate (l/min)			3.5

Table 2: Consumption Calculator for multiple fittings for New Dwellings			
2.4 Dishwashers			
Dishwasher Type	litres/place setting	Quantity (No.)	Total per fitting type
1	1.25	2	2.5
2			
3			
4			
Total (Sum of all Quantities)		2	
Total (Sum of all totals per fitting type)			2.5
Average litres per place setting			1.25
Maximum litres per place setting			1.25
Proportionate litres per place setting			0.88

Table 2: Consumption Calculator for multiple fittings for New Dwellings			
2.5: Washing Machines			
W/machine Type	litres/kg dry load	Quantity (No.)	Total per fitting type
1	8.17	2	16.34
2			
3			
4			
Total (Sum of all Quantities)		2	
Total (Sum of all totals per fitting type)			16.34
Average litres per kg of dry load			8.17
Maximum litres per kg of dry load			8.17
Proportionate litres per kg of dry load			5.72

Table 2: Consumption Calculator for multiple fittings for New Dwellings			
2.6: Showers			
Shower Type	Flow rate (l/min)	Quantity (No.)	Total per fitting type
1	8	19	152
2			
3			
4			
Total (Sum of all Quantities)		19	
Total (Sum of all totals per fitting type)			152
Average Flow rate (l/min)			8
Maximum Flow rate (l/min)			8
Proportionate flow rate (l/min)			5.6

Table 2: Consumption Calculator for multiple fittings for New Dwellings			
2.7: WC's			
WC Type	Effective flushing volume (litres)	Quantity (No.)	Total per fitting type
1	3.062	20	61.24
2			
3			
4			
Total (Sum of all Quantities)		20	
Total (Sum of all totals per fitting type)			61.24
Average effective flushing volume (litres)			3.06

Summary of fitting types "As Designed"			
Type	Description	Flow rates, volumes etc.	Qty
Taps		5 litres/min	20
Baths		185 litres to overflow	1
Dishwashers		1.25 litres/place	2
Washing Machines		8.17 litres/kg	2
Showers		8 litres/min	19
WC's		4 / 2.6 litres flush vols.	20

The lower section of this table is to be filled in by the builder prior to completion. The descriptions, values and quantities should represent the 'as built' specification. Please note the values above represent design values and should not be exceeded without prior consultation with the agent/designer ().
The completed table should be returned to the assessor: the agent/designer.

Declaration of fitting types "As Built"			
Type	Make and Model	Flow rates, volumes etc.	Qty
Taps			
Baths			
Dishwashers			
Washing Machines			
Showers			
WC's			

Project ref: - Proposed First Floor Extension & Alterations to

The above declaration of fittings, values and quantities is a true reflection of those installed on this project.

I also confirm that the hot and cold water system will be designed to avoid the risk of microbial contamination in line with best practice.

Name: Signature: Date:

-----End of Report-----