

Cross Kitchen Emsworth

Table top cooking equipment which allows the kitchen to be deep cleaned – all floor easily accessible and creates additional storage on low level shelf.



Please note that all the equipment is 'plugged in'



HT6 - Lincat Silverlink
600 Electric Counter-top
Boiling Top - 4 Plates - W
600 mm - 7.0 kW

Designed to fit in perfectly alongside other Silverlink 600 products, whether you're cooking in a care home, cafe, or smaller pub or restaurant, the Electric Boiling Top won't let you down.

- Designed to fit in perfectly with other equipment in the Silverlink 600 series
- Automatic power reduction, if pan boils dry or is removed – protecting hotplate life
- Six position switches control each plate
- Fully pressed and sealed hob tops make the unit easy to clean and maintain

Specifications

Summary

Brand	Lincat
Range	Silverlink 600
Power Type	Electric
Unit Type	Counter-top
Available in UK Only	No
UK Warranty	2 Years Parts and Labour Warranty
Export Warranty	Contact your local dealer
GTIN	5056105105022

Power and Performance

Total Power kW	7.0
IP Rating	IP33
Temperature Control	Mechanical
Rating per Hob kW	2 x 2.0, 2 x 1.5

Key Specifications

Number of Hobs	4
Shape of Hob	Round

Weights and Dimensions

Unit Height (External) mm	290
Unit Width (External) mm	600
Unit Depth (External) mm	620
Hob Dimensions mm	390
Net Weight Kg	36.2

Supply Connections

Requires Installation	Yes
Requires Electrical Supply	Yes
UK 3 Pin Plug	No
Requires Hardwiring	Yes
Electrical Supply Rating Watts	7000
Single Phase Amps	30.4
Single Phase Voltage	230
Three Phase Amps	L1=8.7, L2=12.0, L3=8.7
Three Phase Voltage	400



Shipping

Packed Weight Kg	20.7
Packed Height cm	48.5
Packed Width cm	70
Packed Depth cm	70

Available Accessories

CC6	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 600 mm
CN6	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm
HC6	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 600 mm - 0.5 kW
HCL6	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 600 mm - 0.5 kW
SLS6	Lincat Silverlink 600 Free-standing Floor Stand - for units W 600 mm

Technical Picture



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 835500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday – Friday:

8.30am – 5pm

CONTENTS

Important Information	2
Warnings and Precautions	3
Checklist of Enclosures	3
Technical Data	3 - 4
Installation and Commissioning	5
Operating Instructions	6 - 10
Fault Finding	10
Cleaning	11
Servicing, Maintenance and Component Replacement	11 - 12
Spare Parts List	13
Accessories	14
Service Information and Guarantee	15

IMPORTANT INFORMATION



Read these instructions carefully before using this product, paying particular attention to all sections that carry warning symbols, caution symbols and notices. Ensure that these are understood at all times.



WARNING!

This symbol is used whenever there is a risk of personal injury.



CAUTION!

This symbol is used whenever there is a risk of damaging your Lincat product.



NOTE:

This symbol is used to provide additional information, hints and tips.

KEEP THIS MANUAL FOR FUTURE REFERENCE

Lincat

Installation, Operating and Servicing Instructions

CONVECTOR

Electric Convection Ovens

CO133M, CO133T, CO223M, CO223T
CO235M, CO235T

Please make a note of your product details for future use:

Date Purchased: _____
Model Number: _____
Serial Number: _____
Dealer: _____

Please note that the kitchen can be visited with an appointment for inspection.

This document is to read in conjunction with all correspondence with A Zelazik .