

APP/18/01033 – Land East of Castle Avenue Havant

Management Plan

(comprising Service Charge Budget and Soft
Landscape Management and Maintenance Plan)



Estate Service Charge Budget

in respect of

**Castle Avenue
Havant**

prepared for

Persimmon Homes South Coast

on

18th January 2021

by

Remus Management Limited

Head Office

Fisher House
84 Fisherton Street
Salisbury
Wiltshire
SP2 7QY

Tel: 01722 328685

E-mail: admin@remus-mgmt.co.uk

Regional Offices

Southern Region
Salisbury

South West Region
Plymouth

South East Region
Brighton

Midlands Region
Birmingham

Eastern Region
Chelmsford

Wales & West
Cardiff

London Office
London

Thames Valley
Reading

Northern Region
Manchester

www.remus.uk.com

18/01/2021

**Estate Service Charge Budget
in respect of
Castle Avenue
Havant**

	£
Landscape Maintenance	5,000.00
SUDS Maintenance (Aquacells and Pond)	1,000.00
Hedge Maintenance	500.00
Arboriculturist	500.00
Public Liability Insurance	500.00
Acoustic Fence Insurance	300.00
Provision for General Repairs	750.00
Play Equipment Inspection & Maintenance	500.00
Electricity (Street Lighting)	750.00
Highway Maintenance	500.00
Health & Safety Risk Assessment (Estate)	618.00
Management Company Costs	750.00
Directors and Officers Liability Insurance	250.00
Bank Charges	138.00
Accountancy	655.00
Managing Agents Fee	4,968.00
Total	<u>17,679.00</u>
 Transfer to Reserve Funds	
Future replacement/re-staining of Acoustic Fence	250.00
Future Replacement of Play Equipment	200.00
Future re-surfacing of un-adopted access roads/pathways	1,000.00
	<u>1,450.00</u>
 Total	<u><u>19,129.00</u></u>
 Amount Per Property (÷ 69)	 <u>£277.23</u>

Explanatory Notes re Estate Service Charge Budget in respect of Castle Avenue Havant

Landscape Maintenance:

To maintain the Estate in full compliance with the Landscape Management Plan, at an anticipated sum of £5,000.00 per annum.

SUDS Maintenance (Aquacells and Pond):

Based on an estimate of £1,000.00 per annum to maintain in accordance with best practice and CIRIA's Guidelines in their SUDS Manual C753 (2015) as summarised below. Regular maintenance will include inspection, litter and debris removal and grass cutting and occasional maintenance will include sediment management including management of any pre-treatment systems upstream of the main device.

SUDS components operation and maintenance activities

Operation and maintenance activity	SUDS component												
	Pond	Wetland	Detention basin	Infiltration basin	Soakaway	Infiltration trench	Filter drain	Modular storage	Permeable pavement	Swale/bioretention/ trees	Filter strip	Green roofs	Proprietary
Regular maintenance													
Inspection	■	■	■	■	■	■	■	■	■	■	■	■	■
Litter and debris removal	■	■	■	■	□	■	■	□	■	■	■		□
Grass cutting	■	■	■	■	□	■	■	□	□	■	■		
Weed and invasive plant control	□	□	□	□		□	□		□		□	■	
Shrub management (including pruning)	□	□	□	□					□	□	□		
Shoreline vegetation management	■	■	□										
Aquatic vegetation management	■	■	□										
Occasional maintenance													
Sediment management ¹	■	■	■	■	■	■	■	■	■	■	■	■	■
Vegetation replacement	□	□	□	□						□	□	■	
Vacuum sweeping and brushing										■			
Remedial maintenance													
Structure rehabilitation/repair	□	□	□	□	□	□	□	□	□	□	□	□	
Infiltration surface reconditioning				□	□	□	□		□	□	□		

Key

- will be required
- may be required

Notes

¹ Sediment should be collected and managed in pre-treatments systems, upstream of the main device.

Hedge Maintenance:

An estimated sum of £500.00 per annum for the annual hedge cut back outside of the bird nesting season.

Arboriculturist:

An inspection of all the estate's mature trees will be carried out by a qualified Arboriculturist and a report on their condition produced. Any works recommended in the report will be undertaken by qualified forestry workers.

Public Liability Insurance:

A public liability insurance policy will be put in place at a projected annual premium of £500.00, in respect of the managed areas of the development.

Acoustic Fence Insurance:

A policy will be taken out to insure the Acoustic Fence at an estimated cost of £300.00 per annum.

Provision for General Repairs:

A sum of £750.00 per annum to cover the cost of any repairs as and when required.

Play Equipment Inspection & Maintenance:

To comply with ROSPA guidelines the play equipment will be visually inspected on a regular basis in addition a full examination will be carried out annually by a ROSPA qualified inspector.

Electricity (Street Lighting):

Based on an annual charge of £750.00 per annum to cover the cost of electricity in respect of street lights.

Highway Maintenance:

Based on an estimate of £500.00 per annum for an clearance of the surface water gulleys.

Health & Safety Risk Assessment (Estate):

A Health & Safety Risk Assessment will be carried out after management has commenced, at a cost of approximately £618.00 then as and when required in accordance with statutory regulations and guidelines.

Management Company Costs:

To cover the costs incurred which includes – production and filing of Company Accounts, Annual Return, Tax Return, Company Secretarial Services, any required registration with the ICO re Data Protection.

Directors & Officers Liability Insurance:

An insurance policy will be put in place at a projected annual premium of £250.00, on incorporation of the development specific management company

Bank Charges:

Charges levied by the Bank for maintaining the Service Charge Client Account.

Accountancy:

These costs relate to the production , certification and circulation of the annual service charge accounts.

Managing Agent Fees:

An amount of £60.00 + VAT per property, per annum. A summary of the services provided within our fees is available upon request.

Transfer to Reserve Fund:

£250.00 per annum to cover future replacement/re-staining of the Acoustic Fence

£200.00 per annum to cover future costs for replacement of Play Equipment

£1,000.00 per annum to cover future costs for resurfacing un-adopted access roads/pathways

Please note this is an estimate of expenditure based on a budget analysis by Remus Management Limited. Whilst every care has been taken in preparing these figures, they are estimates only based upon the inspection of architects drawing, and knowledge of expenditure incurred on similar developments. It will not be possible to gauge the accuracy of these figures until the end of the first full financial year. Please therefore note that if at the end of the first full financial year expenditure exceeds income, any shortfall will be recoverable from the Freeholders/Lessees in accordance with the terms of the lease/TP1.

LAND EAST OF CASTLE AVENUE, HAVANT

SOFT LANDSCAPE MANAGEMENT AND MAINTENANCE PLAN



Written by:	AD
Checked by:	JS
Date:	October 2018
Ref:	PERSC22164 Man
Revision:	A

Contents

1.0	Objectives	1
2.0	Background Information	1
3.0	Preliminaries	2
4.0	General Maintenance	3
5.0	Existing Trees and Vegetation	5
6.0	Amenity Grass (Turf)	7
7.0	Wildflower Grassland	8
8.0	Shrub and Tree Planting	9
9.0	Hedgerows	12
10.0	Play Equipment	14
11.0	Pond within Open Space	16
12.0	Maintenance Schedules	19
	Appendix 1:	22
		23

1.0 Objectives

- 1.1. To ensure the successful planting operations, establishment and continued healthy growth through to maturity of the trees, shrubs and grass.
- 1.2. To achieve a clean, tidy condition and appearance of all external areas.
- 1.3. To ensure that the development provides biodiversity enhancements.

2.0 Background Information

- 2.1. ACD Environmental were commissioned in 2018 to prepare the following documentation:
 - Soft Landscape Proposals
 - Soft Landscape Specification
- 2.2. The controlling authority are Havant Borough Council, who should be consulted on any matters relating to existing trees and the approved ACD detailed landscape proposals for the project.

Havant Borough Council

Public Service Plaza

Civic Centre Road

Havant

PO9 2AX

Tel no: 023 9244 6019

3.0 Preliminaries

- 3.1. Failures of Plants (Pre-practical Completion): the Contractor entirely at his own cost shall replace any trees, shrubs or other plants other than those found to be missing or maliciously damaged.
- 3.2. Malicious Damage or Theft prior to Practical Completion: the Contractor at his own expense shall make all loss or damage arising from theft or malicious damage prior to practical completion of the entire project good.
- 3.3. Post Practical Completion: the Contractor will carry out the maintenance of trees, shrubs and grasslands after the date of practical completion until the responsibility is transferred to the new owners or by the appointed Management Company.
- 3.4. Replacement of plants shall take place as many times as is necessary in order to maintain a complete cover of plants and to maintain the scheme as designed by the Architect, and within the correct season for the type of plant, tree, shrub and grassland mix.

4.0 General Maintenance

4.1. Following installation and after transfer the landscape shall be the responsibility of and maintained in perpetuity by:

- Domestic Owners,
- Persimmon South Coast Homes and their appointed Management Companies (should these be contracted out),
- Hampshire County Council Highways,

The agreement for which shall be set up by the Developer, who shall confirm in writing to the Principal Planning Officer of Havant Council when the maintenance agreement is completed and is operative.

Refer to ACD drawing PERSC22164 50 Landscape Maintenance Plan for an overview of the responsible parties for the landscaped areas.

4.2. The Developer shall ensure that any landscape contractor employed by the developer shall carry out the periodic maintenance of all planted areas, other than any areas for which the appointed Management Company and/or adopted body becomes responsible during the said Maintenance Period. Inspection checks shall be carried out at monthly intervals and the appropriate work carried out.

4.3. The Developer shall ensure that any landscape contractor employed by the developer shall carry out in all areas any shrub, tree, grass and other plants replacements that may be necessary until transfer of responsibility to the Management Company and/ or adopted body.

- 4.4. The Management Company and/ or adopted body shall be responsible for all periodic maintenance and replacement thereafter for all planted areas to which its management agreement relates, and shall ensure that any landscape contractor employed by it carries out periodic maintenance of all such areas in accordance with the general horticultural schedules below. Either inspection checks shall be carried out by a competent person, a member of British Association of Landscape Industries (BALI) or the Landscape Institute (LI), acting for the Management Company, at minimum monthly intervals and the appropriate work carried out.
- 4.5. No existing trees, shrubs or grass shall be removed or cut without specific instructions from the Contract Administrator and written agreement of the Local Planning Authority Tree Officer. Existing trees are to be retained, protected and undisturbed throughout the contract.

5.0 Existing Trees and Vegetation

- 5.1. All works should be undertaken in accordance with the British Standard BS3998:2010 Tree Work Recommendations, by recognised tree contracting companies from the Arboricultural Association's list of registered contractors. Proof of experience and insurance provision will be required. All work shall be undertaken at the appropriate time and with the consent of the Management Company and Local Planning Authority if necessary.
- 5.2. All operations should be carried out in a sensitive manner, taking care not to unnecessarily damage the trees that are being worked on, or any other neighbouring vegetation. The practice of natural target pruning should be used to ensure that branches are not cut “flush” with the stem, and conversely, a “stub” is not left proud, as in both scenarios it is not possible for the tree to adequately react to the wounding and may lead to an area of decay developing.
- 5.3. All trees on site should be visually checked annually. These checks should be staggered so that the trees are inspected at different times in the year. If any tree displays signs of decline, distress or damage then a competent person should be instructed to carry out a tree inspection where necessary. A comprehensive inspection of all the trees on site should be carried out by a competent person at a maximum interval of every three years.
- 5.4. All arisings from any work carried out, including leaf material, branches, wood chip and timber should be removed from site, unless otherwise specified. The work site should be left clean and tidy as instructed.
- 5.5. If large branches or entire trees need to be dismantled it is recommended that a rigging system be used where possible in order to reduce the risk of damage to surrounding structures and also to reduce ground compaction and deterioration during works. It is preferable if contractors are certificated with NPTC Unit CS41 Dismantling and Rigging.

- 5.6. Heavy Ivy infestation is not recommended in development situations, where wind risk may be a concern. The form of the tree can also be affected and it is therefore proposed to remove any dense infestation of Ivy if evident or to simply sever any ivy stems at the base of the tree during the maintenance period.

6.0 Amenity Grass (Turf)

- 6.1. Grass shall be cut during the growing season (generally April-October) using a sharp cutter to leave about 30-35mm of growth and remove arisings from site.
- 6.2. Grass will be cut at intervals of not more than 10-14 days depending on growing conditions. Arisings shall be collected and removed from site. A dressing of prepared fine fishmeal shall be applied at the rate of 60gms/m squared after the second mowing and the arisings of the cut following are to be allowed to fly.
- 6.3. The sward shall be maintained weed free by an annual application of a selective weed-killer or other equal and approved as necessary. This is to be used by an appropriately trained and qualified individual.
- 6.4. Grass edges to planted areas to be trimmed to maintain a clear smooth edge to planted beds; trim edges elsewhere but not against trees; spike annually in October.
- 6.5. Should bare patches of grass develop, area is to be cultivated to 150mm and then seeded with amenity grass seed. To be cross-sown in two directions at right angles to each other, (half the seed being used in each direction) at the rate of 35 gm per square meter and the ground lightly raked over on a still dry day when the top 25mm of soil is dry. Use 'A22 Low maintenance' mix as supplied by Germinal Seeds Ltd, or similar and approved by Local Planning Authority. Germinal Seeds Ltd tel: 01522 868714.

General

- 6.6. Grassed areas beyond the boundaries of domestic ownership will be maintained in perpetuity by the Management Company/ies.
- 6.7. This management plan should be made available to the new owners to help outline the principles of the retained habitats and encourage the future management of these areas in perpetuity.

7.0 Wildflower Grassland

- 7.1. All wildflower grassed areas within the communal gardens shall be maintained by the appointed Management Company.
- 7.2. Following the autumn sowing, the wildflower grassland is to be cut in March to 4-7cm if there is sufficient material. It is then to be cut to 4-7cm in early May and to 4cm in September (following flowering).
- 7.3. During the following years, the wildflower grassland is to be cut to 4-7cm in March/April (to remove excess grass) and to 4cm in September/October (following flowering).
- 7.4. All arisings are to be removed from site.
- 7.5. Any hollows which appear shall be filled in with topsoil and allowed to re-seed naturally.

8.0 Shrub and Tree Planting

- 8.1. The Management Company will maintain all shrubs and trees beyond the boundaries of domestic ownership in perpetuity.
- 8.2. All tree works are to be undertaken by an Arboricultural Association approved contractor to British Standard BS3998:2010 Tree Work Recommendations.
- 8.3. Formative tree pruning is to be undertaken until a permanent structurally sound scaffold system of branches typical of the species and appropriate to the site circumstances is produced.
- 8.4. Post-planting management and maintenance of trees shall be in accordance with BS8545:2014 section 11 Trees: from nursery to independence in the landscape-recommendations.
- 8.5. A formal assessment of young tree health and development shall be undertaken annually. This assessment shall include foliar appearance, leaf size and leaf canopy density, extension growth and incremental girth development. Trees shall also be assessed continually throughout the year on an ad hoc basis. Wherever practicable the performance of young trees shall be assessed by testing leaf fluorescence and leaf chlorophyll content.
- 8.6. The density of planting will require that all weeding is carried out by hand, using the appropriate tools. All resultant material should be removed from site.
- 8.7. The Management Company is responsible for litter picking in those areas that it manages.
- 8.8. All plants shall be inspected monthly for wind firmness and firmed as necessary at the same time. Stakes shall likewise be checked for firmness and all tree and plant ties inspected and made good if required.
- 8.9. All stakes and ties shall be removed as soon as the developing root system is strong enough to support the tree, this is usually after two full growing seasons.

- 8.10. All guards and other protective furniture shall be inspected annually and removed as soon as it is no longer needed to protect the tree or where it is causing damage to the tree.
- 8.11. The soil around newly planted trees shall be regularly inspected for soil capping or compaction and remedial action taken if needed.
- 8.12. All trees shall be checked regularly for mammal, human or other external damage and remedial action taken where necessary.
- 8.13. Minor pruning of dead or damaged wood shall be carried out annually. All wounds must not be treated with a sealant as per BS3998:2010 Tree Works Recommendations. On substantial trees, the Local Planning Authorities Tree Officer must be consulted for any necessary approvals.
- 8.14. All plants shall be watered as may be required to maintain healthy growth following planting, during the maintenance period and subsequently in cases of extreme drought. The Management Company are to provide a bowser for watering.

Trees – 5Ltr's per tree,

Shrubs 1Ltr each,

Grass 5Ltr's/m².

Watering to commence following 10 consecutive days of no rainfall, during the months of June to August. Following Bowser watering a weekly visit should be carried out until the onset of natural rainfall.

Any failures due to drought shall be replaced by the Management Company/ies at their own cost.

- 8.15. All planted areas shall be given an application of an approved top dressing at the rate of 40g/m² in May. This should be in slow release form e.g. Enmag or similar. This should be worked lightly into the soil, without disturbing the roots, before the bark mulch is re-spread. Unless specific nutritional deficiencies are identified, no fertiliser shall be applied to newly planted trees in the first season. If visual inspection points to nutrient deficiency further investigation of causes will be necessary. Remedial action may include addition fertiliser application, pH testing, assessment of organic content and levels of compaction.
- 8.16. Shrubs shall be maintained in a balanced shape and shall be annually pruned to allow for this. Any growth which will obscure windows, signs or sight-lines shall be removed. Once established, any support canes shall be removed from the shrubs. Trailing and climbing material shall be assisted in its growth by securing growing leaders where necessary.
- 8.17. Groundcover planting species have been specified so as not to exceed 600mm in height. However, should planting exceed expectations, this should be carefully cut down to below 600mm in height to avoid interference with visibility.
- 8.18. The bark mulch should be maintained at an even spread, 75mm deep, of consistent thickness, to ensure that it is effective as a weed suppressant and moisture conserver. Following any maintenance operations and on a bi-annual basis, the mulch shall be supplemented to allow for any material which may have been lost.
- 8.19. No plant substitutions to be made without the prior written agreement of the Local Authority Landscape Section.

9.0 Hedgerows

- 9.1. Hedge maintenance operations are to be carried out in line with general principles as outlined in the previous section, including clauses detailing litter removal, weeding, trimming, removal of dead plants and reinstatement of plant materials.
- 9.2. Around free standing hedges a 3 strand galvanised wire and tanalised softwood timber post fence, to BS1722 Part 3:1986 Fences, specification for strained wire fences, is to be erected to run through the centre of the proposed hedgerow. This is to prevent access through the site by pedestrians until the hedges are fully established. After five years, the hedges have fully established. The temporary fences are to be removed from site.
- 9.3. Trimming of rapidly/ ready established hedges: Hedges are to have lateral branches moderately trimmed with the hedge allowed to reach planned height as rapidly as possible. Once at the desired height then the tops of the hedge can be trimmed as necessary to maintain a dense formal hedge.
- 9.4. Trimming of slowly establishing hedges: (species such as *Buxus sempervirens*) Hedges are to be trimmed to a minimum until the hedge is close to the desired height. This is to enable the plants to put on as much growth as possible. The hedgerow will then 'fill out' naturally. Pruning operations are to be undertaken in August or September.
- 9.5. Trimming of tapering established existing hedges: Hedges are to be carefully trimmed to maintain a neat and regular line and shape, with the width at the top less than that at the base. Current growth is to be removed rather than old wood.
- 9.6. Trimming of non-tapering established existing hedges: Hedges are to be carefully trimmed to maintain a neat and regular line and shape, with the width at the top less than that at the base. Current growth is to be removed rather than old wood.
- 9.7. Trimming of field hedges: Hedges are to be trimmed to specified height and profile using suitable mechanical cutters.

- 9.8. Hedge Heights: Hedges to be maintained in a neat clipped form to a maximum height as shown on original landscape proposals.

10.0 Play Equipment

- 10.1. Routine visual inspections are to be undertaken weekly, by a competent person. Inspections are to be recorded which includes details of any vandalism, use of facility and weather conditions.
- 10.2. Any litter that is present during the routine visual inspections, this is to be removed from the facility immediately. Any vandalism is to be reported to the local planning authority and if any equipment is deemed unsafe due to an incident of vandalism this is to be rectified immediately or the facility closed until the equipment can be made good. During the routine visual inspections the following operations are also to be undertaken:
- Remove any objects which do not belong in the playground. This is to include cleaning of the surface and litter.
 - Inspect for missing or broken parts and if necessary, lubricate or replace components.
 - Inspect frames, structures and joints and retighten as necessary.
 - Inspect moving or wearing parts, nets and ropes and repair and replace as necessary.
- 10.3. Operational inspections for the operation, stability and wear of equipment and surface is to be conducted every three months. Any repair is to be reported to the Local Planning Authority or Appointed Management Company. Any repair works are to be undertaken as a matter of urgency in order to maintain the safe, functionality of the play facility.

10.4. An annual inspection is to be undertaken which consists of a technical check of equipment or features for long-term wear. This could be undertaken by an independent specialist or qualified engineer. Any equipment which is deemed unsafe due to long term wear is to be replaced or made good as a matter of urgency in order to maintain the safe, functionality of the play facility. During the annual inspection the following operations are also to be undertaken:

- Inspection of the support structures and foundations for rust or rot, take appropriate action when necessary.
- Inspect painted wood components, plywood and metal parts and apply a new finish in line with manufacturer's recommendations and with BS EN1176 Playground Equipment and Surfacing, where necessary.

11.0 Pond within Open Space

- 11.1. The removal of litter, debris and accumulated silt to be viewed and excessive vegetation causing an obstruction to the pond to be cut bi-annually between October-February by hand.
- 11.2. The density of planting will require that all weeding is carried out by hand, using the appropriate tools. All resultant material should be removed from site. Invasive species will not be planted but may self seed within the pond, these are to be discouraged as they may block the safe functioning of the swale, and removed.
- 11.3. It is important to maintain a good range of plant species in the wetland areas, This can be maintained with selective removal, by hand, of those individual specimens or species groups which may become too dominant.
- 11.4. Any invasive or non-native species are to be dug out as soon as they are spotted and removed from site, or to the nearest available composting facility.
- 11.5. All new planting shall be watered as may be required to maintain healthy growth following planting, during the maintenance period and subsequently in cases of extreme drought. The Management body is to provide a bowser for watering.
- 11.6. Watering to commence following 10 consecutive days of no rainfall, during the months of June to August. Following Bowser watering a weekly visit should be carried out until the onset of natural rainfall.
- 11.7. Any failures due to drought shall be replaced by the Management body at their own cost.
- 11.8. No plant substitutions to be made without the prior written agreement of the Local Authority Landscape Section.

11.9. Bank-side Management as follows:

- The objective is to create a range of shady and open conditions that benefit many species associated with watercourses.
- Bank-side shrubs are important to wildlife, but can cause excessive shade and suppress aquatic growth. Management of trees and shrubs along the bank of the stream is to provide enough light for aquatic and marginal vegetation to grow. This is to be monitored and any clearance or pruning should take place in October-February to avoid the bird breeding season.
- Trees that are young/ saplings and those of introduced species (not typical of the habitat), should be selected for removal.
- Mature and dying branches have great value for invertebrates, birds and fungi, so only require clearance operations as necessary for flood control. Pile any dead wood on the bank.
- Other timber / logs and stones are to be left to provide refugia for amphibians and reptiles.
- Pollarding, coppicing or removal of large branches must only be done when the sap is down to avoid seriously weakening or killing the tree. In general, established trees are best left to grow naturally, with control concentrating on removal of seedling trees. Where clearance of established trees is required, stump treatment or removal is required.

11.10 Long-term Management as follows

- Where one or a few species become dominant, some plants may need to be removed by hand to retain biodiversity. Invasive species should also be monitored and brambles, docks, nettles and thistles kept under control, though not completely removed as they benefit wildlife to some degree.
- Cutting back vegetation late autumn is usually beneficial to wildlife. Growth is also slower during autumn, so a more varied structure will result. Always cut sections of the bank on an annual rotation so alternative habitat is always available.

12.0 Maintenance Schedules

Every week

- All plants shall be watered following 10 days without rain. Then weekly until natural rainfall during June – August.
- Routine visual inspection of play equipment, with operations conducted to ensure that safe use of facility is maintained.

Every two weeks

- Amenity Grass to be cut every 10-14 days
- There should be a minimum fortnightly litter pick over the entire site within areas covered by the Management Company/ies.

Every month

- Weed control shall be allowed for at monthly intervals. All areas to be weeded by hand.
- All plants shall be inspected monthly for wind firmness and firmed as necessary at the same time. Stakes shall likewise be checked for firmness and tree ties checked.

Every three months

- Operational inspection of play equipment, with operations conducted to ensure that safe use of facility is maintained.

Every six months

- The bark mulch should be topped up bi-annually
- Grass cutting to Wildflower areas – cut in line with guidance given in section 7.0
- Hedges to be managed – cut in line with guidance given in section 9.0
- After two years tree stakes and ties are usually ready to be removed.

Annual

- Replacement of any failed trees or shrubs will be allowed for annually to ensure that the planting areas are fully stocked at all times.
- Any hollows which appear due to settlement shall be top dressed annually, early in the growing season.
- Minor pruning of dead or damaged wood shall be allowed for annually.
- All planted areas and trees shall be given an application of an approved top dressing in May. Not in Wildflower areas.
- Shrubs shall be maintained in a balanced shape and prevented from obscuring signs, windows and encroaching on paths.
- Check for invasive species as mentioned earlier and remove from site.
- Undertake a formal assessment of young tree health and development.
- Tree grilles, grids and guards shall be inspected and if necessary removed.
- Annual inspection of play equipment with operations conducted to ensure that safe use of facility if maintained.

Every 5 Years

- A suitably qualified person employed by the Management Company to undertake a review of the condition, success and long-term maintenance of the planting.

Any amendments to the landscape management plan required to ensure a good planting scheme should be submitted to the LPA for approval. The LPA may draw the managing company's attention to defects in the maintenance or failure to comply with the landscape management plan and require that the Management Company rectify these defects or apply for a variation to the landscape management plan.

LIMITATIONS OF USE AND COPYRIGHT

All rights in this report are reserved. No part of it may be reproduced or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in any retrieval system of any nature, without our written permission. Its content and format are for the exclusive use of the addressee in dealing with this project only. Until all invoices rendered by ACD Environmental Ltd to the Client have been paid in full, the copyright of any documents, forms, statements, maps, plans and other such material will remain vested in ACD Environmental and no unauthorised use of such material may be made by the Client or any person purporting to be acting on his/her behalf. It may not be sold, lent, hired out or divulged to any third party not directly involved in this site without the written consent of ACD Environmental Ltd ©

Appendix 1:



Reduced Red-line boundary = 19,360m² / 4.78a



- Legend
- Proposed areas to be maintained by the domestic owners
 - Proposed areas to be maintained by the appointed management company
 - Proposed areas to be adopted by the County Highways

NOTES:
DO NOT SCALE FROM DRAWING

Reduced Red-line boundary

potentially allocated access road

Unknown

ACD

A	17.10.18	Amended adopted road	JNT
Rev	Date	Details	Drawn

HEAD OFFICE
Rodbourne Rail Business Centre, Grange Lane,
Malmesbury, SN16 0ES
Tel: 01666 825646

Suite 8 & 9, Courtyard House, Mill Lane, Godalming, GU7 1EY
Tel: 01483 425714

Suite 6, Crescent House, Yonge Close, Eastleigh, SO50 9SX
Tel: 02382 026300

Suite 50, Space Business Centre Gloucester,
Quedgeley, Gloucester, GL2 4AL
Tel: 01452 887260

Suite G03B, 1010 Cambourne Business Park,
Cambourne, CB23 6DP
Tel: 01223 598598

email: mail@acdenv.co.uk
www.acdenvironmental.co.uk

Together, we make a home

scheme: Land East of Castle Avenue, Havant
client: Persimmon South Coast
drawing: Management Plan
date: October 2018
scale: 1:500@A1
drawing no: PERSC22164 50A
drawn: AD checked: JS

Copyright of ACD Environmental Ltd. All rights described in Chapter IV of the Copyright, Designs and Patents Act 1988 have been generally asserted. 2011. Copyright of this plan remains with ACD until all fees have been paid in full.



Head Office

Rodbourne Rail Business Centre
Grange Lane
Malmesbury
SN16 0ES
Tel: 01666 825646

Surrey Office

Suite 8 & 9
Courtyard House
Mill Lane
Godalming
GU7 1EY
Tel: 01483 425714

Hampshire Office

Suite 6
Crescent House
Yonge Close
Eastleigh
SO50 9SX
Tel: 02382 026300

Gloucestershire Office

Suite 50
Space Business Centre
Quedgeley
Gloucester
GL2 4AL
Tel: 01452 887260

Cambridgeshire Office

Suite GO3B
1010 Cambourne Business Park
Cambourne
Cambridgeshire
CB23 6DP
Tel: 01223 598598

Email: mail@acdenv.co.uk

Website: www.acdenvironmental.co.uk

ECOLOGICAL SURVEYS * PROTECTED SPECIES LICENSING * MITIGATION * IMPACT ASSESSMENT *
ARBORICULTURAL SITE MONITORING AND SUPERVISION * ARCHAEOLOGY
LANDSCAPE & VISUAL IMPACT ASSESSMENT * LANDSCAPE AUDIT * PROJECT MANAGEMENT *
EXPERT WITNESS* LANDSCAPE DESIGN & PLANNING LANDSCAPE MANAGEMENT