

PERMIT

TENDER

HAVANT BOROUGH COUNCIL

28 SEP 2011

RECEIVED

VALID APPLICATION

23 SEP 2011

COUNTY PLANNING
HAMPSHIRE COUNTY COUNCIL

LEGEND

- EXISTING FOU. WATER DRAINAGE
- EXISTING SURFACE WATER DRAINAGE
- EXISTING SURFACE WATER GULLY
- NEW FOU. WATER SEWER (CLAY)
- NEW FOU. WATER CHAMBER
- NEW FOU. WATER GULLY (ALL CONNECTIONS TO BE 150mm)
- NEW SURFACE WATER SEWER (PLASTIC/CLAY)
- NEW SURFACE WATER CHAMBER
- NEW SURFACE WATER GULLY (ALL CONNECTIONS TO BE 150mm)
- EXISTING BT SUPPLY
- EXISTING WATER SUPPLY
- EXISTING ELECTRICITY SUPPLY
- EXISTING GAS SUPPLY
- PROPOSED BT SUPPLY
- PROPOSED WATER SUPPLY
- PROPOSED ELECTRICITY SUPPLY
- PROPOSED DUCTS FOR FUTURE ACCESS ROAD STREET LIGHTING

PARTS OF THIS DRAWING SHOULD BE IN COLOUR.
IF THIS NOTE IS NOT RED, PLEASE CONTACT
wendy.wright@hants.gov.uk FOR COLOUR COPIES.

NOTES

1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER ENGINEERING CONSULTANCY DRAWINGS. DO NOT SCALE. IF IN DOUBT, ASK. ANY DISCREPANCIES ARE TO BE REFERRED TO THE ENGINEER.
2. DO NOT SCALE FROM THIS DRAWING. IF IN DOUBT, ASK.
3. FOR DRAINAGE STANDARD DETAILS, REFER TO DRG. No. 17-509026-500/03. ALL FW PIPEWORK IS TO BE CLAY AND SW PIPEWORK IS TO BE STRUCTURED WALL PLASTIC OR CLAY.
4. FOR POND DETAILS, REFER TO DRG. No. 17-509026-500/04.
5. NOTE THAT THERE WILL BE A NUMBER OF BURIED EXISTING SERVICES (WATER SUPPLY, ELECTRICITY SUPPLY, BT CABLES AND FW CONNECTIONS) FROM PREVIOUS SITE USE AS A VEHICLE DEPOT AND LORRY PARK. THESE SERVICES SERVED A NUMBER OF PORTAKABINS ON THE SITE AND EXACT LOCATIONS ARE NOT KNOWN.
6. ALL GULLY CONNECTIONS ARE TO BE 150mm.

FOR CONTINUATION, REFER TO
DRAWING No. 17-509026-500/02

HAMPSHIRE COUNTY COUNCIL
ECONOMY, TRANSPORT & ENVIRONMENT
WASTE & RESOURCE MANAGEMENT



Hampshire
County Council

engineering
CONSULTANCY



CHW
WHW
SRF

HAVANT INCINERATOR SITE
REDEVELOPMENT

DRG No. R/509026/01

SCALE 8 AT 1:200

DATE Oct 10

SHEET No.

RELOCATION OF HAVANT HWRC
SW & FW DRAINAGE SYSTEMS
AND PROPOSED UTILITIES
Sheet 1 of 2

DRG No. 17-509026-500/01

REV B

SUPP T

REV	DATE	DESCRIPTION	DATE	BY	CHKD	APPRO
B	01.08.11	Waste bin area foul drainage revised	01.08.11	WHW	SF	DD
A	23.12.10	Drainage layout revised to suit new level design. Pond size revised	23.12.10	WHW	SF	DD
REV		AMENDMENT				

STUART JARVIS RES DTP FCMT WRTP: DIRECTOR OF ECONOMY, TRANSPORT & ENVIRONMENT