



all about bricks

Brick Portfolio

Over the past 15 years all about bricks has grown to become one of the UK's largest independent suppliers of high quality clay facing bricks.

With seven major distribution depots and several smaller hubs located across the UK and Ireland we maintain a permanent stock holding of some 6 million bricks for fast and dependable deliveries.



Drawn from across Europe our largely exclusive range includes a wide variety of handmade, stock, slop moulded and wire cut facing bricks offering choice, quality and value for money.



In this portfolio we bring together many of our best selling products with a proven track record of success over the years along with a host of fresh faces. Here at all about bricks we're constantly looking to develop our range to satisfy your requirements. We'll find the right product for you or perhaps even develop a custom blend to give you something totally unique.

All of the bricks featured in the portfolio are available in standard UK sizes but if you're looking for something a little bit different then why not consider our alternative sizes: 40mm, 50mm, 54mm, 68mm 70mm, & 100mm. These alternative formats, perhaps combined with creative laying bonds or our range of supporting products and special shaped bricks for detailing can really set your building apart in terms of interest and style.

So whether you're one of the UK's leading house builders looking for reliable, quality, high volume products or a specifier wanting to make your project really special then all about bricks has something for you.



Burwell Cream p2



Warboys p4



Sussex Multi Smooth p6



Yellowstone p8



Yellowstone Sintered p8



Sittingbourne Yellow p11



Sittingbourne Sintered p11



Buff Handmade p12



Highcliffe Weathered Buff p14



Buff Stock p16



Sandstone Weathered Buff p18



Danelaw p20



Bernicia p20



Stamford Multi Buff p23



Pleshey Multi p23



York Multi Smooth p24



Mercia Red Multi [p27](#)



Sadberge [p27](#)



Chelmer Red [p28](#)



Dereham Red Multi [p30](#)



Oakwood [p32](#)



Red Multi Handmade [p34](#)



Red Multi Stock [p36](#)



Havant Blend [p38](#)



Hamble Blend [p38](#)



Seaford Blend [p41](#)



Selsted Blend [p41](#)



Red Smooth [p43](#)




Canterbury Multi [p43](#)



Blechingley Blend [p44](#)



Launceston Red Multi [p44](#)



Old Westmill Red Multi [p46](#)



Whitley Red Multi p48



Farnley Red Multi p48



Manor Park Multi p50



Wembley p50




Preston Smooth p52



Belgrave Red Multi p54




Redstone p57




Redstone Sintered p57



Redstone Classic p58




Mansfield Blend p61



Redstone Blue p61




Bacarra p62



Bacarra Blue p62



Redstone Rainbow p64



Ashbourne Classic p66



Chatham Smooth p68



Ebonywood p70



Smooth Black p70



Royston p72



Eton Smooth p74



Aston Smooth p76



Silverstone p78



Smooth Grey p80



Smooth White p80



Greystone Multi p82

Samples of all bricks shown are available direct from our Samples and Literature Hotline on 0845 2300 941 ext 213.

Disclaimer. Photographic brick swatches reproduced in this brochure are photographed under artificial light and as such their appearance may differ when viewed in different lighting conditions. The colours and textures are only as accurate as the photographic and printing processes allows and as such we would advise that a sample is seen before ordering.





Burwell Cream

Compressive Strength: $\geq 28 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S0

65mm Pack Size: 384

65mm Load Size: 9,216

The images depict the Burwell Cream in 228 x 108 x 54mm format with 12mm joints but standard 65mm is also available.







Warboys

Compressive Strength: $\geq 22 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S0

65mm Pack Size: 384

65mm Load Size: 9,216

Detail Brickwork: Chelmer Red







Sussex Multi Smooth

Compressive Strength: $\geq 45 \text{ N/mm}^2$

Water Absorption: $\leq 8\%$

Durability: F2 S2

65mm Pack Size: 604

65mm Load Size: 10,872





Yellowstone

Compressive Strength: $\geq 7.5 \text{ N/mm}^2$

Water Absorption: $\leq 12\%$

Durability: F2 S2

65mm Pack Size: 632

65mm Load Size: 11,376

Yellowstone Sintered

Compressive Strength: $\geq 7.5 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S2

65mm Pack Size: 632

65mm Load Size: 11,376







Sittingbourne
Yellow

Sittingbourne Yellow

Compressive Strength: $\geq 7.5 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S2

65mm Pack Size: 632

65mm Load Size: 11,376



Sittingbourne Sintered

Compressive Strength: $\geq 7.5 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S2

65mm Pack Size: 632

65mm Load Size: 11,376





Buff Handmade

Compressive Strength: $\geq 15 \text{ N/mm}^2$

Water Absorption: $\leq 24\%$

Durability: F2 S2

65mm Pack Size: 624

65mm Load Size: 12,480

All special shaped bricks are available in the Buff Handmade.







Highcliffe Weathered Buff

Compressive Strength: $\geq 15 \text{ N/mm}^2$

Water Absorption: $\leq 24\%$

Durability: F2 S2

65mm Pack Size: 624

65mm Load Size: 12,480

All special shaped bricks are available
in the Highcliffe Weathered Buff.





Buff Stock

Compressive Strength: $\geq 15 \text{ N/mm}^2$

Water Absorption: $\leq 24\%$

Durability: F2 S2

65mm Pack Size: 624

65mm Load Size: 12,480

All special shaped bricks are available in the Buff Stock.





Sandstone Weathered Buff

Compressive Strength: $\geq 15 \text{ N/mm}^2$

Water Absorption: $\leq 24\%$

Durability: F2 S2

65mm Pack Size: 624

65mm Load Size: 12,480

All special shaped bricks are available
in the Sandstone Weathered Buff.





Danelaw

Compressive Strength: $\geq 21 \text{ N/mm}^2$

Water Absorption: $\leq 21\%$

Durability: F2 S0

65mm Pack Size: 384

65mm Load Size: 9,216

Bernicia

Compressive Strength: $\geq 17 \text{ N/mm}^2$

Water Absorption: $\leq 16\%$

Durability: F2 S0

65mm Pack Size: 384

65mm Load Size: 9,216

The image depicts the Bernicia in 228 x 108 x 54mm format with 12mm joints but standard 65mm is also available.







Stamford Multi Buff

Compressive Strength: $\geq 15 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S2

65mm Pack Size: 632

65mm Load Size: 11,376



Pleshey Multi

Compressive Strength: $\geq 15 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S2

65mm Pack Size: 632

65mm Load Size: 11,376



York Multi Smooth

Compressive Strength: $\geq 45 \text{ N/mm}^2$

Water Absorption: $\leq 8\%$

Durability: F2 S2

65mm Pack Size: 604

65mm Load Size: 10,872

The image depicts the York Multi Smooth in 210 x 100 x 50mm format but standard 65mm is also available.





Dereham
Red Multi

Mercia Red Multi


Compressive Strength: $\geq 17 \text{ N/mm}^2$

Water Absorption: $\leq 12\%$

Durability: F2 S0

65mm Pack Size: 384

65mm Load Size: 9,216



Sadberge

Compressive Strength: $\geq 15 \text{ N/mm}^2$

Water Absorption: $\leq 13\%$

Durability: F2 S0

65mm Pack Size: 384

65mm Load Size: 9,216



Chelmer Red

Compressive Strength: $\geq 13 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S0

65mm Pack Size: 384

65mm Load Size: 9,216





Dereham Red Multi


Compressive Strength: $\geq 13 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S0

65mm Pack Size: 384

65mm Load Size: 9,216







Oakwood

Compressive Strength: $\geq 45 \text{ N/mm}^2$

Water Absorption: $\leq 8\%$

Durability: F2 S2

65mm Pack Size: 604

65mm Load Size: 10,872

Also available as ClickBrick.







Red Multi Handmade

Compressive Strength: $\geq 15 \text{ N/mm}^2$


Water Absorption: $\leq 15\%$

Durability: F2 S2

65mm Pack Size: 624

65mm Load Size: 12,480

All special shaped bricks are available
in the Red Multi Handmade.





Red Multi Stock

Compressive Strength: $\geq 15 \text{ N/mm}^2$


Water Absorption: $\leq 15\%$

Durability: F2 S2

65mm Pack Size: 624

65mm Load Size: 12,480

All special shaped bricks are available in the Red Multi Stock.





Havant Blend

Compressive Strength: $\geq 15 \text{ N/mm}^2$

Water Absorption: $\leq 15\%$

Durability: F2 S2

65mm Pack Size: 624

65mm Load Size: 12,480

Hamble Blend

Compressive Strength: $\geq 15 \text{ N/mm}^2$

Water Absorption: $\leq 15\%$

Durability: F2 S2

65mm Pack Size: 624

65mm Load Size: 12,480







Seaford Blend

Compressive Strength: $\geq 15 \text{ N/mm}^2$


Water Absorption: $\leq 15\%$

Durability: F2 S2

65mm Pack Size: 624

65mm Load Size: 12,480

All special shaped bricks are available in the Seaford Blend.



Selsted Blend

Compressive Strength: $\geq 15 \text{ N/mm}^2$

Water Absorption: $\leq 15\%$

Durability: F2 S2

65mm Pack Size: 624

65mm Load Size: 12,480

All special shaped bricks are available in the Selsted Blend.



Red Smooth


Compressive Strength: $\geq 30 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S2

65mm Pack Size: 604

65mm Load Size: 10,872



Canterbury Multi


Compressive Strength: $\geq 15 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S2

65mm Pack Size: 632

65mm Load Size: 11,376



Blechingley Blend

Compressive Strength: $\geq 15 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S2

65mm Pack Size: 632

65mm Load Size: 11,376

Launceston Red Multi

Compressive Strength: $\geq 15 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S2

65mm Pack Size: 604

65mm Load Size: 11,376









Old Westmill Red Multi

Compressive Strength: $\geq 15 \text{ N/mm}^2$

Water Absorption: $\leq 15\%$

Durability: F2 S2

65mm Pack Size: 624

65mm Load Size: 12,480





Whitley Red Multi

Compressive Strength: $\geq 15 \text{ N/mm}^2$

Water Absorption: $\leq 15\%$

Durability: F2 S2

65mm Pack Size: 624

65mm Load Size: 12,480

Farnley Red Multi

Compressive Strength: $\geq 15 \text{ N/mm}^2$

Water Absorption: $\leq 15\%$

Durability: F2 S2

65mm Pack Size: 624

65mm Load Size: 12,480





Farnley RedMulti
(with Buff Handmade details)



Manor Park Multi

Compressive Strength: $\geq 15 \text{ N/mm}^2$

Water Absorption: $\leq 15\%$

Durability: F2 S2

65mm Pack Size: 624

65mm Load Size: 12,480

Wembley

Compressive Strength: $\geq 10 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S2

65mm Pack Size: 632

65mm Load Size: 11,376







Preston Smooth

Compressive Strength: $\geq 30 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S2

65mm Pack Size: 604

65mm Load Size: 10,872







Belgrave Red Multi

Compressive Strength: $\geq 15 \text{ N/mm}^2$


Water Absorption: $\leq 15\%$

Durability: F2 S2

65mm Pack Size: 624

65mm Load Size: 12,480

Detail Brickwork: Buff Handmade





Redstone

Redstone

Compressive Strength: $\geq 10 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S2

65mm Pack Size: 632

65mm Load Size: 11,376



Redstone Sintered

Compressive Strength: $\geq 10 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S2

65mm Pack Size: 632

65mm Load Size: 11,376





Redstone Classic

Compressive Strength: $\geq 10 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S2

65mm Pack Size: 632

65mm Load Size: 11,376





Mansfield Blend (80%)
& Redstone (20%)

Mansfield Blend

Compressive Strength: $\geq 10 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S2

65mm Pack Size: 632

65mm Load Size: 11,376



Redstone Blue


Compressive Strength: $\geq 10 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S2

65mm Pack Size: 632

65mm Load Size: 11,376



Bacarra

Compressive Strength: $\geq 10 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S2

65mm Pack Size: 632

65mm Load Size: 11,376

Bacarra Blue

Compressive Strength: $\geq 10 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S2

65mm Pack Size: 632

65mm Load Size: 11,376







Redstone Rainbow

Compressive Strength: $\geq 10 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S2

65mm Pack Size: 632

65mm Load Size: 11,376







Ashbourne Classic

Compressive Strength: $\geq 10 \text{ N/mm}^2$

Water Absorption: $\leq 10\%$

Durability: F2 S2

65mm Pack Size: 632

65mm Load Size: 11,376





Chatham Smooth

Compressive Strength: $\geq 50 \text{ N/mm}^2$

Water Absorption: $\leq 6\%$

Durability: F2 S2

65mm Pack Size: 604

65mm Load Size: 10,872





Ebonywood

Compressive Strength: $\geq 50 \text{ N/mm}^2$

Water Absorption: $\leq 6\%$

Durability: F2 S2

65mm Pack Size: 604

65mm Load Size: 10,872

Also available as ClickBrick.

Smooth Black

Compressive Strength: $\geq 75 \text{ N/mm}^2$

Water Absorption: $\leq 6\%$

Durability: F2 S2

65mm Pack Size: 504

65mm Load Size: 10,080







Royston

Compressive Strength: $\geq 50 \text{ N/mm}^2$

Water Absorption: $\leq 6\%$

Durability: F2 S2

65mm Pack Size: 604

65mm Load Size: 10,872

Also available as ClickBrick.







Eton Smooth

Compressive Strength: $\geq 50 \text{ N/mm}^2$

Water Absorption: $\leq 6\%$

Durability: F2 S2

65mm Pack Size: 604

65mm Load Size: 10,872





Aston Smooth

Compressive Strength: $\geq 50 \text{ N/mm}^2$

Water Absorption: $\leq 6\%$

Durability: F2 S2

65mm Pack Size: 604

65mm Load Size: 10,872





Silverstone

Compressive Strength: $\geq 50 \text{ N/mm}^2$

Water Absorption: $\leq 6\%$

Durability: F2 S2

65mm Pack Size: 604

65mm Load Size: 10,872





Smooth Grey

Compressive Strength: $\geq 75 \text{ N/mm}^2$

Water Absorption: $\leq 6\%$

Durability: F2 S2

65mm Pack Size: 504

65mm Load Size: 10,080



Smooth White

Compressive Strength: $\geq 75 \text{ N/mm}^2$

Water Absorption: $\leq 6\%$

Durability: F2 S2

65mm Pack Size: 504

65mm Load Size: 10,080





Greystone Multi

Compressive Strength: $\geq 7.5 \text{ N/mm}^2$

Water Absorption: $\leq 12\%$

Durability: F2 S2

65mm Pack Size: 632

65mm Load Size: 11,376



Description	Page	Code	Norm. Compressive strength [N/mm ²]	Water absorption (m/md)	Freeze / thaw Resistance	Active soluble salts	Reaction to fire [Euroclass]	Dimensions [mm]	Pack Size (65mm)	Artic COL Load size (65mm)	Approx Pack Weight (kg)
Belgrave Red Multi	54	DR5B	15	≤ 15%	F2	S2	A1	215 x 102.5 x 65	624	12480	1519
Buff Handmade	12	DR3B	15	≤ 24%	F2	S2	A1	215 x 102.5 x 65	624	12480	1355
Buff Stock	16	DR4B	15	≤ 24%	F2	S2	A1	215 x 102.5 x 65	624	12480	1343
Farnley Red Multi	48	DR13B	15	≤ 15%	F2	S2	A1	215 x 102.5 x 65	624	12480	1519
Hamble Blend	38	DR25B	15	≤ 15%	F2	S2	A1	215 x 102.5 x 65	624	12480	1519
Havant Blend	38	DR29B	15	≤ 15%	F2	S2	A1	215 x 102.5 x 65	624	12480	1519
Highcliffe Weathered Buff	14	DR3B/W	15	≤ 24%	F2	S2	A1	215 x 102.5 x 65	624	12480	1355
Holmbury Handmade	-	DR21B	15	≤ 15%	F2	S2	A1	215 x 102.5 x 65	624	12480	1519
Manor Park Multi	50	DR17B	15	≤ 15%	F2	S2	A1	215 x 102.5 x 65	624	12480	1519
Old Westmill Red Multi	46	DR19B	15	≤ 15%	F2	S2	A1	215 x 102.5 x 65	624	12480	1519
Red Multi Handmade	34	DR1B	15	≤ 15%	F2	S2	A1	215 x 102.5 x 65	624	12480	1519
Red Multi Stock	36	DR2B	15	≤ 15%	F2	S2	A1	215 x 102.5 x 65	624	12480	1582
Regent Multi Stock	-	DR6B	15	≤ 15%	F2	S2	A1	215 x 102.5 x 65	624	12480	1519
Sandstone Weathered Buff	18	DR4B/W	15	≤ 24%	F2	S2	A1	215 x 102.5 x 65	624	12480	1355
Selsted Blend	41	DR26B	15	≤ 15%	F2	S2	A1	215 x 102.5 x 65	624	12480	1519
Seaford Blend	41	DR30B	15	≤ 15%	F2	S2	A1	215 x 102.5 x 65	624	12480	1519
Staplefield Stock	-	DR22B	15	≤ 15%	F2	S2	A1	215 x 102.5 x 65	624	12480	1519
Whitley Red Multi	48	DR15B	15	≤ 15%	F2	S2	A1	215 x 102.5 x 65	624	12480	1519
Ashbourne Classic	66	DB4B	10	≤ 10%	F2	S2	A1	215 x 102.5 x 65	632	11376	1555
Aston Smooth	76	DB6B	50	≤ 6%	F2	S2	A1	215 x 102.5 x 65	604	10872	1335
Bacarra	62	DB7B	10	≤ 10%	F2	S2	A1	215 x 102.5 x 65	632	11376	1555
Bacarra Blue	62	DB8B	10	≤ 10%	F2	S2	A1	215 x 102.5 x 65	632	11376	1555
Blechingley Blend	44	DB41B	15	≤ 10%	F2	S2	A1	215 x 102.5 x 65	632	11376	1548
Canterbury Multi	43	DB13B	15	≤ 10%	F2	S2	A1	215 x 102.5 x 65	632	11376	1548
Chatham Smooth	68	DB14B	50	≤ 6%	F2	S2	A1	215 x 102.5 x 65	604	10872	1335
Ebonywood	70	DB16B	50	≤ 6%	F2	S2	A1	215 x 102.5 x 65	604	10872	1421
Eton Smooth	74	DB17B	50	≤ 6%	F2	S2	A1	215 x 102.5 x 65	604	10872	1335
Greystone Multi	82	DB36B	7.5	≤ 12%	F2	S2	A1	215 x 102.5 x 65	632	11376	1555
Launceston Red Multi	44	DB42B	15	≤ 10%	F2	S2	A1	215 x 102.5 x 65	632	11376	1548
Mansfield Blend	61	DB18B	10	≤ 10%	F2	S2	A1	215 x 102.5 x 65	632	11376	1555
Oakwood	32	DB20B	45	≤ 8%	F2	S2	A1	215 x 102.5 x 65	604	10872	1335
Pleshey Multi	23	DB43B	15	≤ 10%	F2	S2	A1	215 x 102.5 x 65	632	11376	1548
Preston Smooth	52	DB21B	30	≤ 10%	F2	S2	A1	215 x 102.5 x 65	604	10872	1335
Red Smooth	43	DB22B	30	≤ 10%	F2	S2	A1	215 x 102.5 x 65	604	10872	1335
Redstone	57	DB23B	10	≤ 10%	F2	S2	A1	215 x 102.5 x 65	632	11376	1555
Redstone Blue	61	DB24B	10	≤ 10%	F2	S2	A1	215 x 102.5 x 65	632	11376	1555
Redstone Classic	58	DB26B	10	≤ 10%	F2	S2	A1	215 x 102.5 x 65	632	11376	1555
Redstone Rainbow	64	DB27B	10	≤ 10%	F2	S2	A1	215 x 102.5 x 65	632	11376	1555
Redstone Sintered	57	DB28B	10	≤ 10%	F2	S2	A1	215 x 102.5 x 65	632	11376	1555
Royston	72	DB56B	50	≤ 6%	F2	S2	A1	215 x 102.5 x 65	604	10872	1335
Silverstone	78	DB29B	50	≤ 6%	F2	S2	A1	215 x 102.5 x 65	604	10872	1335
Sittingbourne Sintered	11	DB30B	7.5	≤ 10%	F2	S2	A1	215 x 102.5 x 65	632	11376	1570
Sittingbourne Yellow	11	DB54B	7.5	≤ 10%	F2	S2	A1	215 x 102.5 x 65	632	11376	1570
Stamford Multi Buff	23	DB49B	15	≤ 10%	F2	S2	A1	215 x 102.5 x 65	632	11376	1548
Sussex Multi Smooth	6	DB31B	45	≤ 8%	F2	S2	A1	215 x 102.5 x 65	604	10872	1335
Wembley	50	DB34B	10	≤ 10%	F2	S2	A1	215 x 102.5 x 65	632	11376	1555
Yellowstone	8	DB35B	7.5	≤ 12%	F2	S2	A1	215 x 102.5 x 65	632	11376	1555
Yellowstone Sintered	8	DB37B	7.5	≤ 10%	F2	S2	A1	215 x 102.5 x 65	632	11376	1570
York Multi Smooth	24	DB38B	45	≤ 8%	F2	S2	A1	215 x 102.5 x 65	604	10872	1335
Bernicia	20	ET4B	17	≤ 16%	F2	S0	A1	215 x 102.5 x 65	384	9216	1018
Burwell Cream	2	ET6B	28	≤ 10%	F2	S0	A1	215 x 102.5 x 65	384	9216	1018
Chelmer Red	28	ET1B	13	≤ 10%	F2	S0	A1	215 x 102.5 x 65	384	9216	1039
Danelaw	20	ET8B	21	≤ 21%	F2	S0	A1	215 x 102.5 x 65	384	9216	1018
Dereham Red Multi	30	ET2B	13	≤ 10%	F2	S0	A1	215 x 102.5 x 65	384	9216	1102
Mercia Red Multi	27	ET12B	17	≤ 12%	F2	S0	A1	215 x 102.5 x 65	384	9216	1020
Sadberge	27	ET14B	15	≤ 13%	F2	S0	A1	215 x 102.5 x 65	384	9216	1018
Warboys	4	ET19B	22	≤ 10%	F2	S0	A1	215 x 102.5 x 65	384	9216	1039
Smooth Black	70	KN10B	75	≤ 6%	F2	S2	A1	215 x 102.5 x 65	504	10080	1660
Smooth Grey	80	KN2B	75	≤ 6%	F2	S2	A1	215 x 102.5 x 65	504	10080	1660
Smooth White	80	KN1B	75	≤ 6%	F2	S2	A1	215 x 102.5 x 65	504	10080	1660

Important: As these values may change please confirm before placing your order.

Notes



all about bricks

83a Yorke Street
Mansfield Woodhouse
Nottinghamshire NG19 9NH

t: 0845 2300 941

f: 0845 2300 942

e: info@allaboutbricks.co.uk

w: www.allaboutbricks.co.uk

The logo features the text "all about bricks" in a white, lowercase, sans-serif font. A white circular graphic, resembling a stylized 'C' or a partial circle, is positioned behind the word "about".

all about bricks