

PROPOSED ALTERATIONS TO 1 Cherry Tree Avenue WATERLOOVILLE Scale 1:10




NORTH WEST ELEVATION



SECTION ELEVATION



SOUTH WEST ELEVATION



SOUTH EAST ELEVATION

Notes:
 All materials and fittings to be installed to match instructions and to B.S. and C of P.
 All plumbing to B.S. 5572:1975 with accessible cleaning eyes at all changes of direction.
 All glazing to meet Safety Glazing Code B.S. 4206:1981. All glass in doors and below 800mm in windows to be laminated or toughened.
 Any alterations to layout or construction must be discussed and approved by Building Control and with Planning Control if applicable.
 Fire Alarm System to be to B.S. 5838 with smoke detectors on ceiling to be mains powered with battery back-up to B.S. 5446:1991.
 All details on this drawing to be checked on site by Builder before fabrication and erection.
 All plumbing to comply with latest edition of Water Co. Manual. Min. fall of waste pipes 1:80 in 10m.
 New drainage to B.S. 8301.
 Full gable access to roof space.
 Builder must comply with latest edition of Building Regulations and notify B.C. before starting the works.
 It is the Builders responsibility to ensure that all works are carried out due regard to safety of all operatives, adjoining owners and future users of the building and to the latest edition of the C.O.B. regulations and E.C. standards.
 Windows to be designed to be safely closed from inside where external access is difficult.
 This drawing is prepared to the requirements of the building owner for the purposes of obtaining approval from Planning and Building Control.

RECEIVED
 10 SEP 2015
 HAVANT BOFBOUGH
 COUNCIL