

NOTES

- All dimensions are in metres unless noted otherwise.
- All levels are in metres relative to Ordnance Datum Newlyn unless noted otherwise.
- Manhole cover frames to be Class D400 to BS EN 124.
- Gullies
- a. Exact gully positions are to be confirmed on site.
- b. All gully gratings to be Class D400 to BS EN 124
- c. All gully connections to be 150mm diameter and must have bedding
- d. All gully connections to be 150mm diameter and must have bedding
- The contractor shall undertake gelling and CCTV surveys of existing drains and sewers to confirm the location, depth and condition of all drains and sewers prior to commencing the proposed works.
- The contractor shall undertake gelling and CCTV surveys of existing drains and sewers to confirm the location, depth and condition of all drains and sewers prior to commencing the proposed works.

KEY

- EXISTING SURFACE WATER (SOUTHERN WATER)
- EXISTING WATER MAINS (PORTSMOUTH WATER)
- EXISTING FOLL WATER (SOUTHERN WATER)
- EXISTING FOLL WATER MANHOLE
- PROPOSED 1500 ADOPTED FOLL WATER SEWER
- PROPOSED PRIVATE SURFACE WATER SEWER
- PROPOSED ADOPTED FOLL WATER MANHOLE / PRIVATE SURFACE WATER SEWER MANHOLE
- DISUSED DRAIN
- DISUSED GULLY
- PROPOSED GULLY CONNECTION
- PROPOSED FILTER DRAIN (SEE HCC STANDARD DETAILS DWG. NO. HCCSD010 - TYPE 1B)
- PROPOSED HIGHWAY DRAINAGE CARRIER DRAIN
- PROPOSED GULLY (SEE HCC STANDARD DETAILS DWG. NO. HCCSD015 - TYPE 1 & HCCSD025 - TYPE 3, FOR TYPE 3 REFER TO DRAWINGS)
- PROPOSED MANHOLE (SEE HCC STANDARD DETAILS DWG. NO. HCCSD035 - TYPE M/A, M/B, REFER TO DRAWINGS)
- PROPOSED CATCHPIT (SEE HCC STANDARD DETAILS DWG. NO. HCCSD040)
- PROPOSED CATCHPIT GULLY (SEE HCC STANDARD DETAILS DWG. NO. HCCSD035)
- PROPOSED DRAINAGE KERB
- PROPOSED DRAINAGE KERB SUMP UNIT
- PROPOSED SURFACE WATER STORAGE GRATES (X-SECTION 1000 x 800mm)
- PROPOSED SURFACE WATER STORAGE GRATES (X-SECTION 500 x 400mm)
- PROPOSED SURFACE WATER STORAGE TANK (GRATES) - X-SECTION 4000x800mm
- PROPOSED SWALE INLET/OUTLET HEADWALL (OUTLETS FITTED WITH GRILL)
- PROPOSED POND INLET/OUTLET HEADWALL (OUTLETS FITTED WITH GRILL)
- STONE FITTING SCOUR PROTECTION
- MANHOLE COVER AND FRAME TO BE OF A TYPE WITH HIGH FRICTION SURFACE SUCH AS CORRUGATED CAST IRON OR SIMILAR APPROVED
- CHECK DAM

NOT FOR CONSTRUCTION

NO.	DATE	DESCRIPTION	BY	CHK	APP
D3	2024.10	Approved following HCC comments	JMS	JMS	SRT
D2	2024.10	Layout and gridlines added	JMS	JMS	SRT
D1	2024.10	First Issue	JMS	JMS	SRT
REV	DATE	DESCRIPTION	BY	CHK	APP
REVISIONS					
CLIENT					

VolkerFitzpatrick




DUNSBURY HILL FARM

PROPOSED DRAINAGE

SHEET 1 OF 4



DRAWN	JS	CHECKED	JMS	APPROVED	SRT
DATE	OCT '14	SCALE	A1	AUTOCAD REF	PB2348-500-01.DWG
DRAWING NO.	PB2348-500-01	REVISION	D3		



REPRODUCED FROM ORIGINARY SURVEY PLANS WITH PERMISSION FROM THE CONTROLLER OF MAPS, STATIONERY OFFICE, CROWN COPYRIGHT RESERVED. LICENSE NO. 100017728 2014.

