



Louvre screening

Opening as built at 06/08/2014

TO BE READ IN CONJUNCTION WITH STRUCTURAL
ENGINEER'S DRAWINGS.
REPORT ALL DISCREPANCIES PRIOR TO PROCEEDING.

This drawing is to be read in conjunction with
Engineers drawings and Architects detail drawings
Internal walls and floors should be constructed to
achieve an airborne sound insulation of 40db.

All wall and ceiling linings shall achieve a class 1
surface spread of flame rating

The elements of structure shall achieve a 30 min
period of fire resistance

REVISION

DATE

Yeates Design LLP
74 Clerkenwell Road
London EC1M 5NL
tel: 020 7251 6667
www.yeatesdesign.co.uk



PROJECT :
12 WITTERING ROAD
HAYLING ISLAND PO11 9SP

DRAWING :
Photomontage

SCALE : NTS

DATE : August 2014

DWG NO.
528/GA/110

DWN BY :
☐

DRAWING STATUS :
FOR TENDER ☐
FOR PLANNING ☐ FOR CONSTRUCTION ☒

INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE COPYRIGHT
OF YEATES DESIGN + ARCHITECTURE AND SHOULD NOT BE
REPRODUCED WITHOUT THEIR PERMISSION