

Havant Borough Council
Public Service Plaza
Civic Centre Road
Havant PO9 2AX

19 Bath Road
Emsworth
PO10 7EP

10th February 2015

Planning Application APP/14/01049

Dear Sirs,

Please find details of Rooflights and GRP Chimney as requested.

ROOFLIGHTS Positioned as per our submitted drawing 001 rev D

Two "Velux" GPL Conservation Top Hung Roof windows. Code CK06 55 x 118 complete with
Optional Glazing Bar.

CHIMNEY same position as existing.

One "Wessex" Quickstack GRP Replica Brick (Burnt red) 778 x 552 x 868 (longest side) Mono Pitch
Twin Terracotta 450mm Pots.





The attached drawing is only a generic example. The precise details are as per the attached material
Quotation

Yours sincerely



Dennis Welch





RECEIVED
11 FEB 2015
HAVANT BOROUGH
COUNCIL



VELUX Company Ltd
Woodside Way
Glenrothes, Fife KY7 4ND
Tel: +44 (0) 1592 778 225

GPL single installation into low profiled tile
EDZ flashing kit - standard install into profiled tile up to 45mm thick
All dimensions are in millimetres where shown

NOTE: When installing VELUX roof windows, flashings and accessories, please ensure compliance with building regulations and British/European standards where necessary.
This detail represents the principles of a typical installation only and the design and specification of the final detail is the responsibility of others.

Latest revision:







Date:	January 2014
Rev no:	
Rev date:	
Drawn:	P.JH

File name:	GPL-EDZ-0114-1011
Scale:	1:8 approx. @ A3

MATERIAL QUOTATION

RECEIVED

CLIENT: DENNIS WELCH QUOTATION No: 13135A DATE: 10 February 2015 TEL: FAX: EMAIL:		NOTES THE PRICES MENTIONED WITHIN THIS QUOTATION ARE NET AND EXCLUSIVE OF VAT AND SUBJECT TO PRO-FORMA PAYMENT FOR NON ACCOUNT HOLDERS AND 28 DAYS FROM DATE OF INVOICE FOR APPROVED ACCOUNT HOLDERS. LEAD FLASHINGS ARE NOT INCLUDED UNLESS SPECIFIED WORKING DRAWINGS AND INSTALLATION INSTRUCTIONS ARE INCLUDED PLEASE NOTE THAT TRANSPORTATION VEHICLES DO NOT HAVE SELF UNLOADING EQUIPMENT. QUICKSTACK CHIMNEYS ARE DELIVERED TO SITE ON PALLETS AND MAY REQUIRE A FORKLIFT OR OTHER SUITABLE PLANT TO UNLOAD. IF NOT AVAILABLE PLEASE REQUEST TAIL LIFT DELIVERY UNLOAD. WESSEX QUICKSTACK- LIGHT IS AN ALL GRP PRODUCT WITH A REPLICATED STANDARD BRICK OR RENDER FINISH COLOURED TO SUIT BRICK OR RENDER TYPE REQUIRED		WESSEX CONTACT DETAILS TEL: 01747 871232 FAX: 01747 871734 EMAIL: sales@wessextdgs.co.uk LEAD TIMES LEAD TIME FOR THE PRODUCTION OF DRAWINGS AND APPROVAL 2 WEEKS DELIVERY 5 - 6 WEEKS FROM AND SUBJECT TO RECEIPT CONFIRMATION AGREEMENT TO WESSEX DRAWING DETAILS AND REPLICA BRICK SAMPLE.																																																							
CLIENT ADDRESS EMSWORTH HAMPSHIRE PO10 7EP																																																											
DELIVERY ADDRESS: EMSWORTH HAMPSHIRE PO10 7EP																																																											
CONTACT: DENNIS WELCH TEL: FAX: EMAIL:																																																											
PRICES ARE NET AND EXCLUSIVE OF VAT <table border="1"> <thead> <tr> <th>PLOT / AREA</th> <th>NOTE</th> <th>MATERIAL DESCRIPTION</th> <th>UNIT RATE EACH</th> <th>QTY</th> <th>PLOT COST TOTAL</th> </tr> </thead> <tbody> <tr> <td></td> <td>BRICK BOND STANDARD STRETCHER WITH FEATURE TWO STEP CORBELLING DETAIL TO CHIMNEY HEAD WITH PLAIN SHAFT BELOW (REPLICA BRICK TO SUIT EXISTING SUBJECT TO SAMPLE APPROVAL)</td> <td>WESSEX QUICKSTACK LIGHT REPLICA BRICK MONO PITCH DOUBLE POT CHIMNEY. SIZE 552 x 778 x 868mm HIGH LONGEST SIDE. BRICK FLUSH GRC CAPPING PREPARED TO ACCEPT INSTALLATION OF SINGLE TWIN WALL FLUE SYSTEM BY OTHERS TO ONE POT ONLY TERRACOTTA COLOUR POTS SUPPLIED LOOSE COMPLETE WITH EPOXY POT BONDING ADHESIVE. APPROXIMATE CHIMNEY SHAFT WEIGHT 52 KGS. ROOF PITCH TO BE CONFIRMED. LEAD FLASHING IS NOT INCLUDED PLEASE SEE OPTION BELOW</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>FOR FLUE PLEASE NOTE REDBANK RB179 FLUE POT INTERNAL DIAMETER 200mm</td> <td>REDBANK 450mm HIGH RB179 TERRACOTTA COLOUR POT WEIGHT = 15.5 KGS</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>EPOXY POT ADHESIVE 4 KGS KIT</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>HIGH TEMPERATURE SILICONE SEALANT TO SEAL FLUE TO GRC CAPPING 1 X 310ml TUBE PER POT - COLOUR BLACK</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>HEX HEAD 60mm x 19mm SEALER WASHER SCREW ROOF FIXINGS 20</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>LEAD APRON FLASH OPTION - ADD 12.5 KGS TO WEIGHT</td> <td>CODE 4 LEAD APRON FLASH TO WESSEX DETAILS FACTORY FITTED.</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>STANDARD PALLET DELIVERY NO SITE RESTRICTIONS OR SPECIAL CONDITIONS INCLUDED</td> <td>DELIVER OF GOODS TO SITE WITHIN NORMAL WORKING HOURS MON - FR</td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="6"> THIS QUOTATION IS VALID FOR 30 DAYS - QUOTATION VALUE IS NET AND EXCLUSIVE OF VAT </td> </tr> </tbody> </table>						PLOT / AREA	NOTE	MATERIAL DESCRIPTION	UNIT RATE EACH	QTY	PLOT COST TOTAL		BRICK BOND STANDARD STRETCHER WITH FEATURE TWO STEP CORBELLING DETAIL TO CHIMNEY HEAD WITH PLAIN SHAFT BELOW (REPLICA BRICK TO SUIT EXISTING SUBJECT TO SAMPLE APPROVAL)	WESSEX QUICKSTACK LIGHT REPLICA BRICK MONO PITCH DOUBLE POT CHIMNEY. SIZE 552 x 778 x 868mm HIGH LONGEST SIDE. BRICK FLUSH GRC CAPPING PREPARED TO ACCEPT INSTALLATION OF SINGLE TWIN WALL FLUE SYSTEM BY OTHERS TO ONE POT ONLY TERRACOTTA COLOUR POTS SUPPLIED LOOSE COMPLETE WITH EPOXY POT BONDING ADHESIVE. APPROXIMATE CHIMNEY SHAFT WEIGHT 52 KGS. ROOF PITCH TO BE CONFIRMED. LEAD FLASHING IS NOT INCLUDED PLEASE SEE OPTION BELOW					FOR FLUE PLEASE NOTE REDBANK RB179 FLUE POT INTERNAL DIAMETER 200mm	REDBANK 450mm HIGH RB179 TERRACOTTA COLOUR POT WEIGHT = 15.5 KGS						EPOXY POT ADHESIVE 4 KGS KIT						HIGH TEMPERATURE SILICONE SEALANT TO SEAL FLUE TO GRC CAPPING 1 X 310ml TUBE PER POT - COLOUR BLACK						HEX HEAD 60mm x 19mm SEALER WASHER SCREW ROOF FIXINGS 20					LEAD APRON FLASH OPTION - ADD 12.5 KGS TO WEIGHT	CODE 4 LEAD APRON FLASH TO WESSEX DETAILS FACTORY FITTED.					STANDARD PALLET DELIVERY NO SITE RESTRICTIONS OR SPECIAL CONDITIONS INCLUDED	DELIVER OF GOODS TO SITE WITHIN NORMAL WORKING HOURS MON - FR				THIS QUOTATION IS VALID FOR 30 DAYS - QUOTATION VALUE IS NET AND EXCLUSIVE OF VAT					
PLOT / AREA	NOTE	MATERIAL DESCRIPTION	UNIT RATE EACH	QTY	PLOT COST TOTAL																																																						
	BRICK BOND STANDARD STRETCHER WITH FEATURE TWO STEP CORBELLING DETAIL TO CHIMNEY HEAD WITH PLAIN SHAFT BELOW (REPLICA BRICK TO SUIT EXISTING SUBJECT TO SAMPLE APPROVAL)	WESSEX QUICKSTACK LIGHT REPLICA BRICK MONO PITCH DOUBLE POT CHIMNEY. SIZE 552 x 778 x 868mm HIGH LONGEST SIDE. BRICK FLUSH GRC CAPPING PREPARED TO ACCEPT INSTALLATION OF SINGLE TWIN WALL FLUE SYSTEM BY OTHERS TO ONE POT ONLY TERRACOTTA COLOUR POTS SUPPLIED LOOSE COMPLETE WITH EPOXY POT BONDING ADHESIVE. APPROXIMATE CHIMNEY SHAFT WEIGHT 52 KGS. ROOF PITCH TO BE CONFIRMED. LEAD FLASHING IS NOT INCLUDED PLEASE SEE OPTION BELOW																																																									
	FOR FLUE PLEASE NOTE REDBANK RB179 FLUE POT INTERNAL DIAMETER 200mm	REDBANK 450mm HIGH RB179 TERRACOTTA COLOUR POT WEIGHT = 15.5 KGS																																																									
		EPOXY POT ADHESIVE 4 KGS KIT																																																									
		HIGH TEMPERATURE SILICONE SEALANT TO SEAL FLUE TO GRC CAPPING 1 X 310ml TUBE PER POT - COLOUR BLACK																																																									
		HEX HEAD 60mm x 19mm SEALER WASHER SCREW ROOF FIXINGS 20																																																									
	LEAD APRON FLASH OPTION - ADD 12.5 KGS TO WEIGHT	CODE 4 LEAD APRON FLASH TO WESSEX DETAILS FACTORY FITTED.																																																									
	STANDARD PALLET DELIVERY NO SITE RESTRICTIONS OR SPECIAL CONDITIONS INCLUDED	DELIVER OF GOODS TO SITE WITHIN NORMAL WORKING HOURS MON - FR																																																									
THIS QUOTATION IS VALID FOR 30 DAYS - QUOTATION VALUE IS NET AND EXCLUSIVE OF VAT																																																											



FIXING SCREWS QTY: 25
JOINT SILICONE SEALANT QTY: 3 x 310ML TUBES
FEATURE PARASILIC SEALANT QTY: 1 x 210ML TUBE
FLUE POT ADHESIVE QTY: 1 x 2X105 POT

NOTE
CHIMNEY TO TAKE TWIN WALL FLUE SYSTEM
SUPPLIED & INSTALLED ON SITE BY OTHERS.
CHIMNEY POT TO BE SUPPLIED LOOSE

THIRD ANGLE PROJECTION

METRES

SSEX
BUILDING PRODUCTS

WESSER HOUSE
STATION WORKS
TISBURY
WILTS. SP3 6JT
TELEPHONE 01747 871232
FACSIMILE 01747 871734
EMAIL: info@ssex.co.uk

CLIENT		DRAWING TITLE		CHIMNEY SIZE (mm)		REV.		DATE		DESCRIPTION		 WESSEX BUILDING PRODUCTS All rights reserved. This drawing is the copyright of Wessex Building Products and must not be used for any purpose other than for which it is supplied and must be reproduced without the permission in writing from the owner. ALL RIGHTS RESERVED
		QUICKSTACK CHIMNEY		552x552x1240								
PROJECT	REFERENCE	QTY	CHIMNEY TYPE	PITCH	FACING TYPE	DRAWN	DATE	SCALE	DRAWING NO.	REV.		

WESSER BUILDING PRODUCTS own the copyright to this drawing which is supplied in confidence and shall not be used for any purpose other than for which it is supplied and shall not be reproduced without the permission in writing from the owner. ALL RIGHTS RESERVED

HAVANT BOFOLLOUGH
COUNCIL
11 FEB 2015


[HOME](#) [NEWS](#) [PRODUCTS](#) [ABOUT US](#) [CONTACT US](#) [ENVIRONMENTAL](#) [CRS](#)

 You are here: [Home](#) > [Products](#) > [Quickstack Light Replica Brick & Render](#) > [Quickstack - Light Mono Pitch](#)


QUICKSTACK - LIGHT MONO PITCH

Quickstack - Light is a high quality glass reinforced plastic (GRP) chimney product that is produced in replica brick, stone and render finishes.

Quickstack - Light has been developed to complement our Quickstack brick and stone faced chimneys to provide a complete alternative lightweight range of chimneys. Virtually all roof pitches are available as standard.

Quickstack - Light replica brick chimneys are styled with standard corbeling details and can be coloured to resemble the actual brick and stone materials used on the main construction of your building.

Quickstack - Light replica render chimneys are produced with a render texture and can be coloured to suit your on-site render materials.

Quickstack - Light are produced with two standard capping options: Over-sail (OS) or Brick-flush (BF) which are manufactured in replica stone colour. Bespoke capping's can be provided if required. A range of standard pots are available produced in terracotta or buff colours.

Quickstack design department provides working drawings for your approval to each situation.

Quickstack - Light can be produced simply as a dummy chimney or alternatively for a fully working chimney they can be prepared to accept the site in-situ installation of class 1 or 2 twin wall flue systems. All chimneys are supplied ready to install with fixing instructions or standard rubber sealer washer type fixings. Installation is quick and easy to complete requiring no special skills.

Quickstack Bespoke design chimneys are often required to suit special roof conditions. With our on-site design and tool making facilities we can produce working solutions meet your requirements.

Unlike many other chimney suppliers Wessex Building Products manufactures all GRP component parts in house and have been successfully manufacturing GRP products for over 30 years.

ADDITIONAL IMAGES



For more information about products and services provided by Wessex, why not request a callback from us using our quick online form.

[REQUEST A CALLBACK](#)

FEATURED PRODUCTS

[45° Flat Roof Dormer](#)
[Radstack Porch 2600](#)