



© Mayer Brown Limited Copyright. The drawings, information and data recorded in this document ("the information") is the property of Mayer Brown. This document and the information are solely for the use of the authorised recipient and this document may not be used, copied or reproduced in whole or part for any purposes other than which it was supplied by Mayer Brown. Mayer Brown makes no representation, undertakes no duty and accepts no responsibility to any third party who may use or rely upon this document or the information.

A0 ORIGINAL

KEY:

- LC PROPOSED 6m COLUMN (TYPE A), POST TOP MOUNTED, 5° TILT WITH WRTL ARC 1CPO-TW 60W LUMINAIRE (6.90 km), MATRIX NO. 2686 ASR FG SHN/1A.
- LC PROPOSED 6m COLUMN (TYPE B), POST TOP MOUNTED, 5° TILT WITH METCRAFT GLADSTONE TYPE WITH PHILIPS 26W MASTER PL-T LAMP (L80 km), MATRIX NO. 26W/830/4 PL-T-TOP PHIL WITHIN A PHILIPS SCS 203 POT OPTIC.
- * SEE NOTE 9
- 3.0 ISOLUX CONTOUR
- 2.0 ISOLUX CONTOUR
- 0.6 ISOLUX CONTOUR
- LC EXISTING 6m COLUMN (TYPE A)
- LC EXISTING 6m COLUMN (TYPE B)
- 3.0 ISOLUX CONTOUR
- 5.0 ISOLUX CONTOUR
- 1.0 ISOLUX CONTOUR

Notes:

- Refer to FABRIK drawings for proposed landscaping.
- Highways arrangements subject to approval by Hampshire County Council.
- SuDS arrangements subject to approval in accordance with the S.106 Agreement.
- Street lighting has been designed to Lighting Category S6.
- Columns to be painted black. 00E53 to BS4800.
- Metcraft column to be fitted with Metcraft 'Turner' embellishment kit, and 0.5m Metcraft single post-top mounting bracket to code PMB1031.
- Dimming ballast HF-R DALI, fitted with Mayflower sk-pln MENA socket.
- Mayflower Complete Lighting Control DALI Sub-master unit to be installed to control Nodes and link to Central Management System.
- Where indicated with an asterisk (*), lanterns shall be fitted with a rear cut-off baffle to reduce light spillage into ecologically sensitive areas. N.B. Contours do not model the effect of cut-offs.

PRELIMINARY

NOT FOR CONSTRUCTION

B	Updated to reflect Tetlow King masterplan revisions. (10)	PAS	24/04/2014
A	Updated to reflect Tetlow King masterplan revisions. (10)	PAS	09/01/2014

rev.	amendment	checked	date

m3

mayer brown

Mayer Brown Limited Lion House
Chertford Road Woking Surrey GU24 0AR
Telephone 01483 750 506 Fax 01483 750 437
wokingoffice@mayerbrown.co.uk www.mayerbrown.co.uk

Client
REDROW HOMES

Project
BEREWOOD, WATERLOOVILLE
PHASE 2 HOUSING

Scale
1:250

Drawn by
PB

Checked by
PAS

Date
DECEMBER 2013

cad file
RD_20-21.dwg

Title
STREET LIGHTING LAYOUT
SHEET 2 OF 2

Drawing number
RHWVILLE/RD/21

rev.
B