



REDLAND ROOFING

PROTECTION FOR LIFE...BEAUTIFULLY



REDLAND ROOFS: IF IT'S WORTH PROTECTING...


Your roof is many things. It's shelter, safety and protection for what you value the most.

It's an essential part of the fabric of your home, standing firm against the worst the British weather can throw at it, year after year.

Read on and we'll show you, step by step, how to create a high quality roof that's perfect for your home.



2	Redland Roofs if it's worth protecting...
4 - 5	A warm and comfortable home
6 - 7	Everything you need to know
8 - 9	Environmental responsibility
10 - 11	Our passion for protection and perfection
12 - 23	Redland slate range
24 - 33	Redland plain tiles range
34 - 57	Redland profile tiles range
58 - 59	Warm, efficient and economical
60 - 61	Redland photovoltaic roof systems
62 - 63	Redland insulation
64 - 65	Ornamental tiles, finials and ridges
66 - 67	Technical advice and guidance



**A WARM AND COMFORTABLE
HOME FOR YOUR FAMILY**

**“ DADDY SAYS WHEREVER I GO WHEN I’M
ALL GROWN UP, THERE’LL ALWAYS BE A
ROOF OVER MY HEAD FOR ME HERE ”**



Creating a home for you and your family is one of the most important steps you'll ever take. Of course, you want it to be warm, comfortable and secure. At the same time, you want it to look the part from the outside - a home you can be truly proud of.

So we've developed our wide range of roofing products and systems specifically to help you achieve all that and more. Concrete, clay or slate, you can be sure they'll provide all the protection you need from the elements. But they'll do much more than simply keep the weather at bay - they'll help you create an attractive building that blends perfectly with its surroundings too.

They'll also keep their good looks - and go on delivering outstanding performance - for many years to come. In fact, we guarantee it, with insurance backed protection to safeguard your investment against failure of any kind for up to 10 years.

We've been protecting everything people hold dear with the very best quality roofing for over 90 years now. In fact you could say roofs for life have been our life's work.



Interactive Section

www.myredlandroof.co.uk/guarantee

HomeSpec Guarantee





EVERYTHING YOU NEED TO KNOW, RIGHT THERE AT YOUR FINGERTIPS



This brochure will be your guide on a journey to choose your new Redland roof. We want the whole process to be as simple and straightforward as possible, so we've designed it to give you all the information you need, quickly and easily.

When you want to know more about a product, simply scan the QR code with your phone to view further details on our mobile website or our free App. Or you can go direct to our website at www.myredlandroof.co.uk.


Whichever route you take, you'll find lots of useful advice and tips on your roofing project.

Using one of our certified and Trust Mark approved roofing professionals means you can be sure your roof will be installed to the highest industry standards and backed by professional insurance cover. For added peace of mind, we'll also protect your new roof and its components with our own 10-year guarantee.



Interactive Section

www.myredlandroof.co.uk
All you need to know



OUR ENVIRONMENTAL RESPONSIBILITY

“WE WORK HARD TO MAKE SURE OUR ROOFS PROTECT THE ENVIRONMENT AS EFFECTIVELY AS THEY PROTECT PEOPLE AND THEIR HOMES.”

When we're helping you create a beautiful new roof for your home, we don't want it to be at the expense of the world around us. That's why we created The Redland Environmental Protection Programme, to help us comply with current environmental legislation and to preserve precious natural resources.

The programme is based on two core values – Responsible Manufacturing and Responsible Products. Between them, these values have helped us develop innovative new products and even win a Queen's Award for our recycling activities.


Our Responsible Manufacturing strategy covers many areas. We extract our raw materials from sustainable sources, we operate our factories using environmental guidelines and we recycle as much waste and packing materials as possible. We even have a wind turbine at our factory site in Wales to generate clean, sustainable electricity.

We also work constantly to develop our range of Responsible Products, with our passion for innovation driving us to create advanced roof tiles, more efficient solar panels and more environmentally friendly insulation all of which can help you increase the efficiency of your home.



THE BLUE TILE

Research has shown a typical clay tile has a CO₂ footprint that is almost double than that of its concrete counterpart (figures taken from research findings by Arup, based on the roof area of a 2 bedroom terraced house). That's why our extensive range of Blue Tile concrete products offers a genuinely environmentally-friendly option. Each Blue Tile closely matches the colour and characteristics of clay products, meaning you can achieve the look of a traditional roof in the knowledge it's been made with minimal impact on our environment.



Total Emissions


	27kg	Clay Tile
	15kg	Concrete Tile



Interactive Section

www.myredlandroof.co.uk/sustainability
Sustainability

**OUR PASSION
FOR PROTECTION
AND PERFECTION**





**“ UK WEATHER
CONDITIONS POSE
A VERY SPECIAL
CHALLENGE FOR ROOF
DESIGN, SO WE’RE
ALWAYS LOOKING FOR
NEW WAYS TO IMPROVE
PERFORMANCE
AND LONG TERM
PROTECTION ”**



The basic principles of the humble roof have changed little since they were first used to protect us from the elements.

However, our passion for innovation has driven us to take those basic principles and seek out better ways to provide that protection. We are constantly evolving the products and roofing systems we offer in search of more efficient, effective and reliable ways to meet your needs.

The results can be found in our current range of products and systems. All are designed to suit the unique challenges posed by Britain’s varied climate. All are made with the latest technology to guarantee their colour, strength, environmental credentials and the quality of their fixings.

It’s not just our roofing tiles, either. Our insulation products provide a reliable way to minimise heat loss from your home, while our rugged solar panels help cut your energy costs and save our natural resources.



Interactive Section

www.myredlandroof.co.uk/insulation
Insulation

FIRST CHOICE FOR A BEAUTIFUL ROOF



REDLAND SLATE RANGE

Slate is the signature look for roofing throughout much of the British Isles, creating striking and beautiful roofs that can enhance any type of property.

Today, technology has improved on the performance of the original in an extensive range of Redland tiles, it combines natural slate and other materials to add that characteristic regional appearance to your home, while also creating a roof that will provide even more reliable protection against the elements, retaining its good looks for many years to come.

**“THE PLANNING PEOPLE WERE
PRETTY SPECIFIC ABOUT WHAT
WE COULD AND COULDN'T USE ON
OUR ROOF, BUT REDLAND HAD THE
PERFECT SOLUTION”**




CAMBRIAN SLATE



LANDMARK 10 SLATE



SAXON 10 SLATE



RICHMOND SLATE
& MOCKBOND
RICHMOND 10



MINI STONEWOLD
& MOCKBOND
MINI STONEWOLD



28 | Heather

CAMBRIAN SLATE



Interactive Section

www.myredlandroof.co.uk/cambrianslate
Cambrian Slate



Redland Cambrian Slate captures all the beauty and character of natural slate. Made in Wales from over 60% recycled Welsh slate, it leads the Redland range in both looks and performance. It has a proven track record even on pitches as low as 15° and, while light in weight, its unique three-point fixing makes it suitable for even the most exposed sites.

KEY ADVANTAGES

- Interlocking, reconstituted slate
- Riven surface and dressed edges
- Weathers like natural slate
- Three classic colours
- Light weight for old roof structures and predictability compared to natural slates

Material	Reconstituted Slate
Size (overall)	300 x 336mm
Minimum Pitch	15°
Covering Capacity at maximum gauge	13.3 slates/m²
Weight (approx.) at maximum gauge	17kg/m²



28 | Heather



29 | Langdale Green



30 | Slate Grey



47 | Brecon Grey

LANDMARK 10 SLATE



Interactive Section

www.myredlandroof.co.uk/landmarkslate

Landmark Slate 10



With their clean lines and natural, long lasting colour, Landmark 10 Slates capture all the appeal of Britain's dominant roofing material. Each tile incorporates subtle colour differences to replicate the variations typical of natural slate while offering a single nail fixing and low minimum pitch for maximum flexibility and performance.

KEY ADVANTAGES

- Redland ColourFusion™ coating process provides authentic slate appearance
- Thin leading edge, low profile tile with hidden interlock

Material	Concrete ColourFusion™
Size (overall)	418 x 330mm
Minimum Pitch	17.5°
Covering Capacity at maximum gauge	9.7 slates/m ²
Weight (approx.) at maximum gauge	46kg/m ²





64 | Blue

SAXON 10 SLATE



Interactive Section

www.myredlandroof.co.uk/saxonslate

Saxon 10 Slate



Designed with a riven surface and 'dressed' side edges, Saxon 10 matches the visual appeal of authentic quarried slate with the convenience and performance of a machine-made, interlocking tile. With a minimum pitch of 17.5°, it offers both performance and design flexibility to produce roofscapes of quality and distinction.

KEY ADVANTAGES

- Riven surface, chamfered side edges and a thin front edge replicates features of natural products


Material	Concrete
Size (overall)	418 x 330mm
Minimum Pitch	17.5°
Covering Capacity at maximum gauge	9.7 slates/m²
Weight (approx.) at maximum gauge	45kg/m²



63 | Black



64 | Blue



40 | Rustic Brown

RICHMOND 10 SLATE & MOCKBOND RICHMOND 10



Interactive Section

www.myredlandroof.co.uk/richmond

Richmond 10



Richmond 10 is the ideal choice for cost-effective roofing with an authentic slate appearance. Its unique design offers a thin leading edge and hidden interlock with no compromise in strength, durability and weathertightness. In our latest collection, classic Richmond Slate Grey is joined by new Flame Red and Rustic Brown variants, plus intense Black and Blue options. Lower minimum pitches, single nail fixing and no eaves or top slate requirement make this one of the most versatile roofing tiles you can choose.

KEY ADVANTAGES

- Clean, bold roof aesthetics
- Up to five colour choices
- MockBond provides small slate appearance, but with speed and ease of larger format installation
- Low minimum pitch adds versatility
- Value roofing solution with no trade off in quality

Performance and aesthetics come together with MockBond Richmond 10, with a dummy centre bond line creating the impression of a smaller slate in a choice of four colours.

Material	Concrete
Size (overall)	418 x 330mm
Minimum Pitch	17.5°
Covering Capacity at maximum gauge	9.7 slates/m ²
Weight (approx.) at maximum gauge	45kg/m ²



30 | Slate Grey



38 | Flame Red



40 | Rustic Brown




63 | Black



64 | Blue*

* Only available in Richmond 10



30 | Slate Grey

MINI STONEWOLD & MOCKBOND MINI STONEWOLD



Interactive Section

www.myredlandroof.co.uk/ministonewold
Mini Stonewold



Our most flexible and economical concrete slate product, featuring interlocking edges for simple construction. Mini Stonewold is a flat concrete slate that can be laid at pitches as low as 17.5° in both new build or re-roofing projects. It is available in a wide range of through coloured and coated options to suit any and every roofing environment.

KEY ADVANTAGES

- Low pitch capability
- Range of up to eight natural colours
- Quick, simple installation reduces laid costs
- Small tile roof appearance on MockBond mini Stonewold, but with speed and ease of larger format installation
- Economical to buy, install and own

Modelled on the Mini Stonewold slate, this MockBond variant features a dummy bond line down its centre, creating the impression of two smaller units and suggesting the appearance of a small format slate when laid.

Material	Concrete
Size (overall)	418 x 334mm
Minimum Pitch	17.5°
Covering Capacity at maximum gauge	9.9 slates/m ²
Weight (approx.) at maximum gauge	50kg/m ²



30 | Slate Grey



34 | Terracotta



36 | Tudor Brown



39 | Farmhouse Red



52 | Breckland Brown



53 | Breckland Black



63 | Black



77 | Charcoal Grey

PLAINLY PERFECT FOR YOUR HOME



REDLAND PLAIN TILES RANGE


If your property calls for a roof that combines a warm, attractive appearance with a natural look that will blend beautifully with the surrounding environment, you need look no further than our Plain Tile Range.

With a huge range of colours and textures to choose from, you can be sure of finding a roof tile that is absolutely perfect for your project, whether it's the rustic good looks of the Heathland, or the beauty and elegance of the Rosemary Clay Classic.


**“REDLAND’S CHOICE OF PLAIN TILES
MADE IT EASY FOR US TO BLEND
OUR NEW BUILD HOME IN WITH THE
LANDSCAPE OF THE VILLAGE”**




ROSEMARY
CLAY CLASSIC



HEATHLAND



PLAIN TILE




DUOPLAIN



91 | Burnt Blend

ROSEMARY CLAY CLASSIC



Interactive Section

www.myredlandroof.co.uk/rosemaryclassic
Rosemary Clay Classic



The Rosemary name is synonymous with quality clay plain tiles, adding distinction and character to pitched roofs for over 175 years. Today, a range of single and cross-camber tiles combine the quality of hand-crafted clay with the reliability of modern machine-made techniques. Produced from the finest clays, Rosemary is offered in a range of weathered, brindled and single colours.

KEY ADVANTAGES

- Rosemary brand synonymous with clay plain tiles
- Smooth and sand faced finishes
- Mellows naturally with age

Material	Clay
Size (overall)	265 x 165mm
Minimum Pitch	35°
Covering Capacity Roof tiling Vertical tiling	60 tiles/m ² 52 tiles/m ²
Weights (approx.) Roof tiling Vertical tiling	78kg/m ² 68kg/m ²



80 | Red



81 | Light Mixed Brindle



82 | Medium Mixed Brindle



83 | Heather Brindle



87 | Blue Brindle



91 | Burnt Blend



92 | County Blend



94 | Russet Mix



95 | Dark Antique



26 | Elizabethan

HEATHLAND



Interactive Section

www.myredlandroof.co.uk/heathland
Heathland



A plain tile featuring variation in hanging length, irregular sides and subtle surface texturing, finished with randomly applied fine sands combine to create all the visual features of a handmade clay tile. Heathland combines natural weathered character with the performance of a machine-made tile in an attractive and cost-effective roofing product.

KEY ADVANTAGES

- Concrete tile with randomly applied fine sand coating
- Less embodied CO₂ than clay equivalents
- Offers practical and economic alternative to hand made clay tiles

Material	Concrete
Size (overall)	265 x 165mm
Minimum Pitch	35°
Covering Capacity	
Roof tiling	60 tiles/m ²
Vertical tiling	52 tiles/m ²
Weights (approx.)	
Roof tiling	78kg/m ²
Vertical tiling	68kg/m ²



20 | Manor House Mix



22 | Wealden Red



23 | Autumn



25 | Ember



26 | Elizabethan



27 | Natural Red

PLAIN TILE



Interactive Section

www.myredlandroof.co.uk/plaintile

Plain Tile



Material	Concrete
Size (overall)	266 x 165mm
Minimum Pitch	35°
Covering Capacity	
Roof tiling	60 tiles/m ²
Vertical tiling	52 tiles/m ²
Weights (approx.)	
Roof tiling	77kg/m ²
Vertical tiling	67kg/m ²



A cross-cambered concrete tile with a traditional appearance that's easy to fix and robust enough to withstand the worst of the British weather. Available in a range of thirteen natural shades, both through coloured and coated, to match any roofing environment.

KEY ADVANTAGES

- Versatile concrete tile with wide scope for a variety of roofs
- Quick and easy-to-lay
- Smooth, coated and sanded finishes to blend with every regional roofing style

02 | Brown



03 | Antique Red



12 | Cotswold



18 | Hedgerow Brown



27 | Natural Red



30 | Slate Grey



34 | Terracotta



36 | Tudor Brown



39 | Farmhouse Red



52 | Breckland Brown




53 | Breckland Black



63 | Black



78 | Rustic Red



38 | Flame Red

DUOPLAIN



Interactive Section

www.myredlandroof.co.uk/duoplain
DuoPlain



DuoPlain combines the classic proportions and good looks of traditional plain tiles with all the time and cost-saving benefits of a modern, large-format, interlocking tile. Engineered for strength, ease of handling and ease of installation, it fulfils the three main demands of a modern roofing tile. Available in six popular colours.

KEY ADVANTAGES

- Two 'plain tile' segments give the appearance of smaller format tile
- Quick and cost effective to lay
- Six colour variations to match regional styles and materials

Material	Concrete
Size (overall)	268 x 330mm
Minimum Pitch	25°
Covering Capacity at maximum gauge	17.7 tiles/m ²
Weights (approx.) at maximum gauge	55kg/m ²



11 | Tuscan Red



38 | Flame Red



40 | Rustic Brown



45 | Rustic Black



77 | Charcoal Grey



78 | Rustic Red

ROOF TILES FOR AN INDIVIDUAL LOOK




REDLAND PROFILE TILES RANGE

Taking their inspiration from the classic 16th Century Dutch Pantile and early Roman profiles, the tiles in our Profile Range are perfect for adding that extra detailing interest to your roof.


As well as making them quick and easy to install, their interlocking profiles will add character to your roof and harmonize perfectly with original pantile or Roman roofs in the surrounding area.

The range has been carefully designed so that you can create almost any type of profile roofing, ranging from the traditional handmade styles right through to today's contemporary designs.

“WE WERE LOOKING FOR AN EXACT MATCH WITH THE ORIGINAL HOUSE FOR OUR EXTENSION ROOF. NOW, IT LOOKS LIKE IT’S ALWAYS BEEN THERE.”



LANDMARK
DOUBLE PANTILE



LANDMARK
DOUBLE ROMAN



GROVEBURY




50 DOUBLE
ROMAN




REGENT




RENOWN




FENLAND
PANTILE



REDLAND 49




CATHEDRAL
CLAY PANTILE



OLD HOLLOW
CLAY PANTILE



POSTEL



43 | Terracotta Brindle

LANDMARK DOUBLE PANTILE



Interactive Section

www.myredlandroof.co.uk/landmarkpantile
Landmark Double Pantile



Landmark Double Pantiles have a special surface finish that means they'll still be looking good for years to come. A cost-effective alternative to clay pantiles, these tiles offer all the traditional appeal without the usual cost penalties. Available in two popular colours.

KEY ADVANTAGES

- Redland ColourFusion™ coating protects and preserves tile finish
- Subtle colour variations imitate clay products
- Bullnose front edge to soften roof appearance

Material	Concrete ColourFusion™
Size (overall)	418 x 332mm
Minimum Pitch	15°
Covering Capacity at maximum gauge	9.7 tiles/m²
Weight (approx.) at maximum gauge	47kg/m²




43 | Terracotta Brindle



44 | Brown Brindle





44 | Brown Brindle

LANDMARK DOUBLE ROMAN



Interactive Section

www.myredlandroof.co.uk/landmarkroman
Landmark Double Roman



Landmark Double Roman tiles combine our special long-lasting Landmark surface finish with the popular Roman profile. Available in two authentic clay colours, they are ideal for creating the look of a traditional Roman roof at a considerable saving over new or reclaimed clay products.

KEY ADVANTAGES

- Redland ColourFusion™ coating protects and preserves tile finish
- Subtle curve softens tile front edge
- Concrete materials technology provides superior performance and economy over clay

Material	Concrete ColourFusion™
Size (overall)	418 x 330mm
Minimum Pitch	17.5°
Covering Capacity at maximum gauge	9.7 tiles/m ²
Weight (approx.) at maximum gauge	42kg/m ²




43 | Terracotta Brindle



44 | Brown Brindle





39 | Farmhouse Red

GROVEBURY



Interactive Section

www.myredlandroof.co.uk/grovebury
Grovebury



A concrete interlocking tile that uses gentle flowing lines to create a traditional pantile appearance. Quicker and easier to lay than single pantiles, Grovebury offers a wide range of granular and through coloured options, from classic Slate Grey to Antique Red.

KEY ADVANTAGES

- Traditional pantile profile blends with a wide range of roofing styles
- Quick laying: saves time and money
- Wide variety of colours and surface textures

Material	Concrete
Size (overall)	418 x 332mm
Minimum Pitch	15°
Covering Capacity at maximum gauge	9.7 tiles/m ²
Weight (approx.) at maximum gauge	46kg/m ²



02 | Brown



03 | Antique Red



30 | Slate Grey



34 | Terracotta



36 | Tudor Brown



39 | Farmhouse Red



52 | Breckland Brown



53 | Breckland Black



52 | Breckland Brown

50 DOUBLE ROMAN



Interactive Section

www.myredlandroof.co.uk/doubleroman
50 Double Roman




A classic interlocking concrete tile with a distinctive 'Roman' profile, 50 Double Roman is available in a wide range of colours to blend harmoniously with any environment. Available in nine through coloured and granular shades.

KEY ADVANTAGES

- Recreates look of classic clay Roman roof
- Features gentle roll and subtle pans
- Nine colours to provide match with every regional roofing style

Material	Concrete
Size (overall)	418 x 330mm
Minimum Pitch	17.5°
Covering Capacity at maximum gauge	9.7 tiles/m ²
Weight (approx.) at maximum gauge	41kg/m ²



02 | Brown



03 | Antique Red



12 | Cotswold



30 | Slate Grey



34 | Terracotta



36 | Tudor Brown




39 | Farmhouse Red



52 | Breckland Brown



53 | Breckland Black



78 | Rustic Red

REGENT



Interactive Section

www.myredlandroof.co.uk/regent

Regent



This Spanish roll shaped concrete profile tile provides a striking, bold effect that can be specified in roofing designs with a pitch as low as 12.5°. Manufactured with a choice of through coloured or granular finishes in nine different colours, it offers flexibility and compatibility across every environment from the historical to the contemporary.

KEY ADVANTAGES

- Low pitch capability - ideal for extensions and lean-to roofing
- Characteristic high, bold roll profile

Material	Concrete
Size (overall)	418 x 332mm
Minimum Pitch	12.5°
Covering Capacity at maximum gauge	9.7 tiles/m ²
Weight (approx.) at maximum gauge	45kg/m ²



02 | Brown



03 | Antique Red



30 | Slate Grey



34 | Terracotta



36 | Tudor Brown



39 | Farmhouse Red



52 | Breckland Brown



52 | Breckland Black



78 | Rustic Red



03 | Antique Red

RENOWN



Interactive Section

www.myredlandroof.co.uk/renown

Renown



A neat low-profile tile with a more contemporary feel and a square edged profile that comes in a variety of through coloured and granular faced finishes. Designed to blend unobtrusively into any environment, Renown is easy and quick to cut and fix, making it ideal for shorter lead time new build or refurbishments.

KEY ADVANTAGES

- Eight colours to provide a match with every regional roofing style
- Exceptional wind and driving rain performance
- Quicker installation saves time and money

Material	Concrete
Size (overall)	418 x 330mm
Minimum Pitch	17.5°
Covering Capacity at maximum gauge	9.7 tiles/m ²
Weight (approx.) at maximum gauge	41kg/m ²



02 | Brown



03 | Antique Red



12 | Cotswold



30 | Slate Grey



34 | Terracotta



36 | Tudor Brown



39 | Farmhouse Red



52 | Breckland Brown



63 | Black

FENLAND PANTILE



Interactive Section

www.myredlandroof.co.uk/fenlandpantile
Fenland Pantile



The classic single pantile shape in a modern interlocking concrete format that guarantees robust, weathertight performance in all conditions. Fenland Pantile is a natural alternative to the distinctive single clay pantiles that characterise so much of the East of the country and is available in a range of subtle through coloured and coated finishes.

KEY ADVANTAGES

- Gentle curve, soft distinctive effect
- Range of seven classic colours
- Economical concrete alternative to clay products

Material	Concrete
Size (overall)	381 x 227mm
Minimum Pitch	17.5°
Covering Capacity at maximum gauge	16.3 tiles/m ²
Weight (approx.) at maximum gauge	45kg/m ²



30 | Slate Grey



34 | Terracotta



36 | Tudor Brown



39 | Farmhouse Red



52 | Breckland Brown



53 | Breckland Black



63 | Black



02 | Brown

REDLAND 49



Interactive Section

www.myredlandroof.co.uk/49

Redland 49



A compact and visually appealing interlocking cambered tile that has defined the roofscapes of London and the South East for more than 60 years. The Redland 49 offers ease of installation with the benefit of speed and economy in domestic new build or re-roofing applications. Available in a range of attractive colours.

KEY ADVANTAGES

- Unique camber adds both strength and aesthetic appeal
- Smaller format for lighter unit weight and easier handling

Material	Concrete
Size (overall)	382 x 226mm
Minimum Pitch	17.5°
Covering Capacity at maximum gauge	16.3 tiles/m ²
Weight (approx.) at maximum gauge	46kg/m ²



02 | Brown




03 | Antique Red



30 | Slate Grey



34 | Terracotta



36 | Tudor Brown



39 | Farmhouse Red



52 | Breckland Brown



78 | Rustic Red



80 | Terracotta

CATHEDRAL CLAY PANTILE



Interactive Section

www.myredlandroof.co.uk/cathedral
Cathedral Clay Pantile



Cathedral Clay Pantiles combine the character and appeal of natural clay and the performance of a modern interlocking tile to produce a striking, durable roof that will mellow into its environment with age. Precision manufactured using the latest in clay technology, Cathedral is available in two rich colours: Terracotta and Brindle.

KEY ADVANTAGES

- Distinctive and historic roof profile
- Suitable for use on low pitch roofing
- Modern manufacturing techniques provide exceptional reliability

Material	Clay
Size (overall)	411 x 265mm
Minimum Pitch	22.5°
Covering Capacity at maximum gauge	12.5 tiles/m²
Weight (approx.) at maximum gauge	38kg/m²




80 | Terracotta



82 | Brindle





80 | Vintage Red

OLD HOLLOW CLAY PANTILE



Interactive Section

www.myredlandroof.co.uk/oldhollow
Old Hollow Clay Pantile



Redland Old Hollow Clay Pantile is a traditional overlapping single pantile featuring an authentic 'reclaimed' appearance. With its distinctive pattern of rolls and troughs, it replicates perfectly the traditional old English pantile shape, producing roofscapes of outstanding charm and character. Old Hollow is available in two colours, both with a random coloured finish and weathered surface, giving an aged look from day one.

KEY ADVANTAGES

- Authentic rustic finish 'designed in'
- Random pattern and texturing enhances vintage effect
- Modern production techniques allow maximum integrity in high roll profile

Material	Clay
Size (overall)	343 x 242mm
Minimum Pitch	30°
Covering Capacity at maximum gauge	16.2 tiles/m²
Weight (approx.) at maximum gauge	33kg/m²



60 | Vintage Blue



80 | Vintage Red





82 | Brindle

POSTEL



Interactive Section

www.myredlandroof.co.uk/postel

Postel



A smaller profile tile designed to mimic the appearance of the pre-war Courtrai style seen across the South East of England and beyond, Postel is homely brindle red with a characteristic single roll. Once installed, it makes for a highly attractive roof with a pleasing 'fine cornet' line.


KEY ADVANTAGES

- Suitable for low pitch roof designs
- Excellent weathertightness
- Perfect replacement tile for re-roofing inter war homes in London and the South East

Material	Clay
Size (overall)	315 x 230mm
Minimum Pitch	20°
Covering Capacity at maximum gauge	20.4 tiles/m²
Weight (approx.) at maximum gauge	41kg/m²



**WARMING, EFFICIENT
AND ECONOMICAL**





Our expertise as the UK's leading roofing company extends beyond our wide selection of tiles.

It also includes the latest solar cell systems and technologies to cut your carbon footprint and reduce your energy bills, insulation products to ensure your home is both comfortable and energy efficient, and innovative 'dry fix' systems that make your roof installation quicker and easier while increasing its resistance to wind and rain and adding to the protection it affords your home.



REDLAND PHOTOVOLTAIC ROOF SYSTEMS



Our photovoltaic roofing systems are the result of our commitment to preserving the environment by helping you to benefit from the full potential of your new roof. Designed, engineered and tested specifically for the UK climate, our 2nd generation systems integrate perfectly with our most popular tile products to create smart roof solutions that are popular with planners and homeowners alike.

Tailored specifically to accommodate typical British roof constructions, our systems are backed by a full 10-year weathertight guarantee.

Choose one of our photovoltaic roofing systems and you'll benefit from reduced energy costs and a low-maintenance, attractive roof while doing your part to protect our environment.

To find out more just go to:
www.myredlandroof.co.uk/trusted-installers




Interactive Section

www.myredlandroof.co.uk/solar-power-roofs
Solar PV Tiles

“ WE WANTED OUR FIRST FAMILY HOME TO BE AS CARING FOR THE ENVIRONMENT AS WE COULD POSSIBLY MAKE IT. REDLAND’S PV TILES WERE AN ESSENTIAL PART OF THAT ”



A WARM AND COMFORTABLE HOME





Because we know energy costs are a crucial consideration for any homeowner, we work with you to create a warm and friendly environment in your new home that won't cost the earth.

That means providing reliable insulation products that protect you from the cold while keeping your heating costs down. We can also help you navigate the requirements of Building Regulations and the Code for Sustainable Homes to arrive at a solution that's perfect for your needs.



Rapid Loft Board

Redland Rapid Loft Board is a high-performance foam insulation board designed for installation on top of ceiling joists. Although it cannot be used to create a floor for walking on, it can be used to create access decking and to increase storage area for the clutter we all keep in our lofts. Redland Rapid Loft Board is available in two thicknesses (100mm and 140mm). It is easy to handle, cut and install, and carries the British and European Standards CE-mark

Rapid Rafter Insulation

Our Rapid Rafter Insulation is manufactured from ultra-high performance foam and is intended for installation over the rafters to create a warm roof space below. It comes with a vapour-permeable underlay with integrated sealing strips to make the insulation layer as efficient as possible.


Use the CE-marked Redland Rapid Rafter Insulation in conjunction with our custom-designed range of accessories and you can be sure that the insulation performance of your new roof will be second to none.



Interactive Section

www.myredlandroof.co.uk/greener-roofs
Greener Roofs

**“TRADITION AND INNOVATION CAN BE
A GREAT COMBINATION. OUR FIXINGS
AND COMPONENTS REPRESENT THE
BEST OF TODAY’S TECHNOLOGY FOR
THE TRADITIONAL PITCHED ROOF”**



A COMPLETE SYSTEM OF TILES, COMPONENTS AND FITTINGS



Cockscomb Ridge



Three Hole Crested Ridge



Fleur-de-Lys Ridge



Scroll



Short Ball Top



Tall Ball Top



Fleur-de-Lys

Most common problems in pitched roofs are caused by the failure of mortar along ridges, hips and other roof edges.

Our range of dry fixings and components means you don't have to use mortar to secure any part of your roof. Instead, purpose designed dry-fixed solutions provide a secure fix for roofs of every kind, guaranteeing a weathertight, maintenance free performance for years.

Our components range also includes breathable underlay materials to control moisture levels and minimise damp in roofs, easy fit Rapid Flashing to replace costly, heavier lead sheeting and a wide choice of ornamental tiles, ridges and finials to add the individual finishing touch.


And for your complete peace of mind - if your roof is installed by a Redland Select roofer using all Redland components - every tile, accessory, fixing and flashing is covered under our HomeSpec 10 year guarantee. So if it fails, we'll pay for any replacement materials and the cost of having it fixed.



Interactive Section

www.myredlandroof.co.uk/interactive-house
Interactive House

**“HAVING HELP AND
ADVICE ONLINE
WAS LIKE HAVING
AN EXPERIENCED
PROFESSIONAL
GUIDE ME THROUGH
THE WHOLE PROCESS.”**



Choosing your new Redland roof is easy - just follow these simple guidelines.

1 GO ONLINE

The first thing to do is go to www.myredlandroof.co.uk, where you'll find lots of information and inspiration as well as all the help and advice you need to get your roofing project underway.



2 COMPARE TILE SAMPLES

With a huge range of tiles available, find the right style for your project by viewing the samples available at your nearest builders merchant, via your local roofing contractor or from any other approved Redland stockist.

Depending on the type and scale of your project, we'd recommend you always seek the advice of your builder, roofing contractor or architect before making your final choice.

3 GO GREEN

Why not make your new roof a green roof? Redland have a range of photovoltaic roof systems that use solar energy to reduce your energy bills and your impact on the planet. We also offer a wide choice of insulation products to make your roof more thermally efficient.



4 ASK FOR QUOTES

Having selected your Redland tiles the next thing you'll need to do is choose a professional builder or roofing contractor to carry out the work.

Generally, with all major building projects such as installing a roof, we'd recommend that you get at least three quotes for comparison before choosing who to give the job to. You should also check your chosen contractor's references and view previous examples of their work.

5 GET IN THE KNOW

If you're a self builder who's chosen to fit a Redland roof, you'll find lots of handy and informative installation video guides on our YouTube channel, which you can link to at www.myredlandroof.co.uk

You've followed all our guidelines, chosen your roofer and finally the work is underway. But that's not the end. Because the Redland team will remain on hand with all the technical advice and support you may need.

For added peace of mind, you could choose to have your roof fitted by one of our certified and Trust Mark approved Redland Select professionals. By doing this, your roof and all its components will be covered by our 10-year guarantee. To find a Redland Select installer, go to www.myredlandroof.co.uk/trusted-installers.



6 MY REDLAND SOCIAL NETWORKS

Like to stay in the know about the latest products, news and know how from Redland? Then here's how you can do just that...



www.youtube.com/user/MonierRedland

Check out our YouTube channel – watch handy, informative videos.



[@MyRedlandRoof](https://twitter.com/MyRedlandRoof)

Follow us on Twitter – for product updates, support, advice and more.



Interactive Section

www.myredlandroof.co.uk

All you need to know

YOUR ROOF IS MANY THINGS. IT'S SHELTER, SAFETY AND PROTECTION FOR WHAT YOU VALUE THE MOST.

The limitations of printing may mean a slight variation in colour. Please refer to a sample tile for colour reference. We are committed to continually enhancing and improving our product range. We reserve the right to change product specifications. For the latest information please visit www.myredlandroof.co.uk or monier.co.uk.

Project photographs should not be used as a guide to installation.

Trademarks: The following are United Kingdom trademarks and are registered in the name of Monier and/or its subsidiaries: Ambi-Dry, ColourFusion, Farmhouse, FixMaster, Grovebury, Heathland, Heather, Cambrian, Landmark, Langdale, QuantMaster, Redland, Redland Cambrian, Redland Richmond, Redland Technical Solutions, Redland 49, RedLine, RedVent, Regent, Rosemary, Saxon, SpecMaster, Spirtech, Stonewold.

Please Note: While not actual direct quotes, the comments included in this brochure are intended to represent the opinions typically given by our customers and members of the Redland team.



Redland Head Office
Monier Redland Limited
Sussex Manor Business Park, Gatwick Road
Crawley, West Sussex RH10 9NZ

Technical Solutions Hotline
Telephone 08708 702595
Email technical.redland@monier.com