

BRICK



- Corium
- Terca
- Porotherm

Home > Wall > Bricks > Product selection

Loxley Red Multi

[view sample basket \(0\)](#)



Red multi traditional soft mud stock brick

Compare ☐

[Add to basket](#)

Details [Site References](#)

Technical Details


Collection point/Location	Hull/ Purfleet
Size tolerances, mean and range	T1 / R1
Durability	F2
Active soluble salts to EN 771-1	S2
Minimum compressive strength	≥ 12 N/mm²
Maximum Water Absorption	≤ 14 %
Pack quantity	652

Due to the limitations of your monitor when viewing products on our web site we advise you to obtain samples prior to purchase.

Site References



Gemini® Traditional Sandfaced Tiles



Gemini® Traditional Sandfaced tiles – for a subtle weathered finish

Ideal for use in rural or established areas where blending with traditional roof scapes is a must, the Gemini® Traditional Sandfaced roof tile is available in two colour blends.

- Traditional sandfaced appearance
- Riven texture
- Thin uneven leading edge
- Only 17.53 to 19.0 tiles per m² (60 for plain tiles)
- Hidden tile fixings
- Full range of Dry Fix systems available
- Kitemarked to BS EN 490:2002
- 60 year Product Integrity Guarantee
- Less weight per m² than plain tiles
- 40% CO₂ saving in manufacture compared to concrete plain tiles

Available in 2 colours



Ember Blend



Mercia Blend

The Phalempin 17x27 Clay Plain Tile

Huguenot Clay Plain Tiles from Imerys

TILE HANGING



The 17x27 Plain Tile is a highly appealing traditional clay plain roof tile produced at Phalempin in the north of France. The mellow, textured surface combines the beautiful appearance of mature handmade tiles with affordable prices. Unique anti-capillary channels ensure enhanced performance and peace of mind at pitches as low as 30°. The Phalempin 17x27 integrates perfectly with the Imerys PV System of photovoltaic panels.

Colours

Available in eight distinctive colours, which may be used individually or mixed on site to create your own distinctive blend. Millennium is supplied pre-mixed.



Amber (007)



Weathered (110)



Rustic Red (006)



Volcano (122)




Senoise (093)



Val de Seine (104)



Millennium (132)



Natural Red
(Special Order Only)


Technical Data

The Phalempin 17x27

Quantity per pallet	1,088 tiles
Coverage	60 per m ²
Nominal Gauge	100mm (Vertical 115mm)
Minimum headlap	70mm at 100mm gauge
Unit weight	1.1kg
Weight per m ²	65kg
Minimum roof pitch	30° †
Batten coverage	10m per m ²
Batten size	25x38mm
Nail size	40x3mm Alloy

† as tested at the BRE.

Layout



TYPICAL INSTALLATION LAYOUT

