

301

NOTE TAKE DOWN ROOF AND WALLS OF EXISTING REAR ADDITION REUSE IF POSSIBLE EXISTING FLOOR SLAB AND FOUNDATIONS TO LA BUILDING CONTROL APPROVAL ON SITE.

SINGLE STACK PLUMBING TO BS5572 USE 75MM DIAMETER DEEP SEAL TRAPS. SVP TO TERMINATE MINIMUM 900MM ABOVE THE NEAREST OPENING WINDOW PROVIDE RODDING ACCESS AT BASE OF STACK.

BEDROOM WINDOW FULLY OPENABLE WITH MINIMUM 850X500MM OPENING FOR ESCAPE NOTE ADAPT EX FRONT BEDROOM WINDOW FOR ESCAPE ALSO.

NOTE WALL BETWEEN ENSUITE AND STORE TO BE TWO SKINS OF INSULATION BLOCKS WITH CAVITY AND INSULATION AS PER MAIN SPECIFICATION.

PROPOSED

(BY ~~MR~~ JULY 2013)
date april 2011
scale 1:50

**PROPOSED ALTERATIONS AND ADDITIONS.
29, ELM CLOSE ESTATE, HAYLING I. HANTS.
FOR MR & MRS FAIRBROTHER.**

PETER J. WALKER MRICS
CHARTERED SURVEYOR
182 SEAFRONT, HAYLING ISLAND, HANTS
PO11 9 AN

TEL: 02392 467571

