

C. Hartley
Longovers
Duffield Lane
Woodmancote, Emsworth
Hants PO10 8PZ
Tel: 01243 374176

STEVE WEAVER
PLANNING DEPT

REF: — APP/12/00913

HAVANT BOROUGH
COUNCIL
26 JUL 2013
RECEIVED

www.arbtech.co.uk

Initial Assessment Bat Survey

Summary of Recommendations

If bats, evidence of their activity and suitable locations for roosting bats, are all absent from the site, then no further visits are normally required. Otherwise, a single, daytime initial assessment, in which no bats were found, is not normally considered sufficient (Hundt 2012).

Taking into consideration the desk study and site survey findings, this report concludes that the proposed development of the site presents a low probability of harm to bats.

The Company and Contact Information

Established in 2005, Arbtech Consulting Limited provides arboricultural and ecological consultancy services in respect to planning and development, throughout the UK.

Tel 0800 072 5596

@ email@arbtech.co.uk

Web www.arbtech.co.uk

The Surveyor

The surveyor and principal author of this report is Mr Simon Pidgeon, BSc (Hons).

Bat Licence Number

England: 20123306.

The Client

The client is Mr Chris Hartley.

The Site of Proposed Development

The client is preparing a planning application to demolish the property at 82 Bedhampton Road, Havant, Portsmouth, PO9 3EZ.

The Survey Brief

The client has commissioned Arbtech to undertake a scoping bat survey; referring to a method of ecological assessment outlined in the Bat Conservation Trust publication *Bat Surveys—Good Practice Guidelines* authored by L. Hundt, 2012.

These guidelines state that the aim of the initial assessment bat survey is to observe and catalogue *“informing and identifying the type and extent of further bat survey work needed (if any)”* (Hundt 2012).

Data Searches

The author's preparation of this report has been assisted by a search of the National Biodiversity Network Gateway.

No other data searches or desk study has been undertaken.

Date of the Survey

22.07.2013.

Seasonality

This type of assessment can be conducted at any time of year.

Informative

Table 1: Summary of Pertinent Legislation and Planning Policy Relevant to the Protection of Bats in the UK

This table is adapted from Table 2.1 and Section 2.5 of the Bat Surveys—Good Practice Guidelines (Hundt, 2012).

Location of Roost	Transposing EC Habitats Directive	Other Relevant Legislation	Planning Policy
England	Conservation of Habitats and Species Regulations 2010.	Wildlife and Countryside Act 1981 as amended. Countrywide and Rights of Way Act 2000. Natural Environment and Rural Communities Act 2006.	National Planning Policy Framework ("NPPF").
Wales	Conservation of Habitats and Species Regulations 2010.	Wildlife and Countryside Act 1981 as amended. Countrywide and Rights of Way Act 2000. Natural Environment and Rural Communities Act 2006.	Technical Advice Note ("TAN") 5.
Scotland	Conservation (Natural Habitat & c.) Regulations 1994 as amended.	Wildlife and Countryside Act 1981 as amended. The Nature conservation (Scotland) Act 2004.	National Planning Policy Guidance ("NPPG") 14 and Planning Advice Note ("PAN") 60.

Cumulatively, this legislation makes it illegal to:

- Intentionally or deliberately kill, injure or capture bats.
- Deliberately disturb bats, whether at roost or not.

- Damage, destroy or obstruct access to bat roosts.
- Possess or transport a bat or any part of a bat, unless acquired legally.
- Sell, barter or exchange bats, or any part of a bat.

A bat roost is defined by Hundt (2012) as “the resting place of a bat”. Generally however, the word roost is interpreted to mean “any structure or place, which any wild bat uses for shelter or protection.”

The Survey Methodology

In order to fully assess the potential value of bat habitat at the site, the surveyor has observed the widely accepted industry best practice standard; set out in the Bat Conservation Trust publication *Bat Surveys—Good Practice Guidelines* (Hundt 2012).

The survey includes for a thorough internal and external inspection of all buildings (and trees) referred to in the Survey Results section of this report for cracks, holes, cavities and voids in buildings and cracks, fissures and voids in trees.

Inspections are both internal and external, making use of torches, ladders, endoscopes, mirrors, binoculars and cameras where appropriate to do so.

An initial assessment bat survey is performed during daylight hours and provides an opportunity to exclude the need for further survey work, if the following triggers can be confirmed absent from the site of proposed development:

- Bats.
- Evidence of recent bat activity e.g. droppings, prey remains, urine staining.
- Features suitable for roosting.

If bats, evidence of their recent activity and or features suitable for roosting cannot be confirmed absent from the site of proposed development, this report will make recommendations for further survey work and or design mitigation, where this is consistent with the Hundt (2012) and considered appropriate by the surveyor in the context of the proposed development.

Recommendations for further survey work may include “emergence surveys” (Hundt 2012) which enable e.g. apertures through which roosts are accessed, population numbers and species to be identified and quantified. Essentially, the survey is designed so that with confidence, the surveyor can confirm bats to be present, indeterminate or absent.

Bat Potential and Habitat Value

Table 2: Bat roost habitat value assessment criteria, adapted from the Bat Surveys—Good Practice Guidelines (Hundt 2012).

Bat Habitat Value	Trigger or Description
Confirmed Bat Presence	Bats are found to be present during the survey. Evidence of bats is found to be present during the survey. Bats heard 'chattering' inside a roost on a warm day or at dusk.
Significant Habitat Value	Buildings, trees or other structures with features of particular significance for roosting bats e.g. mines, caves, tunnels, icehouses and cellars. Habitat of high quality for foraging bats e.g. broadleaved woodland, tree-lined watercourses and grazed parkland. Site is connected with the wider landscape by strong linear features that would be used by commuting bats e.g. river and or stream valleys and hedgerows. Site is proximate to known roosts.
Moderate Habitat Value	Several potential roosts in buildings, trees or other structures. Habitat could be used by foraging bats e.g. trees, shrub, grassland or water. Site is connected with the wider landscape by linear features that could be used by commuting bats e.g. lines of trees and scrub or linked back gardens.
Low Habitat Value	A small number of potential roosts, most likely less significant roosts. Isolated habitat for foraging e.g. a lone tree or patch of scrub but not parkland. An isolated site not connected by prominent linear features.
Negligible Habitat Value	No features suitable for roosting, minor foraging or commuting.

Table 2 (above) presents a scale continuum adapted from Hundt (2012) against which the significance of habitat value and roosting opportunities at the site can be graded. By referring to this continuum and using their expert judgment, surveyors classify features of buildings or trees as representing low, medium or high value as habitat for bats.

Survey Results

Table 3: The Desk Study Results

Desk Study Records	A study of data from the National Biodiversity Network Gateway for the grid square SU704066 has informed the preparation of this report. No other data set has been consulted.
Notes on the Local Environment	The site is located in an urban location with a number of inter-connecting gardens. The site is situated within an overgrown garden with a number of small apple trees and shrubs. There is an open playing field approximately 45 meters to the east of the site. The nearest woodland is some 1000 meters to the west and no water bodies have been noted. Weather conditions at time of survey: Temperature: 29° C. Cloud Cover: 10%. Precipitation: none. Wind: 0/8.

Table 4: The Site Survey Results

Buildings and trees are referred to by number, in accordance with the sketch plan at Appendix I.

Reference Number	Habitat Value Table 2 Refers	Description of Roosting Features Access to Roosting Features	Confirmation of Bat Presence
B5	Negligible Habitat Value	The property is a two bedroom bungalow, build in approximately 1930. The building is of brick construction and has a number of wooden windows. Two bay windows are located on the front elevation. The roof section is covered in concrete tiles with a few gaps; the ridge tiles are in generally good condition. Lead flashing is present, surrounding the chimney but appears generally tight to the roof with little or no gaps. There is a small wooden paneled kitchen area to the southern elevation and a conservatory/potting shed to the rear elevation in a poor state of repair. The wooden paneling has no gaps along the length of the external structures. However there are some gaps where the extensions meet the main building. However these are small and cobweb covered. The loft area is an open area with no under felt and exposed beams. Roof tiles are exposed by the lack of any under felt, resulting in a lack of any significant roosting opportunities for bats.	No evidence of bats were found during this survey

Any additional notes:

Left Blank.

Conclusions

Table 5: Summary of Conclusions

Reference	Habitat Value [Table 2 refers]	Are emergence survey works necessary? ¹	Best Estimate of Roost Type
B1	Confirmed ☐ Significant ☐ Moderate ☐ Low ☐ Negligible ☒	No. The evidence gathered during this initial assessment implies that <u>there is an acceptably low probability</u> (risk) of harm to bats if the development is allowed to progress without further surveys. In the highly unlikely event bats are found during the development, work should stop and further advice sort from an experienced, licensed bat ecologist.	Transitional ☐ Maternity ☐ Hibernation ☐ Check boxes are left blank if Habitat Value is 'negligible'.

¹ Hundt (2012) states that "If a building or built structure is considered to have a moderate or high likelihood of use by bats, the preliminary roost assessment, even if negative for bats, should be followed by several presence/absence surveys."

Recommendations

The surveyor has used the industry best practice publication Bat Surveys—Good Practice Guidelines (Hundt 2012) to guide the following conclusions and recommendations of this report.

Table 6: Specification for Further Surveys

Reference	Specification for Surveys ²	Seasonality for Emergence Surveys
B1	No further surveys.	Optimal: Mid May to August inclusive. Sub-optimal: May to September inclusive - will require a greater survey effort and justification.

The purpose of further surveys is to determine the species of bats, their population and the type of roost - or to confirm a negative result beyond doubt.

If the further surveys positively identify bats roosting at the site, the results will enable the client to design appropriate mitigation and if necessary, apply for a European protected species licence.

² If bats are discovered emerging from any of the buildings during surveys, the survey effort may need to be appropriately increased pursuant to table 8.5, Bat Surveys—Good Practice Guidelines (Hundt 2012).

Bibliography

Hundt, L. (2012). Bat Surveys—Good Practice Guidelines, 2nd edition, Bat Conservation Trust, London.

Mitchell-Jones, A.J. (2004). Bat Mitigation Guidelines. English Nature, Peterborough.

Document Production and Approval

Status	Issue	Surveyor	Date
Draft	1	Simon Pidgeon	24/07/2013

Limitations

Arbtech Consulting Ltd has prepared this report for the sole use of the above named Client or his agents in accordance with our General Terms and Conditions, under which our services are performed. It is expressly stated that no other warranty, expressed or implied, is made as to the professional advice included in this Report or any other services provided by us. This report may not be relied upon by any other party without the prior and express written agreement of Arbtech Consulting Limited. The assessments made assume that the sites and facilities will continue to be used for their current purpose without significant change. The conclusions and recommendations contained in this report are based upon information provided by third parties. Information obtained from third parties has not been independently verified by Arbtech Consulting Limited.

Copyright

© This report is the copyright of Arbtech Consulting Limited. Any unauthorised reproduction or usage by any person other than the addressee is strictly prohibited.

Appendix 1 Plan



Appendix 2 Photos



Fig 1) Front elevation showing two bay windows.




Fig 2) Site, southern elevation showing kitchen area.



Fig 3) Kitchen area meeting conservatory/potting shed showing cobweb covered gaps.




Fig 4) Potting conservatory/potting shed to rear (eastern) elevation.



Fig 5) Rear garden area.