

Period length	(0:15:0.0)	H:M:S.mS
Total number of periods		96
Number of periods before trigger		0
Number of periods after trigger		96
Trig time	(2012/11/29 10:3:41.220)	Y-Mo-D H:M:S.mS
Measurement effective duration	(24:0:0.0)	H:M:S.mS

Period:	Time:	LfF,99.8%_8	
		20 Hz	25 Hz
	0 (2012-11-29 10:03:41.220)	45.5	46.5
	1 (2012-11-29 10:18:41.220)	46.9	47.7
	2 (2012-11-29 10:33:41.220)	46.8	48.4
	3 (2012-11-29 10:48:41.220)	46.7	49.1
	4 (2012-11-29 11:03:41.220)	46.7	49.6
	5 (2012-11-29 11:18:41.220)	45.8	46.5
	6 (2012-11-29 11:33:41.220)	46.6	48.4
	7 (2012-11-29 11:48:41.220)	45.9	46.7
	8 (2012-11-29 12:03:41.220)	47	48
	9 (2012-11-29 12:18:41.220)	47.2	50.4
	10 (2012-11-29 12:33:41.220)	45.9	47.3
	11 (2012-11-29 12:48:41.220)	45.4	46.9
	12 (2012-11-29 13:03:41.220)	45.5	45.9
	13 (2012-11-29 13:18:41.220)	45.7	47.7
	14 (2012-11-29 13:33:41.220)	46.5	47
	15 (2012-11-29 13:48:41.220)	46.3	48.3
	16 (2012-11-29 14:03:41.220)	46.2	47.1
	17 (2012-11-29 14:18:41.220)	46.5	46.6
	18 (2012-11-29 14:33:41.220)	46.5	49.6
	19 (2012-11-29 14:48:41.220)	45.3	48.5
	20 (2012-11-29 15:03:41.220)	45.3	48.6
	21 (2012-11-29 15:18:41.220)	46.2	51.5
	22 (2012-11-29 15:33:41.220)	46.9	51.3
	23 (2012-11-29 15:48:41.220)	45.3	48.8
	24 (2012-11-29 16:03:41.220)	47	51.8
	25 (2012-11-29 16:18:41.220)	47.3	48.6
	26 (2012-11-29 16:33:41.220)	46.8	51.8
	27 (2012-11-29 16:48:41.220)	46	50
	28 (2012-11-29 17:03:41.220)	46.7	52
	29 (2012-11-29 17:18:41.220)	47.5	51.1
	30 (2012-11-29 17:33:41.220)	46.3	50.4
	31 (2012-11-29 17:48:41.220)	45.5	48.9
	32 (2012-11-29 18:03:41.220)	46.5	48.5
	33 (2012-11-29 18:18:41.220)	45.7	48.5
	34 (2012-11-29 18:33:41.220)	45.6	48.2
	35 (2012-11-29 18:48:41.220)	45.1	46.7
	36 (2012-11-29 19:03:41.220)	45.3	48
	37 (2012-11-29 19:18:41.220)	45.6	46.9
	38 (2012-11-29 19:33:41.220)	45.6	47
	39 (2012-11-29 19:48:41.220)	44.9	45.3
	40 (2012-11-29 20:03:41.220)	45.6	45
	41 (2012-11-29 20:18:41.220)	44.7	44.3
	42 (2012-11-29 20:33:41.220)	45.9	43.7
	43 (2012-11-29 20:48:41.220)	45.5	43.7
	44 (2012-11-29 21:03:41.220)	45.9	42.9
	45 (2012-11-29 21:18:41.220)	45.3	42.2

46 (2012-11-29 21:33:41.220)	45.9	41.9
47 (2012-11-29 21:48:41.220)	45.1	39.7
48 (2012-11-29 22:03:41.220)	45.7	38.8
49 (2012-11-29 22:18:41.220)	45.9	38.8
50 (2012-11-29 22:33:41.220)	47	36.9
51 (2012-11-29 22:48:41.220)	46.4	37.3
52 (2012-11-29 23:03:41.220)	46.5	36.8
53 (2012-11-29 23:18:41.220)	47.1	36.7
54 (2012-11-29 23:33:41.220)	46.2	35.9
55 (2012-11-29 23:48:41.220)	45.9	35.7
56 (2012-11-30 00:03:41.220)	46.4	36
57 (2012-11-30 00:18:41.220)	48.1	37
58 (2012-11-30 00:33:41.220)	47	37.3
59 (2012-11-30 00:48:41.220)	46.9	36.8
60 (2012-11-30 01:03:41.220)	47.6	35.8
61 (2012-11-30 01:18:41.220)	46.4	35.4
62 (2012-11-30 01:33:41.220)	47.4	35.7
63 (2012-11-30 01:48:41.220)	48.1	35.8
64 (2012-11-30 02:03:41.220)	48.8	35.6
65 (2012-11-30 02:18:41.220)	48.1	35.3
66 (2012-11-30 02:33:41.220)	48	35.1
67 (2012-11-30 02:48:41.220)	46.5	35.1
68 (2012-11-30 03:03:41.220)	47.7	35.9
69 (2012-11-30 03:18:41.220)	46.5	35.3
70 (2012-11-30 03:33:41.220)	48.4	36.1
71 (2012-11-30 03:48:41.220)	47.3	35.6
72 (2012-11-30 04:03:41.220)	47.6	35.7
73 (2012-11-30 04:18:41.220)	47.8	36.2
74 (2012-11-30 04:33:41.220)	46.2	36.2
75 (2012-11-30 04:48:41.220)	46.6	37.6
76 (2012-11-30 05:03:41.220)	45.6	38.6
77 (2012-11-30 05:18:41.220)	46.7	39.3
78 (2012-11-30 05:33:41.220)	46.1	39.7
79 (2012-11-30 05:48:41.220)	45.9	39.7
80 (2012-11-30 06:03:41.220)	44.5	41
81 (2012-11-30 06:18:41.220)	46.1	42.6
82 (2012-11-30 06:33:41.220)	46	45.4
83 (2012-11-30 06:48:41.220)	46.2	45.7
84 (2012-11-30 07:03:41.220)	46.6	45.9
85 (2012-11-30 07:18:41.220)	47.3	47.4
86 (2012-11-30 07:33:41.220)	47.2	47.8
87 (2012-11-30 07:48:41.220)	46.9	48.6
88 (2012-11-30 08:03:41.220)	47.5	51.7
89 (2012-11-30 08:18:41.220)	47.3	50.6
90 (2012-11-30 08:33:41.220)	47.4	53.4
91 (2012-11-30 08:48:41.220)	46.7	50.3
92 (2012-11-30 09:03:41.220)	45.7	47.5
93 (2012-11-30 09:18:41.220)	45.9	48.3
94 (2012-11-30 09:33:41.220)	46.1	49.7
95 (2012-11-30 09:48:41.220)	44.5	48.1

31.5 Hz	40 Hz	50 Hz	63 Hz	80 Hz	100 Hz	125 Hz	160 Hz	200 Hz	250 Hz	315 Hz	400 Hz	500 Hz
48.6	49.5	51.4	49.4	43.5	40	36.6	37.6	39.6	41.5	39.3	39.7	40.5
48.2	50.7	50.7	49.3	46.3	41	39	38.4	38.1	41.7	39.8	40.1	41.2
49.2	51.2	50.8	51	45.8	40.7	37.4	36.6	39	42.1	40.2	40.3	41.4
48.4	49.1	51	50.7	48.2	41.2	37.8	38.1	40.1	41.4	38.9	39.2	40.8
50.2	52	52.7	50.3	47.8	41.7	38.3	38.2	39.4	42.8	40.1	41.9	43.4
48.9	50.1	49.1	49.1	45	40.4	37.4	37.9	38.7	42.2	40.1	41.7	41.8
49.1	50.2	52.6	51.9	46.2	41.8	39	37.8	38.6	42.8	39.3	40.5	42.9
47.9	51.5	53.1	51.1	45.6	41.5	37.9	38	39.3	43.5	40.2	41.5	43
48.7	50.2	51.9	50.6	44.2	41.3	38.3	36.2	37.8	40.5	38.2	38.7	40.1
50.1	53.2	55	54.3	48.3	45	41.8	41.4	42	45.4	44.4	45.8	47.1
48.8	49.3	51.5	49.3	44.1	41.5	38.2	38.2	39.9	42.2	39.1	40.3	41.3
48.8	51.4	51.6	50.1	45.7	42.4	40.3	39.8	39.7	42.8	40.8	42.7	44.4
47.4	47.7	51.3	49	44.6	41	38.5	36.6	36.6	39.2	36.9	37.1	38.6
48.4	49.9	52.4	50	44.2	41.8	39.1	37.1	37.7	39.8	37.8	37.9	39.4
49.7	52.6	54.6	50.6	45.4	41.3	38.8	38.4	38.7	42.5	38.8	40	41
50.3	52.2	53.6	53	47.9	44	41.6	41	42.5	45.3	41.5	43.4	44.1
48	49.4	52.2	48.8	45.8	42.6	39.2	38.7	39.9	43	40.3	41.3	42.7
48	50.5	53.1	51.3	46.9	43.3	40.2	39.8	40.5	42.6	40.2	42.6	43.8
50.1	51.4	53.5	51.2	46	42.4	39	38.3	40.8	41.8	40	40.8	41.8
48.5	49.3	52.1	50.1	46.3	42.4	39.2	39.2	40.5	43.3	39.9	41.6	42.3
49.9	52.3	53.9	51.9	46.2	43.7	40.1	39.4	39.9	43.7	40.4	41.9	43.1
52	52.2	54.4	53.2	49.3	44.8	40.4	40.5	39.9	43.6	41.4	43	44.2
51.7	54.7	56.3	55.1	49.6	46.5	41.9	40.9	41.6	46.3	44.4	45.6	47.3
49.5	50.7	52.1	53.1	47.3	43.3	39.5	37.9	40.5	43	40.8	42.1	43.8
54.5	55.8	57.7	54.6	50.9	46.2	41.5	41.4	43.6	45.9	42	43.8	44.4
50	53.6	55.4	52	48.9	44.5	40.1	41.5	43.4	46.8	43.9	45.1	46.5
52.3	53.2	55.9	55.1	49.4	45.6	42.4	41.2	41.7	45.4	43.2	45.2	46
50.7	53.9	56.3	55	48.5	45.5	42.4	39.8	40	43.7	40.1	42.2	44
52.2	53.8	58.7	56	48.9	45.2	42.4	41.8	41.8	45.6	42.6	43.5	45.2
51.7	53.7	55.2	54.9	50	45.4	42.4	41.1	41.9	45.2	43.3	44.4	45.8
52	53.8	54.8	53.9	48.5	44.8	41.5	40	40.9	44.7	42.2	43.1	45.7
49.5	51.3	52.7	51.7	46.1	43	40.1	38.2	40	44	42.2	42.7	44.8
49.2	51.1	52.8	51.5	45.7	41.8	38.6	38.9	39.6	44.5	41	42.9	44.5
48.3	50.9	53.3	51	46.6	42.1	40	38.7	38.9	44	41.7	43.4	45.3
48.8	50	51.1	49.6	45.6	42	38.2	37.3	39.6	43.6	40.9	42.7	43.6
47.8	47.2	49.6	48.9	42.9	39.7	35.8	34.9	36.4	40.5	38.3	39.1	39.9
47.3	49	50.7	50	45.6	41.8	40	38.7	40.3	43	39.7	41.2	41.8
46.9	46.8	49	47.5	42.6	39.5	36.8	36.6	39.7	42.5	39.7	41.3	41.8
46.4	47.6	49.7	48.4	45	40.5	37.6	37.3	38.8	42.1	39.7	41.1	41.4
45.3	45.5	46.8	46.4	42.5	38	35.6	34.8	36.2	40.4	38.4	38.7	39
45.3	46.5	48	47.2	42	37.9	35.5	34.9	36.1	39.8	38	38.7	40.8
44.9	44.9	46.7	46.6	42.2	37.6	34.9	34.8	34.9	38	36.2	37.6	39.4
43.9	44.8	47.4	45.1	40.7	37.2	34.9	34.8	35.7	39	36.3	38	39.6
44.2	44.7	45.4	45.3	41.1	37.7	35	34.8	35.3	37.8	35.7	36.8	37.6
44	44.5	45.9	44.9	39.8	35.9	34.8	34.8	34.9	38	35.4	35.9	36.2
42.8	44	44.9	44.2	40.2	35.3	34.9	34.8	34.8	36.5	34.9	36	36.3

[illegible]

630 Hz	800 Hz	1.0 kHz	1.25 kHz	1.6 kHz	2.0 kHz	2.5 kHz	3.15 kHz	4.0 kHz	5.0 kHz	6.3 kHz
41.2	42.1	44.1	41	39.6	35.1	34.8	34.8	34.8	34.8	34.8
40.6	40.9	41.5	40.7	39.2	35	34.9	34.8	34.8	34.8	34.8
42.3	44	45.5	44.5	43.7	39.5	34.9	34.8	34.8	34.8	34.8
40.5	42.9	44.9	43.4	41.1	37.2	34.9	34.8	34.8	34.8	34.8
44.3	44.8	46.5	45.8	44.6	41.3	35.2	34.8	34.8	34.8	34.8
42.6	44.7	45.5	43.3	41.3	36.3	34.9	34.8	34.8	34.8	34.8
42.1	43.2	44.7	43	40.8	36.5	34.9	34.8	34.8	34.8	34.8
43.5	45.3	48	47.9	46.3	41.4	36.5	34.8	34.8	34.8	34.8
40.4	41.8	43.6	41	38.5	34.9	34.8	34.8	34.8	34.8	34.8
46.5	48.7	52	50.8	49.8	46.1	41.6	36.8	34.8	34.8	34.8
41.9	43.9	46.2	45.4	43.5	39.6	34.9	34.8	34.8	34.8	34.8
44.4	45.9	48.2	47.4	44.9	40.7	37.1	34.8	34.8	34.8	34.8
37.9	39.9	42	39.4	37.8	34.9	34.8	34.8	34.8	34.8	34.8
38.9	41.4	42.8	41	38.6	34.9	34.8	34.8	34.8	34.8	34.8
40.1	42.5	44.2	41.7	41.2	36.4	34.8	34.8	34.8	34.8	34.8
44	46	47.6	46.7	45.5	41.6	37.9	34.9	34.8	34.8	34.8
42.4	44.2	47.9	47	45.5	40.3	35.1	34.8	34.8	34.8	34.8
43.8	45.8	47.1	46.7	47.9	43.4	39.1	34.9	34.8	34.8	34.8
42	43.9	46.3	46.1	44.7	40.2	34.9	34.8	34.8	34.8	34.8
44.1	45.7	47.3	46.4	43.6	40.1	34.9	34.8	34.8	34.8	34.8
43.3	45.1	47.2	47.2	46.1	42.8	37.1	34.9	34.8	34.8	34.8
44.7	45.9	48.2	46.9	45.4	42.1	38.1	34.9	34.8	34.8	34.8
47.8	49.2	50.8	50	49.3	45.8	42.4	38	34.9	34.8	34.8
43.2	44.9	46.7	44.6	43.2	39.3	35	34.8	34.8	34.8	34.8
45.7	47.4	48.5	48.2	46	42.6	38.9	35	34.8	34.8	34.8
47.2	49.2	51.4	49.9	49.5	46.2	42	37	34.8	34.8	34.8
47	48.8	50.6	49.4	48.6	44.5	43.5	39.6	34.8	34.8	34.8
44.2	46.5	48.8	46.6	46.1	41.4	35.4	34.8	34.8	34.8	34.8
45	47.5	49.6	47.8	46.7	43.1	38.4	34.9	34.8	34.8	34.8
45.4	47.5	49.5	48.1	47.4	43.4	40	36.1	34.8	34.8	34.8
44.3	47.3	49.4	47.4	46.4	41.8	36.4	34.9	34.8	34.8	34.8
43.8	46.4	48.7	46.1	45.1	40.2	34.9	34.8	34.8	34.8	34.8
45.7	49	50.2	49	47.2	43	37.7	34.8	34.8	34.8	34.8
45	47.6	50.1	48.2	47	42.8	37.7	34.8	34.8	34.8	34.8
44.2	47.1	49.1	48.4	47.2	43.4	37.8	34.8	34.8	34.8	34.8
40.8	43.4	45.1	41.7	38	34.8	34.8	34.8	34.8	34.8	34.8
44.1	46.7	47.5	46.4	44.7	39.1	34.9	34.8	34.8	34.8	34.8
43.4	45.1	45.8	45	43.1	38.9	34.9	34.8	34.8	34.8	34.8
42.3	43.3	46	45.4	44.9	40.1	34.9	34.8	34.8	34.8	34.8
40.3	41.7	43.7	40.9	37.9	34.9	34.8	34.8	34.8	34.8	34.8
41.1	43.8	44.8	43.3	41.5	35.5	34.8	34.8	34.8	34.8	34.8
39.5	41.3	42.5	40	38.9	34.8	34.8	34.8	34.8	34.8	34.8
40.3	42.4	42.7	40.3	37.8	34.9	34.8	34.8	34.8	34.8	34.8
38.2	39.5	40.6	37.4	34.8	34.8	34.8	34.8	34.8	34.8	34.8
37.3	39.6	40.2	37.3	34.9	34.8	34.8	34.8	34.8	34.8	34.8
37.2	39.1	39.7	36.4	34.8	34.8	34.8	34.8	34.8	34.8	34.8

[illegible]

[illegible]

[illegible]