

ELECTRICAL INSTALLATION BY APPROVED
CERTIFICATED ELECTRICIAN TO COMPLY WITH
APPROVED DOCUMENT P.
CERTIFICATE TO BE ISSUED ON COMPLETION OF WORK.
BY COMPETENT APPROVED CERTIFICATED ELECTRICIAN
USE ENERGY EFFICIENT LIGHT BULBS AND FITTINGS.

ROOF 3 LAYERS ASBESTOS BASED FELT TO BS 747
LAID TO CP 144, 12.5MM CHIPPINGS OVER ON CELOTEX
TD 4126 (126MM) INSULATED ROOF DECKING ON
225X50MM JOISTS AT 400MM CENTRES, FIRRED TO
FALL. 12.5MM PLASTERBOARD AND SET CEILING.

FOUNDATIONS TO BE MINIMUM 1 M. DEEP TO LOCAL AUTHORITY APPROVAL TO SUIT SITE CONDITIONS. USE ONLY CLASS A CONCRETE BLOCKS BELOW GROUND LEVEL. FOUNDATIONS ALSO TO COMPLY WITH NHBC PRACTICE NOTE WITH REGARD TO ANY TREES.
NOTE TRENCH FILL FOUNDATIONS

PLANS TO BE READ IN CONJUNCTION WITH THE STRUCTURAL ENGINEERS CALCULATIONS AND DETAILS FOR NEW STEEL BEAM/PADSTONES/FOUNDATIONS ETC. ENCASE BEAM IN TWO LAYERS 9.5MM PLASTER BOARD AND SET FIXED STAGGERED JOINT.

date feb 13
scale 1.50

PETER J. WALKER MRICS
CHARTERED SURVEYOR
182 SEAFRONT, HAYLING ISLAND, HANTS
PO11 9 AN

TEL: 02392 467571