PHOTOGRAPHS FOR YACHTHAVEN ECOLOGICAL PHASE II REPORT



Photo 1 - The mouth of Yachthaven creek, view across the end of Verner Common High-tide Roost with Yachthaven in background



Photo 2 - Rigid-hull Inflatable Boat (RIB) used in bird disturbance investigation



Photo 3 - Shed with gap between asbestos roof and internal cladding, potential for bats



Photo 4 - Shed with potential for bats, destroyed by vandals in October 2010



Photo 5 - Area of cleared, bare ground, derelict buildings and small trees on eastern boundary



Photo 6 - Coastal bank part infill, east of existing boatyard, with patchy grassland and mossy turf



Photo 7 - View north across Yachthaven Coastal Meadow, showing unimproved dry grassland with ant-hills (foreground), patches of dead tall herb associated with marshy areas and belt of invaded thorn scrub and mature oak trees in background. Meadow is designated a SINC



Photo 8 - Unimproved, rabbit-grazed grassland at Yachthaven Coastal Meadow (view west)



Photo 9 - Small, partly saline channel within Yachthaven Coastal Meadow.



Photo 10 - Old hedgerow on western boundary of development site with mature oak trees



Photo 11 - Intertidal saltmarsh area adjacent to western half of Yachthaven Coastal Meadow.



Photo 12 - Infilled coastal bank and natural intertidal shore of gravel and shingle, with rubble such as bricks and tarmac adjacent to eastern half of Yachthaven Coastal Meadow.



Photo 13 - View along proposed line of pontoon, showing dominant 'brown' seaweeds, with Verner Common High-tide roost in the background.



Photo 14 - Closer view of seaweeds *Fucus spiralis* with *Ascophyllum nodosum* in foreground.