

PERMIT


HAVANT BOROUGH
COUNCIL

30 SEP 2011

RECEIVED



EAST ELEVATION




SOUTH ELEVATION

Lead flashing to
existing brick
elevations to
local authority
requirements.

Q² brickwork in
Severn Valley
reds matching
house. Painted
with 1kg cement
lime sand render.

White rectangular
section plastic
gutter on 5"x4"
1/2" fascia.
6mm float glass
on treated, painted
60" mullions.




SECTION A-A

SECTION B-B

4"x2" 3/4" collar
extended and
supported on
wall plate.
6"x8" GRP gully
supported on
3x ironised
unwrought iron
brackets.
Tile floor on
50mm concrete
on 1200gsm polythene
GP membrane on
150mm hardcore

400x225mm
concrete
foundations
depth to Local
Authority approval
(not less than 1m
below ground level.)



PLAN


Roof drainage to
water-buff &
garden soakaway
to be evaluated.

Existing conservatory
to be demolished.



SITE PLAN
Scale 1:1000

6"x8" GRP gully
to be fabricated



ROOF PLAN

Roof of 8mm Thermoclear
Polycarbonate screws
to 3"x2" 5/8" rafters
and 1"x2" 1/2" mullions
Rafters and mullions
capped by 1"x4"
5/8" head above
glazing.
All timber treated
with preservative,
finished in white
gloss paint.

JOHN WORLEY
BIDBURY HOUSE
BIDBURY LANE
BEDHAMPTON
Date 21-10-95
Scale 1:100
1:1250

PROPOSED NEW CONSERVATORY AT BIDBURY HOUSE, BIDBURY LANE, HAVANT.