

EXISTING SUP. REPOSITIONED
SUP TAKEN 900MM ABOVE
WINDOW.

NEW FLAT ROOF 150MM
BELOW SOFFIT.
PROVIDE CODE 418
DRESSED LEAD TO ROOF
SOFFIT ABUTMENT.

CODE 418 DRESSED LEAD
FLASHING / TRAY TO
ROOF / WALL ABUTMENT.

UPVC FASCIA /
GUTTER.

FENCE RETAINED.

DPC 150MM OVER FGL

VELUX

CODE 418 DRESSED LEAD TRAY
FLASHING TO ABUTMENTS.

UPVC GUTTER / FASCIA.

BRICKWORK TO MATCH

DPC 150MM OVER FGL.

NEW PORCH.

PROPOSED NORTH ELEVATION

WEST ELEVATION

SCALE 1:100 @ A3. (SIDE).

CODE 418 DRESSED LEAD STEP FLASHING
WITH TYPE X CAVITY TRAYS TO ABUTMENTS

CRANKED STEEL PURLIN TO ST. ENG'S
DETAILS. 150X50 C16 RAFTERS @ 400 CTRS
KINGSPAN INSULATION OR EQUAL

CENTURION CONCRETE TILES
ON 50X38 TANKED BATTENS
MONARFLEX / TYVEK MEMBRANE
CATNOC / IQ UNTEL OVER.

2 NO 203X102X43 K9 UB ON 400X100X85
PCC PADSTONES EACH END.

DINING

7100

UPVC DOORS / WINDOWS.

DPC MIN 150MM OVER
FGL.

300

900

600

PROPOSED SECTION A-A

SCALE 1:50 @ A3.

EAST ELEVATION

SCALE 1:100 @ A3 (SIDE).

HAVANT BOROUGH
COUNCIL

01 AUG 2012

RECEIVED