

PERMIT

VALID APPLICATION
23 SEP 2011
COUNTY PLANNING
HAMPSHIRE COUNTY COUNCIL

TENDER

LEGEND

- EXISTING FOUL WATER DRAINAGE
- EXISTING SURFACE WATER DRAINAGE
- EXISTING SURFACE WATER GULLY
- NEW FOUL WATER SEWER (CLAY)
- NEW FOUL WATER CHANNEL (ACC OR SIMILAR APPROVED - WIDTH AS SPECIFIED)
- NEW FOUL WATER CHAMBER
- NEW FOUL WATER GULLY (ALL CONNECTIONS TO BE 150mm)
- NEW SURFACE WATER SEWER (PLASTIC/CLAY)
- NEW SURFACE WATER CHANNEL (ACC OR SIMILAR APPROVED - WIDTH AS SPECIFIED)
- NEW RAINWATER DOWNPIPE
- NEW SURFACE WATER CHAMBER
- NEW SURFACE WATER GULLY (ALL CONNECTIONS TO BE 150mm)
- EXISTING BT SUPPLY
- EXISTING WATER SUPPLY
- EXISTING ELECTRICITY SUPPLY
- EXISTING GAS SUPPLY
- PROPOSED BT SUPPLY
- PROPOSED WATER SUPPLY
- PROPOSED ELECTRICITY SUPPLY

PARTS OF THIS DRAWING SHOULD BE IN COLOUR. IF THIS NOTE IS NOT RED, PLEASE CONTACT wendy.wright@hants.gov.uk FOR COLOUR COPIES.

NOTES

- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER ENGINEERING CONSULTANCY DRAWINGS.
- FOR DRAINAGE STANDARD DETAILS, REFER TO DRG. No. 17-005992-500/02. ALL FW PIPEWORK IS TO BE CLAY AND SW PIPEWORK IS TO BE STRUCTURED WALL PLASTIC OR CLAY.
- FULL DRAINAGE LAYOUT & DETAILS RELATING TO NEW HWRC ARE SHOWN ON DRG. Nos. 17-009026-500/01-04.
- NOTE THAT THERE WILL BE A NUMBER OF BURIED EXISTING SERVICES (WATER SUPPLY, ELECTRICITY SUPPLY, BT CABLES AND FW CONNECTIONS) FROM PREVIOUS SITE USE AS A VEDULA DEPOT AND LORRY PARK. THESE SUPPLIES SERVED A NUMBER OF PORTAKABINS ON THE SITE AND THEIR LOCATIONS ARE NOT KNOWN.

CLIENT
HAMPSHIRE COUNTY COUNCIL
ECONOMY, TRANSPORT & ENVIRONMENT
WASTE & RESOURCE MANAGEMENT

CONSULTANT
Hampshire
County Council
engineering
CONSULTANTS

DRAWN: WHW
CHECKED: WHW
SRF
APPROVED: DD
SCHEME: HAVANT INCINERATOR SITE REDEVELOPMENT
DWG No. C:1005992-01
SCALE: @ A1
DATE: Aug 11
SHEET No.

DRAWING TITLE: SALT BARN DRAINAGE (SW & FW DISPOSAL SYSTEMS) AND PROPOSED UTILITIES
DWG No. 17-005992-500/01
REV: T

REV.	AMENDMENT	DATE	DRAWN	CHECKED	APPROVED