




PERMIT



HAVANT BOROUGH COUNCIL
DEVELOPMENT CONTROL
13 JUL 2011
RECEIVED

S.W. DRAWING NO.

REVISION

NOTES

1

ALL DIMENSIONS ARE IN MILLIMETRES AND ALL LEVELS ARE IN METRE, UNLESS OTHERWISE STATED.

2

ALL WORK SHALL COMPLY WITH ALL RELEVANT BRITISH STANDARD CODES OF PRACTICE, SUPPLY AUTHORITIES REGULATIONS AND THE CURRENT BUILDING REGULATIONS INCLUDING ALL AMENDMENTS AND SHALL BE CARRIED OUT IN A PROPER WORKMAN-LIKE MANNER TO THE SATISFACTION OF THE SUPERVISION OFFICER AND THE BUILDING CONTROL OFFICER.

3

THE WINDOW SHALL NOT PROJECT INTO THE WATERCOURSE BEYOND THE TIDE OF THE EXISTING BANK.

4

GABION TO BE PROVIDED WHERE NECESSARY TO PROTECT THE BED ADJACENT TO THE SLAB AND ON OPPOSITE BANK.

5

A HOT-DIPPED GALVANIZED STEEL GRILL SHALL BE PROVIDED SUCH THAT IT CAN BE OPENED FOR MAINTENANCE OF THE TIDE FLAP AS PER BS 159:95 OR 12642 AND BS EN 14713.

6

ANY DISCREPANCIES MUST BE REPORTED TO THE DESIGNER IMMEDIATELY.

7

HEAD WALL HAVE BEEN DESIGNED AND ARE TO BE CONSTRUCTED TO "SEWER FOR ADOPTION 6TH EDITION".

8

ALL REINFORCEMENT SHOULD BE TYPE M STEEL WITH FINISHES IN ACCORDANCE WITH BS 4449.

9

UNLESS NOTED OTHERWISE MINIMUM COVER FOR REINFORCEMENT SHALL BE 50MM.

10

CONCRETE GRADE - C40.

CURRENT ISSUE INFORMATION

11/07/2011	A2	DB	DS						
DATE	ISSUED	CHANGED	REVISED	BY					

THIS DRAWING IS ISSUED BY SOUTHERN WATER IN SUBJECT TO THE CONDITIONS THAT IT IS NOT COPIED EITHER WHOLLY OR IN PART OR REPRODUCED TO THIRD PARTIES UNLESS PRIOR WRITTEN AUTHORIZATION IS GIVEN BY SOUTHERN WATER. PREVIOUS EDITIONS OF THIS DRAWING SHOULD BE STAMPED SUPERSEDED OR DESTROYED. DO NOT SCALE THIS DRAWING. IF IN DOUBT ASK.



Southern Water Services
Southern House
Foreman Road
Woking, Surrey, GU24 2BA
Telephone: 01483 272444
Fax: 01483 272547



SAI Consulting Engineers Pvt. Ltd.
(An ISO 9001:2008 Certified Company)

SAI House,
Salford Corporate Square
Ardwick Road - 380 059
Salford - M6 6PU
Tel: +44 161 75 6614 2600
Fax: +44 161 75 6614 2800

SAI DRAWING NO.

SAI-5001/37/03

ISSUE

PROJECT TITLE

FISHERY LANE
HAYLING ISLAND

DRAWING TITLE

OUTFALL DETAILS
(SINGLE OUTFALL)

SITE UNIT
NAME/NO.

SITE UNIT
NO.

DRAWING NO.

SCALE
N.T.S

MASTER
DATE
A

S.W. DRAWING NO.

REVISION