

PERMIT

FOR CONTINUATION, REFER TO
DRAWING No. 17-509026-500/01

TENDER

VALID APPLICATION

23 SEP 2011

COUNTY PLANNING
HAMPSHIRE COUNTY COUNCIL

LEGEND

- EXISTING FOUL WATER DRAINAGE
- EXISTING SURFACE WATER DRAINAGE
- EXISTING SURFACE WATER GULLY
- NEW FOUL WATER SENDER (CLAY)
- NEW FOUL WATER CHAMBER
- NEW FOUL WATER GULLY (ALL CONNECTIONS TO BE 150mm)
- NEW SURFACE WATER SENDER (PLASTIC/CLAY)
- NEW SURFACE WATER CHAMBER
- NEW SURFACE WATER GULLY (ALL CONNECTIONS TO BE 150mm)
- EXISTING BT SUPPLY
- EXISTING WATER SUPPLY
- EXISTING ELECTRICITY SUPPLY
- EXISTING GAS SUPPLY
- PROPOSED BT SUPPLY
- PROPOSED WATER SUPPLY
- PROPOSED ELECTRICITY SUPPLY
- PROPOSED DUCTS FOR FUTURE ACCESS ROAD STREET LIGHTING

PARTS OF THIS DRAWING SHOULD BE IN COLOUR.
IF THIS NOTE IS NOT RED, PLEASE CONTACT
wendy.wright@hants.gov.uk FOR COLOUR COPIES.

NOTES

- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER ENGINEERING CONSULTANCY DRAWINGS. DO NOT SCALE. IF IN DOUBT, ASK. ANY DISCREPANCIES ARE TO BE REFERRED TO THE ENGINEER.
- DO NOT SCALE FROM THIS DRAWING. IF IN DOUBT, ASK.
- FOR DRAINAGE STANDARD DETAILS, REFER TO DRG. No. 17-509026-500/03. ALL FW PIPEWORK IS TO BE CLAY AND SW PIPEWORK IS TO BE STRUCTURED WALL PLASTIC OR CLAY.
- FOR POND DETAILS, REFER TO DRG. No. 17-509026-500/04.
- NOTE THAT THERE WILL BE A NUMBER OF BURIED EXISTING SERVICES (WATER SUPPLY, ELECTRICITY SUPPLY, BT CABLES AND FW CONNECTIONS) FROM PREVIOUS SITE USE AS A VEDULA DEPOT AND LORRY PARK. THESE SERVICES SERVED A NUMBER OF PORTAKABINS ON THE SITE AND EXACT LOCATIONS ARE NOT KNOWN.

HAMPSHIRE COUNTY COUNCIL
ECONOMY, TRANSPORT & ENVIRONMENT
WASTE & RESOURCE MANAGEMENT



Hampshire
County Council

Engineering
CONSULTANT



DRAWN
WHW
CAD
WHW
CHECKED
SRF
APPROVED
DD

Scheme
HAVANT INCINERATOR SITE
REDEVELOPMENT

DRG No. 17-509026-500/01
SCALE @ A1
1:200

DATE
Oct 10

SHEET No.

DRAWING TITLE
RELOCATION OF HAVANT HWRC
SW & FW DRAINAGE SYSTEMS
AND PROPOSED UTILITIES
Sheet 2 of 2

DRG No. 17-509026-500/02

REV
A
T

REV	AMENDMENT	DATE	DRAWN	CHKD	APPD
A	Drainage layout revised to suit new level design.	23.12.10	WHW	SF	DD

not shown if using Uniclass/Classification: 17-509026-500-010-00A-03-01-04