

APP/11/01231

Southleigh Park House, Eastleigh Road, Havant, PO9 2PE

Installation of CCTV system to protect the listed buildings from malicious damage and lead theft



Camera 1

**Main Building, North Elevation,
North West Corner**

Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.

Camera Type - An external fully functional wall mounted colour dome camera.
Lens type: 18 x optical; Mounted at: 5m;
Mounting Type: Corner Mount



Camera 1

Main Building, North West Corner

Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.

Camera Type - An external fully functional wall mounted colour dome camera.
Lens type: 18 x optical; Mounted at: 5m;
Mounting Type: Corner Mount

HAVANT BOROUGH
COUNCIL
26 AUG 2011
RECEIVED



Camera 2

Main Building, North Elevation, North East Corner

Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.

Camera Type - An external fully functional wall mounted colour dome camera.
Lens type: 18 x optical; Mounted at: 5m;
Mounting Type: Corner Mount

Warning - A 30w horn loudspeaker and amplifier for on site public address



Camera 3

Main Building, East Wing – South East Corner

Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.

Camera Type - An external fully functional wall mounted colour dome camera.
Lens type: 18 x optical; Mounted at: 5m;
Mounting Type: Corner Mount

Warning - A 30w horn loudspeaker and amplifier for on site public address



Camera 3

Main Building, East Wing – South East Corner (from East)

Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.

Camera Type - An external fully functional wall mounted colour dome camera.
Lens type: 18 x optical; Mounted at: 5m;
Mounting Type: Corner Mount



Camera 4
Old House, North mid point, facing West

Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.

Camera Type - Fixed high resolution miniature globe dome camera with Infra red LED's and a 4-9mm varifocal lens. Mounted at: 2.3 - 3.5m; Mounting Type: Wall Mount; Directed towards: The passage between the buildings.



Camera 4
Old House, North Elevation, Midway

Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.

Camera Type - Fixed high resolution miniature globe dome camera with Infra red LED's and a 4-9mm varifocal lens. Mounted at: 2.3 - 3.5m; Mounting Type: Wall Mount; Directed towards: The passage between the buildings.



Camera 5
Old House, East Elevation, North East Corner

Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.

Camera Type - An external fully functional wall mounted colour dome camera.
 Lens type: 18 x optical; Mounted at: 5m; Mounting Type: Corner Mount

Warning - A 30w horn loudspeaker and amplifier for on site public address






Camera 5
Old House, North East Corner


Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.

Camera Type - An external fully functional wall mounted colour dome camera.
 Lens type: 18 x optical; Mounted at: 5m;
 Mounting Type: Corner Mount

Warning - A 30w horn loudspeaker and amplifier for on site public address



Camera 6
Old House, view from position of Camera Pole



Camera 6
Old House, Camera Pole Position, facing West

Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.

Camera Type - An external fully functional pole mounted colour dome camera.
 Lens type: 3.5 - 8mm; Located: on the top of the tower; Mounted at: 2.3 - 3.5m; Mounting Type: Swan Neck; Directed towards: The general area.

Warning - A 30w horn loudspeaker and amplifier for on site public address



Camera 7

Old House, North Elevation, North West Corner

Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.

Camera Type - An external fully functional wall mounted colour dome camera.
 Lens type: 18 x optical; Mounted at: 5m;
 Mounting Type: Corner Mount

Warning - A 30w horn loudspeaker and amplifier for on site public address



Camera 7

Old House, North West Corner

Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.

Camera Type - An external fully functional wall mounted colour dome camera.
 Lens type: 18 x optical; Mounted at: 5m;
 Mounting Type: Corner Mount

Warning - A 30w horn loudspeaker and amplifier for on site public address



Camera 7

Old House, West Elevation, North West Corner

Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.

Camera Type - An external fully functional wall mounted colour dome camera.
 Lens type: 18 x optical; Mounted at: 5m;
 Mounting Type: Corner Mount

Warning - A 30w horn loudspeaker and amplifier for on site public address

HAVANT BOROUGH
 COUNCIL

26 AUG 2011

RECEIVED



Camera 8
Coach House – North Elevation

Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.

Camera Type - An external fully functional wall mounted colour dome camera.
 Lens type: 18 x optical; Mounted at: 5m;
 Mounting Type: Corner Mount



Camera 8
Coach House – West Elevation

Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.

Camera Type - An external fully functional wall mounted colour dome camera.
 Lens type: 18 x optical; Mounted at: 5m;
 Mounting Type: Corner Mount



Camera 8
Coach House – North West Corner

Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.


Camera Type - An external fully functional wall mounted colour dome camera.
 Lens type: 18 x optical; Mounted at: 5m;
 Mounting Type: Corner Mount

Camera 9 – Main Building East wing, west elevation

Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.

Camera Type - An external fully functional wall mounted colour dome camera.
 Lens type: 18 x optical; Mounted at: 5m;
 Mounting Type: Corner Mount

Warning - A 30w horn loudspeaker and amplifier for on site public address



Camera 9

Main Building, East Wing – South West Corner

Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.

Camera Type - An external fully functional wall mounted colour dome camera.
 Lens type: 18 x optical; Mounted at: 5m;
 Mounting Type: Corner Mount

Warning - A 30w horn loudspeaker and amplifier for on site public address



Camera 9

Main Building, East Wing – South West Corner

Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.

Camera Type - An external fully functional wall mounted colour dome camera.
 Lens type: 18 x optical; Mounted at: 5m;
 Mounting Type: Corner Mount

Warning - A 30w horn loudspeaker and amplifier for on site public address



Camera 10


Lodge, Camera Pole Position, facing North

Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.

Camera Type - An external fully functional pole mounted colour dome camera.
 Lens type: 3.5 - 8mm; Located: on the top of the tower; Mounted at: 2.3 - 3.5m; Mounting Type: Swan Neck; Directed towards: The general area.

Warning - A 30w horn loudspeaker and amplifier for on site public address

HAVANT BOROUGH
 COUNCIL
 26 AUG 2011
 RECEIVED




Camera 11

Lodge – East Elevation

Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.

Camera Type - Fixed high resolution miniature globe dome camera with Infra red LED's and a 4-9mm varifocal lens. Mounted at: 2.3 - 3.5m; Mounting Type: Wall Mount; Directed towards: The single storey part of the building.

Warning - A 30w horn loudspeaker and amplifier for on site public address.



Camera 11

Lodge – South East Corner

Detector Type - 50m D-TECT50 quad external detector in a silver zinc finished housing. Mounted at: 2.3m.

Camera Type - Fixed high resolution miniature globe dome camera with Infra red LED's and a 4-9mm varifocal lens. Mounted at: 2.3 - 3.5m; Mounting Type: Wall Mount; Directed towards: The single storey part of the building.

Warning - A 30w horn loudspeaker and amplifier for on site public address.